89-9

No. 89-9

CURRENT BIBLIOGRAPHIES IN MEDICINE



Toxoplasmosis in Man and Animals

Prepared by

Fritz P. Gluckstein



Public Services Division

Bethesda, Maryland 20894

January 1987 through May 1989

986 Citations

HE 20.3615/2:

READEX FICHE best copy available

CBM No. 89-9

Toxoplasmosis in Man and Animals

January 1987 through May 1989

986 Citations

Prepared by Fritz P. Gluckstein, D.V.M., M.L.S.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
National Institutes of Health

National Library of Medicine
Reference Section
8600 Rockville Pike
Bethesda, Maryland 20894

G.P.O. Stock No. 817-005-00009-8

SERIES NOTE

Current Bibliographies in Medicine (CBM) is a continuation in part of the National Library of Medicine's Literature Search Series, which ceased in 1987 with No. 87-15. In 1989 it also subsumed the *Specialized Bibliography Series*. Each bibliography in the new series covers a distinct subject area of biomedicine and is intended to fulfill a current awareness function. Citations are usually derived from searching a variety of online databases. NLM databases utilized include MEDLINE, AVLINE, BIOETHICSLINE, CANCERLIT, CATLINE, HEALTH, POPLINE, AND TOXLINE. The only criterion for the inclusion of a particular published work is its relevance to the topic being presented; the format, ownership, or location of the material is not considered.

Comments and suggestions on this series may be addressed to:

Karen Patrias, Editor
Current Bibliographies in Medicine
Reference Section
National Library of Medicine
Bethesda, MD 20894
301/496-6097

Ordering Information.

Current Bibliographies in Medicine is sold by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. To order the entire CBM series for calendar year 1989 (20 bibliographies), send $47.00 ($58.75 foreign) to the Superintendent of Documents citing GPO List ID: CBM89. For your convenience an order blank is given inside the back cover. Orders for individual bibliographies in the series ($2.50, $3.00 foreign) should be sent to the Superintendent of Documents citing the title and the GPO Stock No. printed on the title page.

Use of funds for printing this periodical has been approved by the Director of the Office of Management and Budget through September 30, 1989.

TOXOPLASMOSIS IN MAN AND ANIMALS

Toxoplasmosis is a common worldwide protozoan infection of man and many species of warm-blooded animals, including birds. While most infections are subclinical, they may cause severe disease affecting various body systems, especially in the immunocompromised host. Toxoplasmosis also poses a particular hazard to the fetus, causing approximately 4500 congenital infections each year in the U.S. alone.

This bibliography contains citations to all aspects of toxoplasmosis including human and animal infections as well as experimental studies. It covers journal articles, meeting abstracts, monographs, and dissertations. The contents are arranged in 27 subject categories. Citations dealing with more than one subject are listed under the primary one; some appear in more than one category. Citations to the literature prior to 1987 may be found in J.P. Dubey and C.P. Beatty's *Toxoplasmosis of Animals and Man*, fully cited within.

SEARCH STRATEGY

A variety of online databases are usually searched in preparing bibliographies in the CBM series. To assist you in updating or otherwise manipulating the material in this search, the strategy used for the NLM's MEDLINE database is given below. Please note that the search strategies presented here differ from individual demand searches in that they are generally broadly formulated and irrelevant citations edited out prior to printing.

SS 1 = TOXOPLASMA

SS 2 = EXP TOXOPLASMOSIS

SS 3 = 1 OR 2

GRATEFUL MED

To make online searching easier and more efficient, the Library offers GRATEFUL MED, microcomputer-based software that provides a user-friendly interface to most NLM databases. This software was specifically developed for health professionals and features multiple choice menus and "fill in the blank" screens for easy search preparation. GRATEFUL MED runs on an IBM PC (or IBM-compatible) with DOS 2.0 and a Hayes (or Hayes-compatible) modem. It may be purchased from the National Technical Information Service in Springfield, Virginia, for $29.95 (plus $3.00 per order for shipping). For your convenience, an order blank has been enclosed at the back of this bibliography.

SAMPLE CITATIONS

Citations in this bibliographic series are formatted according to the rules established for *Index Medicus*. Sample journal and monograph citations appear below. For journal articles written in a foreign language, the English translation of the title is placed in brackets; for monographs, the title is given in the original language. In both cases the language of publication is shown by a three letter abbreviation appearing at the end of the citation. Note also that a colon (:) may appear within an author's name or article title. The NLM computer system automatically inserts this symbol in the place of a diacritical mark.

Journal Article:



Monograph:



TABLE OF CONTENTS

	page
GENERAL	1
BIOLOGY	2
EXPERIMENTAL STUDIES	
Immunology	4
Pathology	8
Diagnosis incl. Serodiagnosis	9
Therapy	10
TOXOPLASMOSIS IN MAN	
General	12
Epidemiology	12
Immunology	15
Pathology	16
Diagnosis incl. Serodiagnosis	17
Immunocompromised Hosts	
AIDS	20
Other Conditions	28
Pregnancy and the Fetus	29
Clinical Aspects	34
Therapy	37
TOXOPLASMOSIS IN ANIMALS	
General	39
Epidemiology	39
Immunology	41
Pathology	42
Diagnosis incl. Serodiagnosis	42
Immunocompromised Hosts	43
Gestation and the Fetus	43
Clinical Aspects	44
Therapy	44
Public Health incl. Meat Hygiene	45

GENERAL

Bouree P ; Aube C. [Toxoplasmosis]. Soins 1987 Jun;(501):24-7 [Fre]

Cui JZ. [Recent progress in research on toxoplasmosis in China]. Chung Hua Liu Hsing Ping Hsueh Tsa Chih 1987 Dec;8(6): 374-7 [Chi]

Desmonts G. Toxoplasmosis in France. Asian J Clin Sci 1987; 7(4):89-107

Dubey, J. P. ; Beatty, C. P. Toxoplasmosis of animals and man. Boca Raton, Fla.: CRC Press, 1988. 220p.

Frenkel J. On a unique tribute to Theobald Smith, 1915 [letter]. Rev Infect Dis 1988 Sep-Oct;10(5):1061-2

Gallo A ; Neto ME. [Curious coincidence of discovery in many areas of knowledge about Toxoplasma]. Arq Bras Oftalmol 1988;51(4):186 [Por]

Lautenslager JP. Toxoplasmosis as a significant disease in man and animals with special reference to preventive measures by the farm community. Can Vet J 1987;28(5):261-4

Nikiforov VN ; Lysenko AIa ; Bakulieva LP ; Moroz BV ; Nemirovskaia AI. [Study results and outlook on the problem of toxoplasmosis]. Med Parazitol (Mosk) 1988 Jul-Aug;(4):36-40 [Rus]

BIOLOGY

Alieva KhKh ; Shevkunova EA. [Isoenzyme analysis of the causal agent of toxoplasmosis (RH strain)]. Med Parazitol (Mosk) 1987 Jul-Aug;(4):48-51 [Rus]

Asai T ; Kim T. Possible regulation mechanism of potent nucleoside triphosphate hydrolase in Toxoplasma gondii. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 May;264(3-4):464-7

Baker JR. The Isospora - Toxoplasma - Sarcocystis confusion: the Toxoplasma tangle. Parasitol Today 1987;3(4):103-5

Barnert G ; Hassl A ; Asp:ock H. Isoenzyme studies on Toxoplasma gondii isolates using isoelectric focusing. Zentralbl Bakteriol Mikrobiol Hyg [A] 1988 Jun;268(4):476-81

Bjerkas I ; Presthus J. Immuno-histochemical and ultrastructural characteristics of a cyst-forming sporozoon associated with encephalomyelitis and myositis in dogs. Acta Pathol Microbiol Immunol Scand 1988;96(5):445-54

Candolfi E ; Arveiler B ; Mandel JL ; Kien T. [Chromosomic structure of Toxoplasma gondii. Preliminary results]. Bull Soc Fr Parasitol 1988;6(1):27-32 [Fre]

Cheng T ; Jourdane J ; Combes C. [Survival strategies of parasites in their hosts]. Annee Biol 1988;27(2):73-92 [Fre]

Darde ML ; Bouteille B ; Pestre-Alexandre M. [Iso-enzyme characterization of 7 strains of Toxoplasma gondii by iso-electrofocusing]. Bull Soc Fr Parasitol 1987;5(1):33-9 [Fre]

Darde ML ; Bouteille B ; Pestre-Alexandre M. [Isoenzymic characterization of cloned strains of Toxoplasma gondii]. Bull Soc Fr Parasitol 1988;6(1):41-6 [Fre]

Darde ML ; Bouteille B ; Pestre-Alexandre M. Isoenzymic characterization of seven strains of Toxoplasma gondii by isoelectrofocusing in polyacrylamide gels. Am J Trop Med Hyg 1988 Dec;39(6):551-8

Dusanic DG. Applications of biotechnological methods to studies of protozoan parasites. Southeast Asian J Trop Med Public Health 1988;19(1):11-20

Endo T ; Tokuda H ; Yagita K ; Koyama T. Effects of extracellular potassium on acid release and motility initiation in Toxoplasma gondii. J Protozool 1987 Aug;34(3):291-5

Endo T ; Yagita K ; Yasuda T ; Nakamura T. Detection and localization of actin in Toxoplasma gondii. Parasitol Res 1988;75(2):102-6

Gallois Y ; Foussard F ; Girault A ; Hodbert J ; Tricaud A ; Mauras G ; Motta C. Membrane fluidity of Toxoplasma gondii: a fluorescence polarization study. Biol Cell 1988;62(1):11-5

Hassan HF ; Coombs GH. Purine and pyrimidine metabolism in parasitic protozoa. FEMS Microbiol Rev 1988;54(1):47-83

Hermentin K ; Asp:ock H. Higher yields and increased purity of in vitro grown Toxoplasma gondii. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 Dec;267(2):272-6

Hermentin K ; Auer H ; Asp:ock H. In vitro cultivation of Toxoplasma gondii under defined, serum-free conditions. J Parasitol 1987 Dec;73(6):1276-7

Hout A ; Tremblay A ; Boisvert F ; Richer G ; Levesque RC. Construction of a genomic library and analysis of rRNA genes of the parasite Toxoplasma gondii [abstract]. Abstr Annu Meet Am Soc Microbiol 1988;88:176

Hout A ; Tremblay A ; Boisvert F ; Richer G ; Levesque RC. Molecular cloning and structural features of the ribosomal DNA operon from Toxoplasma gondii [abstract]. J Cell Biochem Suppl 1988;12 Pt D:72

Hulinska D ; Z:ast:era M ; Pokorn:y J. [Morphologic and cytochemical differences between cystic and proliferative forms of Toxoplasma gondii]. Bratisl Lek Listy 1987 Jun; 87(6):659-76 [Cze]

Jeon Y ; Rhee YO ; Kim SH ; Jang H. [Preservation of Toxoplasma gondii in liquid nitrogen]. Res Rep Rural Dev Adm (Suweon) 1988;30(1):46-50 [Kor]

Johnson AM ; Illana S ; Dubey JP ; Dame JB. Toxoplasma gondii and Hammondia hammondi: DNA comparison using cloned rRNA gene probes. Exp Parasitol 1987 Jun;63(3):272-8

Johnson AM ; Illana S ; Hakendorf P ; Baverstock PR. Phylogenetic relationships of the apicomplexan protist Sarcocystis as determined by small subunit ribosomal RNA comparison. J Parasitol 1988;74(5):847-60

Johnson AM ; Murray PJ ; Illana S ; Baverstock PJ. Rapid nucleotide sequence analysis of the small subunit ribosomal RNA of Toxoplasma gondii: evolutionary implications for the Apicomplexa. Mol Biochem Parasitol 1987 Oct;25(3):239-46

Kasper LH. Isolation and characterization of a monoclonal anti-P30 antibody resistant mutant of Toxoplasma gondii. Parasite Immunol 1987 Jul;9(4):433-45

Kasper LH ; Crabb JH ; Nutille MN ; Khan IA. Growth inhibition of Toxoplasma gondii in human fibroblasts by a soluble product from cloned mouse T-cells correlates with lymphotoxin activity [abstract]. Clin Res 1988;36(3):458A

Kierszenbaum F ; Wirth JJ. Activity of recombinant tumor necrosis factor on Toxoplasma gondii and Trypanosoma cruzi [letter]. J Immunol 1987 Jan 1;138(1):330

Krug EC ; Berens RL ; Marr JJ. Purine metabolism of Toxoplasma gondii [abstract]. FASEB J 1988;2(5):Abstr 6123

Levine ND. The isospora - toxoplasma - sarcocystis confusion. Parasitol Today 1987;3(4):101-3

Lipschik GY ; Kovacs JA ; Shelhamer JH ; Parrillo JE ; Masur H. Polyamine metabolism in Leishmania major and Toxoplasma gondii [abstract]. Clin Res 1988;36(3):461A

Markus MB. Terms for coccidian merozoites. Ann Trop Med Parasitol 1987;81(4):463

Matsui T ; Morii T ; Iijima T ; Kobayashi F ; Fujino T. Transformation of oocysts from several coccidian species by heat treatment. Parasitol Res 1989;75(4):264-7

Merli A ; Canessa A ; Terragna A. Quantitation of Toxoplasma induced cytopathogenic effect (CPE) by the assessment of cell numbers via the endogenous enzyme hexosaminidase. J Microbiol Methods 1987;6(6):327-32

Nagel SD ; Boothroyd JC. The alpha- and beta-tubulins of Toxoplasma gondii are encoded by single copy genes containing multiple introns. Mol Biochem Parasitol 1988 Jun; 29(2-3):261-73

Nichols BA ; Chiappino ML. Cytoskeleton of Toxoplasma gondii. J Protozool 1987 May;34(2):217-26

Noriega FR ; Hauser WE Jr. Toxoplasma gondii maintenance in tissue culture: a new efficient method for culturing RH tachyzoites. J Parasitol 1988 Jun;74(3):495-9

Prince JB ; Araujo FG ; Remington JS ; Burg JL ; Boothroyd JC ; Sharma SD. Cloning of cDNAs encoding a 28 kilodalton antigen of Toxoplasma gondii. Mol Biochem Parasitol 1989; 34(1):3-14

Rocha RJ ; Chiari CA ; Tafuri WL. Toxoplasma gondii tachyzoite elimination in the urine of experimental inoculated rats and mice [abstract]. Mem Inst Oswaldo Cruz 1987;82 Suppl 1:22

Sadak A ; Taghy Z ; Fortier B ; Dubremetz JF. Characterization of a family of rhoptry proteins of Toxoplasma gondii. Mol Biochem Parasitol 1988 Jun;29(2-3):203-11

Saffer LD ; Long Krug SA ; Schwartzman JD. The role of phospholipase in host cell penetration by Toxoplasma gondii. Am J Trop Med Hyg 1989 Feb;40(2):145-9

Sakurai H ; Sakurai H ; Tegoshi T ; Takagi T ; Saito A ; Suzuki N ; Seitz HM. Long-term in vitro suspension culture of Toxoplasma and HeLa cells. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 May;264(3-4):468-77

Sibley LD ; Krahenbuhl JL. Modification of host cell phagosomes by Toxoplasma gondii involves redistribution of surface proteins and secretion of a 32 kDa protein. Eur J Cell Biol 1988 Oct;47(1):81-7

Tiner JD. Birefringent spores differentiate Encephalitozoon and other microsporidia from coccidia. Vet Pathol 1988;25(3): 227-30

Yasuda T ; Yagita K ; Nakamura T ; Endo T. Immunocytochemical localization of actin in Toxoplasma gondii. Parasitol Res 1988;75(2):107-13

EXPERIMENTAL STUDIES

Immunology

Asai T ; Kim TJ ; Kobayashi M ; Kojima S. Detection of nucleoside triphosphate hydrolase as a circulating antigen in sera of mice infected with Toxoplasma gondii. Infect Immun 1987 May; 55(5):1332-5

Badger AM ; Hutchman JS ; Sung CP ; Bugelski PJ. Activation of rat alveolar macrophages by gamma interferon to inhibit Toxoplasma gondii in vitro. J Leukoc Biol 1987 Nov;42(5): 447-54

Badger AM ; Meunier PC ; Weiss RA ; Bugelski PJ. Modulation of rat bronchoalveolar lavage cell function by the intratracheal delivery of interferon-gamma. J Interferon Res 1988 Apr;8(2): 251-60

Black CM ; Catterall JR ; Remington JS. In vivo and in vitro activation of alveolar macrophages by recombinant interferon-gamma. J Immunol 1987 Jan 15;138(2):491-5

Black CM ; Catterall JR ; Remington JS. Oxygen-independent killing by human alveolar and peritoneal macrophages [abstract]. Clin Res 1987;35(1):189A

Bousquet M ; Escoula L ; Pipy B ; Bessieres MH ; Chavant L ; Seguela JP. [Enhancement of resistance of mice Toxoplasma gondii by 2 polysaccharides beta 1-3, beta 1-6 (PSAT and Scleroglucan)]. Ann Parasitol Hum Comp 1988;63(6):398-409 [Fre]

Breitbach R ; Setzer PY ; Nichols BA. Cytochemical studies of the inflammatory response to Toxoplasma gondii in the guinea pig conjunctiva [abstract]. Invest Ophthalmol Visual Sci 1988; 29(Abstr Issue):39

Brinkmann V ; Remington JS ; Sharma SD. Protective immunity in toxoplasmosis: correlation between antibody response, brain cyst formation, T-cell activation, and survival in normal and B-cell-deficient mice bearing the H-2k haplotype. Infect Immun 1987 Apr;55(4):990-4

Burg JL ; Perelman D ; Kasper LH ; Ware PL ; Boothroyd JC. Molecular analysis of the gene encoding the major surface antigen of Toxoplasma gondii. J Immunol 1988 Nov 15;141(10): 3584-91

Cabanas C ; Sanchez-Madrid F ; Acevedo A ; Bellon T ; Fernandez JM ; Larraga V ; Bernabeu C. Characterization of a CD11c-reactive monoclonal antibody (HC1/1) obtained by immunizing with phorbol ester differentiated U937 cells. Hybridoma 1988 Apr;7(2):167-76

Candolfi E ; Mushahwar IK ; Falen RR ; Kien T. [IgG, IgM, IgA and IgE antibodies and circulating antigen in chimpanzee experimentally infected with Toxoplasma gondii strain RH Sabin]. Bull Soc Fr Parasitol 1987;5(1):23-6 [Fre]

Canessa A ; Pistoia V ; Roncella S ; Merli A ; Melioli G ; Terragna A ; Ferrarini M. An in vitro model for Toxoplasma infection in man. Interaction between CD4+ monoclonal T cells and macrophages results in killing of trophozoites. J Immunol 1988 May 15;140(10):3580-8

Catterall JR ; Black CM ; Leventhal JP ; Rizk NW ; Wachtel JS ; Remington JS. Nonoxidative microbicidal activity in normal human alveolar and peritoneal macrophages. Infect Immun 1987 Jul;55(7):1635-40

Chumpitazi B ; Ambroise-Thomas P ; Cagnard M ; Autheman JM. Isolation and characterization of toxoplasma exo-antigens from in vitro culture in MRC5 and Vero cells. Int J Parasitol 1987 Feb;17(3):829-34

Coleman DL ; Chodakewitz JA ; Bartiss AH ; Mellors JW. Granulocyte-macrophage colony-stimulating factor enhances selective effector functions of tissue-derived macrophages. Blood 1988 Aug;72(2):573-8

Couvreur G ; Sadak A ; Fortier B ; Dubremetz JF. Surface antigens of Toxoplasma gondii. Parasitology 1988 Aug;97(Pt 1): 1-10

Darcy F ; Deslee D ; Santoro F ; Charif H ; Auriault C ; Decoster A ; Duquesne V ; Capron A. Induction of a protective antibody-dependent response against toxoplasmosis by in vitro excreted/secreted antigens from tachyzoites of Toxoplasma gondii. Parasite Immunol 1988 Sep;10(5):553-67

de Macario EC ; Jovell RJ ; Macario AJ. Slide immunoenzymatic assay (SIA) improving sensitivity to measure antibodies when samples are very small and dilute and antigen is scarce. J Immunoass 1987;8(4):283-96

de Macario EC ; Macario AJ ; Lovell RJ. Measurement of antibodies against Toxoplasma gondii and other microbes; use of films of dry reagents [abstract]. Fed Proc 1987;46(3):624

Deletoille P ; Ovlaque G ; Slizewicz B. Advantage of using 35,000-molecular-weight protein for testing of Toxoplasma gondii immunoglobulin M [letter]. J Clin Microbiol 1988 Apr;26(4): 796-7

Derouin F ; Miliot G ; Constant C. [In vitro study of monoclonal antibodies to Toxoplasma gondii. Quantitative measurement of their inhibitory effect]. Bull Soc Fr Parasitol 1987;5(1):41-7 [Fre]

Dubremetz JF ; Sadak A ; Taghy Z ; Fortier B. Characterization of a 42-kDa rhoptry antigen of Toxoplasma gondii. NATO ASI Ser [Ser H, Cell Biol] 1987;11:365-70

Eisenhauer P ; Mack DG ; McLeod R. Prevention of peroral and congenital acquisition of Toxoplasma gondii by antibody and activated macrophages. Infect Immun 1988 Jan;56(1):83-7

Filice GA. Antimicrobial properties of Kupffer cells. Infect Immun 1988 Jun;56(6):1430-5

Fong LG ; Fong TA ; Cooper AC. Regulation of the macrophage scavenger receptor by interferon-gamma [abstract]. J Cell Biol 1988,107(6 Pt 3):69A

Friedrich R ; Muller WA. [The influence of a subretinal injection of Toxoplasma gondii on the serum antibody level in a rabbit model of ocular toxoplasmosis]. Angew Parasitol 1989;30(1): 15-7 [Ger]

Fuhrman SA ; Joiner KA. Antibody-independent binding of the third complement component C3 by Toxoplasma gondii [abstract]. Complement 1987;4(3-4):156

Fuhrman SA ; Joiner KA. Binding of the third component of complement C3 by Toxoplasma gondii [abstract]. Clin Res 1987;35(3):475A

Fuhrman SA ; Joiner KA. Toxoplasma gondii: mechanism of resistance to complement-mediated killing. J Immunol 1989 Feb 1;142(3):940-7

Goyal M ; Ganguly NK ; Mahajan RC. Cytotoxic activity of monocytes against Toxoplasma gondii in acute, chronic and reactivated murine toxoplasmosis. Med Microbiol Immunol (Berl) 1988;177(6):339-48

Goyal M ; Ganguly NK ; Mahajan RC. Natural killer cell cytotoxicity against Toxoplasma gondii in acute and chronic murine toxoplasmosis. Med Sci Res 1988;16(8):375-7

Hassl A ; Asp:ock H ; Flamm H. Comparative studies on the purity and specificity of yolk immunoglobulin Y isolated from eggs laid by hens immunized with Toxoplasma gondii antigen. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 Dec;267(2):247-53

Hassl A ; Asp:ock H ; Flamm H. Evidence of structural proteins of Toxoplasma gondii in sera of experimentally infected mice. Zentralbl Bakteriol Mikrobiol Hyg [A] 1988 Nov;270(1-2):310-2

Hassl A ; Auer H ; Hermentin K ; Picher O ; Asp:ock H. Experimental studies on circulating antigen of Toxoplasma gondii in intermediate hosts: criteria for detection and structural properties. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 Mar;263(4):625-34

Hirokawa H. [Effects of Toxoplasma lysate antigen (TLA) and interleukin 2(IL-2) on the spleen cells from TLA-premeditated mice]. Res Bull Obihiro Univ [I] 1987;15(3):77 [Jpn]

Holland GN ; O'Connor GR ; Diaz RF ; Minasi P ; Wara WM. Ocular toxoplasmosis in immunosuppressed nonhuman primates. Invest Ophthalmol Vis Sci 1988 Jun;29(6):835-42

Hughes HP. Oxidative killing of intracellular parasites mediated by macrophages. Parasitol Today 1988;4(12):340-7

Hughes HP ; Kasper LH ; Little J ; Dubey JP. Absence of a role for natural killer cells in the control of acute infection by Toxoplasma gondii oocysts. Clin Exp Immunol 1988 Jun;72(3): 394-9

Hughes HP ; Speer CA ; Kyle JE ; Dubey JP. Activation of murine macrophages and a bovine monocyte cell line by bovine lymphokines to kill the intracellular pathogens Eimeria bovis and Toxoplasma gondii. Infect Immun 1987 Mar;55(3):784-91

Hughes HP ; Thomas KR ; Speer CA. Antigen-specific lymphocyte transformation induced by oocyst antigens of Eimeria bovis. Infect Immun 1988;56(6):1518-25

Jones TC ; Alkan S ; Erb P. Murine spleen and lymph node cellular composition and function during cyclophosphamide and splenectomy induced resistance to Toxoplasma gondii. Parasite Immunol 1987 Jan;9(1):117-31

Kasper LH. Identification of stage-specific antigens of Toxoplasma gondii. Infect Immun 1989 Mar;57(3):668-72

Kasper LH. Isolation and characterization of a monoclonal anti-P30 antibody resistant mutant of Toxoplasma gondii. Parasite Immunol 1987 Jul;9(4):433-45

Kelly CD ; Welte K ; Murray HW. Antigen-induced human interferon-gamma production. Differential dependence on interleukin 2 and its receptor. J Immunol 1987 Oct 1; 139(7):2325-8

Kessler AC ; Kueppers R. Results obtained with seven new enzyme immunoassays for the detection of antibodies to toxoplasmosis, rubella cytomegalovirus and chlamydia [abstract]. Clin Chem 1987;33(6):924

Khan IA ; Eckel ME ; Pfefferkorn ER ; Kasper LH. Production of gamma interferon by cultured human lymphocytes stimulated with a purified membrane protein (P30) from Toxoplasma gondii. J Infect Dis 1988 May;157(5):979-84

Khan IA ; Smith KA ; Kasper LH. Induction of antigen specific cytotoxin T-cell splenocytes by a major membrane protein P30 of Toxoplasma gondii [abstract]. Clin Res 1988;36(3):456A

Khan IA ; Smith KA ; Kasper LH. Induction of antigen-specific parasiticidal cytotoxic T cell splenocytes by a major membrane protein (P30) of Toxoplasma gondii. J Immunol 1988 Nov 15; 141(10):3600-5

Kimata I. [Translocation of antigens of Toxoplasma gondii into the host cell determined using monoclonal antibodies]. J Osaka City Med Cent 1987;36(3):351-70 [Jpn]

Kimata I ; Tanabe K. Secretion by Toxoplasma gondii of an antigen that appears to become associated with the parasitophorous vacuole membrane upon invasion of the host cell. J Cell Sci 1987 Sep;88(Pt 2):231-9

Kimata I ; Tanabe K ; Izumo A ; Takada S. Host cell ATP level and invasion of Toxoplasma gondii. Trans R Soc Trop Med Hyg 1987;81(3):377

Kobayashi A ; Suzuki Y. Suppression of antibody responses by Toxoplasma infection in mice. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 May;264(3-4):312-8

Lanzavecchia A ; Scheidegger D. The use of hybrid hybridomas to target human cytotoxic T lymphocytes. Eur J Immunol 1987 Jan;17(1):105-11

Locksley RM ; Nelson CS ; Fankhauser JE ; Klebanoff SJ. Loss of granule myeloperoxidase during in vitro culture of human monocytes correlates with decay in antiprotozoa activity. Am J Trop Med Hyg 1987 May;36(3):541-8

Lovgren K ; Uggla A ; Morein B. A new approach to the preparation of a Toxoplasma gondii membrane antigen for use in ELISA. Zentralbl Veterinarmed [B] 1987 Jun;34(4):274-82

Luft BJ ; Pedrotti PW ; Remington JS. In vitro generation of adherent mononuclear suppressor cells to Toxoplasma antigen. Immunology 1988 Apr;63(4):643-8

Makioka A. Studies on Tetrahymena pyriformis as an immunostimulant - Identification and isolation of active components from Tetrahymena for macrophage activation. Jikeikai Med J 1987;34(4):433-51

Makioka A ; Kobayashi A. Effect of heat-stable hemolysin from Pseudomonas aeruginosa on Toxoplasma gondii and host cells. Jikeikai Med J 1987;34(3):281-8

Masihi KN ; Lange W. [Intensification of unspecific defense mechanisms versus infectious diseases by immunomodulators of microbial origin]. Allergologie 1988;11(8):308-15 [Ger]

Masihi KN ; Ribi E ; Lange W ; Werner H. Effects of nontoxic lipid A and endotoxin on resistance of mice to Toxoplasma gondii. J Biol Response Mod 1988 Dec;7(6):535-9

McColgan C. Immunity to Toxoplasma gondii: studies with sheep and mice. Diss Abstr Int 1988;49(3-B):659

McColgan C ; Alexander J. Immunization of mice against Toxoplasma gondii using membrane antigens reconstituted into liposomes [abstract]. J Cell Biochem Suppl 1988;12 Pt B:17

McLeod R ; Frenkel JK ; Estes RG ; Mack DG ; Eisenhauer PB ; Gibori G. Subcutaneous and intestinal vaccination with tachyzoites of Toxoplasma gondii and acquisition of immunity to peroral and congenital toxoplasma challenge. J Immunol 1988 Mar 1;140(5):1632-7

Mellors JW ; Bartiss AH ; Coleman DL. Stimulation of macrophage H2O2 release by resident thymocytes: effect of a soluble factor distinct from interferon-gamma. Cell Immunol 1987 Dec;110(2):391-9

Mellors JW ; Debs RJ ; Ryan JL. Incorporation of recombinant gamma interferon into liposomes enhances its ability to induce peritoneal macrophage antitoxoplasma activity. Infect Immun 1989 Jan;57(1):132-7

Muller WA ; Becker K ; Schaefer A ; Koch G ; Borkhardt HL. [The production of hybrid cells producing monoclonal antibodies against Toxoplasma gondii]. Angew Parasitol 1988 Apr;20(1):11-7 [Ger]

Murray H ; Szuro Sudol A ; Wellner D ; Rothermel C ; Libby D ; Oca M ; Granger A. Interferon-induced tryptophan degradation and macrophage antimicrobal activity [abstract]. Clin Res 1988;36(3):580A

Murray HW. Survival of intracellular pathogens within human mononuclear phagocytes. Semin Hematol 1988 Apr;25(2): 101-11

Murray HW ; Scavuzzo D ; Jacobs JL ; Kaplan MH ; Libby DM ; Schindler J ; Roberts RB. In vitro and in vivo activation of human mononuclear phagocytes by interferon-gamma. Studies with normal and AIDS monocytes. J Immunol 1987 Apr 15; 138(8):2457-62

Murray HW ; Szuro Sudol A ; Wellner D ; Oca MJ ; Granger AM ; Libby DM ; Rothermel CD ; Rubin BY. Role of tryptophan degradation in respiratory burst-independent antimicrobial activity of gamma interferon-stimulated human macrophages. Infect Immun 1989;57(3):845-9

Nagel SD ; Boothroyd JC. The major surface antigen, P30, of Toxoplasma gondii is anchored by a glycolipid. J Biol Chem 1989 Apr 5;264(10):5569-74

Neeley SP ; Conley FK. Extraction and immunocytochemical characterization of viable mononuclear inflammatory cells from brains of mice with chronic Toxoplasma gondii infection. J Neuroimmunol 1987 Jun;15(2):159-72

Nguyen BT ; Stadtsbaeder S. Enhanced resistance to Toxoplasma gondii induced by Beta-1,3 glucan in cyclophosphamide-immunosuppressed mice [abstract]. Mem Inst Oswaldo Cruz 1987;82 Suppl 2:44A

Omata Y ; Igarashi M ; Ramos MI ; Nakabayashi T. Toxoplasma gondii: Antigenic differences between endozoites and cystozoites defined by monoclonal antibodies. Parasitol Res 1989;75(3):189-93

Pavia CS. Thymocyte-dependent immunity to toxoplasmosis in the normal and immunocompromised guinea-pig host. Parasite Immunol 1987 Mar;9(2):205-18

Perlin MD ; Falen RR ; Mushawar IK. Neutralization of Toxoplasma gondii infectivity by monoclonal antibodies [abstract]. FASEB J 1988;2(4):2195A

Pettersen EK. Resistance to avirulent Toxoplasma gondii in normal and vaccinated rats. APMIS 1988 Sep;96(9):820-4

Pfefferkorn ER. The mechanism by which interferon gamma blocks the growth of Toxoplasma gondii in cultered fibroblasts. NATO ASI Ser [Ser H, Cell Biol] 1987;11:345-54

Pfefferkorn ER. Toxoplasma gondii. Immunol Ser 1988;42:149-66

Reyes L ; Frenkel JK. Specific and nonspecific mediation of protective immunity to Toxoplasma gondii. Infect Immun 1987 Apr;55(4):856-63

Ridel PR ; Auriault C ; Darcy F ; Pierce RJ ; Leite P ; Santoro F ; Neyrinck JL ; Kusnierz JP ; Capron A. Protective role of IgE in immunocompromised rat toxoplasmosis. J Immunol 1988 Aug 1;141(3):978-83

Ridel PR ; Auriault C ; Darcy F ; Pierce R ; Neyrinck JL ; Kusnierz JP ; Leite P ; Capron A. Toxoplasmosis in the rat: role of IgE in protection of Nu/Nu littermates [abstract]. FASEB J 1988;2(4):915A

Romero-Piffiguer M ; Ferro ME ; Riera CM. Potentiation of autoimmune response in rats infected with Toxoplasma gondii. Effect of the infection route. Jpn J Med Sci Biol 1987 Oct-Dec; 40(5-6):175-85

Romero-Piffiguer M ; Ferro ME ; Riera CM. Potentiation of autoimmune response in rats infected with Toxoplasma gondii. Am J Reprod Immunol Microbiol 1987 Jun;14(2):33-7

Santoro F ; Auriault C ; Leite P ; Darcy F ; Capron A. [Infection of the athymic rat by Toxoplasma gondii]. C R Acad Sci [III] 1987;304(11):297-300 [Fre]

Sato M ; Sekiguchi S ; Miyagami T ; Sakurai H ; Saito A ; Hirose T ; Suzuki N. With time changes of T-lymphocytes after Babesia infection in mice pretreated with Toxoplasma lysate antigen. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 May; 264(3-4):435-45

Schwartzman JD ; Krug EC. Toxoplasma gondii: characterization of monoclonal antibodies that recognize rhoptries. Exp Parasitol 1989 Jan;68(1):74-82

Sharma SD. Susceptibility of autoimmune mice to Toxoplasma gondii infection and its modulation by lymphocytes [abstract]. J Leukoc Biol 1987;42(4):419

Sibley LD. Modification of host cell phagocytic compartments by intracellular Toxoplasma gondii. NATO ASI Ser [Ser H, Cell Biol] 1987;11:355-64

Sibley LD ; Krahenbuhl JL. Mycobacterium leprae-burdened macrophages are refractory to activation by gamma interferon. Infect Immun 1987 Feb;55(2):446-50

Sibley LD ; Sharma SD. Ultrastructural localization of an intracellular Toxoplasma protein that induces protection in mice. Infect Immun 1987 Sep;55(9):2137-41

Skorich DN ; Chiappino ML ; Nichols BM. Immune responses of guinea pigs to invading Toxoplasma in vivo [abstract]. Invest Ophthalmol Vis Sci 1988;29(Abstr Issue):39

Squires KE ; Murphy WF ; Madoff LC ; Murray HW. Interferon-gamma and Mycobacterium avium-intracellulare infection. J Infect Dis 1989 Mar;159(3):599-600

Suzuki N ; Kikushima K ; Miyagami T ; Igarashi I ; Sakurai H ; Saito A ; Osaki H. Modulator effect of Toxoplasma lysate antigen in mice experimentally infected with Plasmodium berghei. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 May; 264(3-4):422-34

Suzuki Y ; Joh K ; Kobayashi A. Macrophage-mediated suppression of immune responses in Toxoplasma-infected mice. III. Suppression of antibody responses to parasite itself. Cell Immunol 1987 Dec;110(2):218-25

Suzuki Y ; Kobayashi A. Presence of high concentrations of circulating Toxoplasma antigens during acute Toxoplasma infection in athymic nude mice. Infect Immun 1987 Apr;55(4): 1017-8

Suzuki Y ; Orellana MA ; Schreiber RD ; Remington JS. Interferon-gamma: the major mediator of resistance against Toxoplasma gondii. Science 1988 Apr 22;240(4851):516-8

Suzuki Y ; Remington JS. Dual regulation of resistance against Toxoplasma gondii infection by Lyt-2+ and Lyt-1+, L3T4+ T cells in mice. J Immunol 1988 Jun 1;140(11):3943-6

Suzuki Y ; Remington JS. A method for obtaining large numbers of trophozoites of avirulent strains of Toxoplasma gondii using an antibody to interferon-gamma. J Parasitol 1989 Feb;75(1):174-6

Takahashi S. [The mechanisms of toxoplasmacidal activity in glycogen-induced mouse peritoneal macrophages]. Res Bull Obihiro Univ [1] 1987;15(3):77 [Jpn]

Thelu J. Trans-elution: a method for the purification of components of complex biological extracts. Anal Biochem 1988 Jul;172(1):124-9

Uggla A ; Araujo FG ; Lunden A ; L:ovgren K ; Remington JS ; Morein B. Immunizing effects in mice of two Toxoplasma gondii iscom preparations. Zentralbl Veterinarmed [B] 1988 May;35(4):311-4

Uggla A ; Hilali M ; L:ovgren K. Serological responses in Sarcocystis cruzi infected calves challenged with Toxoplasma gondii. Res Vet Sci 1987 Jul;43(1):127-9

van Dissel JT ; Stikkelbroeck JJ ; van den Barselaar MT ; Sluiter W ; Leijh PC ; van Furth R. Divergent changes in antimicrobial activity after immunologic activation of mouse peritoneal macrophages. J Immunol 1987;139(5):1665-72

van Furth R ; van Dissel JT. Differences in macrophage activation by BCG and interferon-gamma [abstract]. Leukocyte Biol 1987; 42(2):400

Ware PL ; Kasper LH. Strain-specific antigens of Toxoplasma gondii. Infect Immun 1987 Mar;55(3):778-83

Wilson CB. Molecular requirements for interferon -gamma induced macrophage antiprotozoal activity [abstract]. Clin Res 1988;36(3):582A

Yano K ; Nakabayashi T ; Inoki S. Modification of growth rate of Toxoplasma gondii by continuous passage in immune mice. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 May;264(3-4): 455-63

Pathology

Akao S ; Yamakami K ; Nishiyama M ; Tanaka M. Aminopeptidase activity in the brains of mice with chronic Toxoplasma gondii infections. Parasitol Res 1989;75(3):186-8

el-Fakahany AF ; el-Ridi AM ; Marii NE. Experimental toxoplasmosis: effect of ambient temperature on lungs. J Egypt Soc Parasitol 1988 Jun;18(1):193-6

el-Ridi AM ; el-Fakahany AF ; Marii NE. Experimental toxoplasmosis: effect of radiation on lungs. J Egypt Soc Parasitol 1988 Dec;18(2):509-13

Ferguson DJ ; Hutchison WM. The host-parasite relationship of Toxoplasma gondii in the brains of chronically infected mice. Virchows Arch [A] 1987;411(1):39-43

Ferguson DJ ; Hutchison WM. An ultrastructural study of the early development and tissue cyst formation of Toxoplasma gondii in the brains of mice. Parasitol Res 1987;73(6):483-91

Friedrich R ; Muller WA. [Preliminary results with a rabbit model of ocular toxoplasmosis]. Z Versuchstierkd 1988;31(1):27-31 [Ger]

Frenkel JK ; Escajadillo A. Cyst rupture as a pathogenic mechanism of toxoplasmic encephalitis. Am J Trop Med Hyg 1987 May;36(3):517-22

Hay J ; Graham DI ; Lee WR ; Dutton GN ; Hutchison WM. Congenital neuro-ophthalmic toxoplasmosis in the mouse. Ann Trop Med Parasitol 1987 Feb;81(1):25-8

Hay J ; Parmar A ; Sims TA. Myositis in mice with congenital toxoplasmosis. Ann Trop Med Parasitol 1988;82(6):631-3

Hofflin JM ; Conley FK ; Remington JS. Murine model of intracerebral toxoplasmosis. J Infect Dis 1987 Mar;155(3): 550-7

Johnson AM. Pathogenicity of Toxoplasma gondii cysts and oocysts measured by fever and weight loss in mice. Int J Parasitol 1988 Sep;18(6):865-8

McCabe RE ; Catterall JR ; Remington JS. Unique differences in infectivity and seroreactivity of Toxoplasma harvested from mice infected for different lengths of time. J Parasitol 1987 Dec;73(6):1152-7

Malla N ; Goyal M ; Pillai P ; Ganguly NK ; Mahajan RC. Experimental ocular toxoplasmosis with RH strain of Toxoplasma gondii. Jpn J Exp Med 1988;58(6):279-81

Omata Y ; Nishimoto N ; Ramos MI ; Yano K ; Nakabayashi T. Virulence of Toxoplasma gondii (RH-cyst III strain) cultured in mouse embryo cells. Jpn J Parasitol 1987;36(3):179-82

Plotz PH ; Miller FW. Animal models of myositis. Mt Sinai J Med 1988;55(6):501-5

Scheiffarth OF ; Zrenner E ; Disko R ; Stefani FH ; Brab:ander B. [Intraocular in vivo immunofluorescence]. Fortschr Ophthalmol 1988;85(6):716-8 [Ger]

Schwartzman JD. Quantitative comparison of infection of neural cell and fibroblast monolayers by two strains of Toxoplasma gondii. Proc Soc Exp Biol Med 1987 Oct;186(1):75-8

Sims TA ; Hay J ; Talbot IC. Host-parasite relationship in the brains of mice with congenital toxoplasmosis. J Pathol 1988 Nov;156(3):255-61

Skorich DN ; Chiappino ML ; Nichols BA. Invasion of the guinea pig conjunctiva by Toxoplasma gondii. Invest Ophthalmol Vis Sci 1988 Dec;29(12):1871-80

Stahl W ; Turek G. Chronic murine toxoplasmosis: clinicopathologic characterization of a progressive wasting syndrome. Ann Trop Med Parasitol 1988 Feb;82(1):35-48

Vitor RW ; Chiari CA ; Lima JD ; Fernandes MA. Experimental infection of goats with Toxoplasma gondii [abstract]. Mem Inst Oswaldo Cruz 1987;82 Suppl 1:21

Wedrychowicz H. [The effect of dietary deficiencies on the host immune system and the course of parasitic infections]. Postepy Hig Med Dosw 1987;41(4-5):533-48 [Pol]

Diagnosis incl. Serodiagnosis

Balfour AH ; Harford JP ; Goodall M. Use of monoclonal antibodies in an ELISA to detect IgM class antibodies specific for Toxoplasma gondii. J Clin Pathol 1987 Aug;40(8):853-7

Bessieres MH ; Roques C ; Berrebi A ; Llauro C ; Seguela JP. [Levels of immunoglobulins and isolation of the parasite by inoculation in mice and in a cell culture of foetal blood: comparative evaluation for the prenatal diagnosis of congenital toxoplasmosis]. Bull Soc Fr Parasitol 1987;5(1):27-32 [Fre]

Bouree P ; Holvoet Vermaut F ; Diallo M. [Study of a rapid technical serodiagnosis of toxoplasmosis]. Bull Soc Fr Parasitol 1987;5(2):197-200 [Fre]

Choi WY ; Nam HW ; Yoo JE. Membrane proteins and their antigenicity of Toxoplasma gondii. Korean J Parasitol 1988; 26(3):155-62

Derouin F ; Mazeron MC ; Garin YJ. Comparative study of tissue culture and mouse inoculation methods for demonstration of Toxoplasma gondii. J Clin Microbiol 1987 Sep;25(9):1597-600

Garcia MG ; Menendez I ; Merino N ; Garcia E. [Evaluation of a rapid diagnostic method for infective agents by electron microscopy: Toxoplasma gondii]. Rev Salud Anim 1987;9(4): 351-4 [Spa]

Payne RA ; Joynson DH ; Wilsmore AJ. Enzyme-linked immunosorbent assays for the measurement of specific antibodies in experimentally induced ovine toxoplasmosis. Epidemiol Infect 1988 Apr;100(2):205-12

Piccolo GL ; Kaplan DS. Device for quantitative endpoint determination in immunofluorescence using microfluorophotometry (US Patent-4777133 Oct 11 1988). Off Gaz US Pat Trademark Off Pat 1988;1095(2):836-7

Sato K ; Ise Y ; Iida T ; Suzuki T ; Shimada K ; Nishioka K. Detection of toxoplasma IgM antibody by passive latex agglutination reaction. J Immunol Methods 1987 Aug 3;101(2): 183-91

Suzuki Y ; Thulliez P ; Desmonts G ; Remington JS. Antigen(s) responsible for immunoglobulin G responses specific for the acute stage of Toxoplasma infection in humans. J Clin Microbiol 1988 May;26(5):901-5

Tenter AM. Comparison of ELISA and indirect fluorescent antibody test for the detection of IgG antibodies to Sarcocystis muris. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987;267(2): 259-71

Tenter AM. Comparison of Dot-ELISA, ELISA and IFAT for the detection of IgG antibodies to Sarcocystis muris in experimentally infected and immunized mice. Vet Parasitol 1988 Sep;29(2-3):89-104

Therapy

Allegra C ; Boarman D ; Kovacs J ; Beaver J ; Lewis M ; Masur H ; Chabner B. Inhibition studies of dihydropteroate synthase purified from Toxoplasma gondii and Pneumocystis carinii [abstract]. Clin Res 1988;36(3):548A

Allegra C ; Drake JC ; Chabner BA ; Masur H ; Kovacs JA. Use of trimetrexate as antiparasitic agent- US Patent-4694007, September 15 1987. Off Gaz US Pat Trademark Off Pat 1987; 1082(3):1478

Allegra CJ ; Kovacs JA ; Drake JC ; Swan JC ; Chabner BA ; Masur H. Potent in vitro and in vivo antitoxoplasma activity of the lipid-soluble antifolate trimetrexate. J Clin Invest 1987 Feb;79(2):478-82

Araujo FG ; Guptill DR ; Remington JS. Azithromycin, a macrolide antibiotic with potent activity against Toxoplasma gondii. Antimicrob Agents Chemother 1988 May;32(5):755-7

Araujo FG ; Guptill DR ; Remington JS. In vivo activity of piritrexim [corrected] against Toxoplasma gondii [published erratum appears in J Infect Dis 1988 Mar;157(3):614]. J Infect Dis 1987 Nov;156(5):828-30

Bakhtari SK ; Jira J. Chemotherapy of experimental toxoplasmosis with special reference to robenidine. Folia Parasitol (Praha) 1988;35(3):193-8

Chabbert YA. Early studies on in-vitro and experimental activity of spiramycin: a review. J Antimicrob Chemother 1988;22 Suppl B:1-11

Chang HR ; Pechere JC. Activity of roxithromycin against Toxoplasma gondii in murine models. J Antimicrob Chemother 1987 Nov;20 Suppl B:69-74

Chang HR ; Pechere JC. Activity of spiramycin against Toxoplasma gondii in vitro, in experimental infections and in human infection. J Antimicrob Chemother 1988 Jul;22 Suppl B: 87-92

Chang HR ; Pechere JC. Arteether, a qinghaosu derivative, in toxoplasmosis. Trans R Soc Trop Med Hyg 1988;82(6):867

Chang HR ; Pechere JC. Effect of roxithromycin on acute toxoplasmosis in mice. Antimicrob Agents Chemother 1987 Jul; 31(7):1147-9

Chang HR ; Pechere JC. In vitro effects of four macrolides (roxithromycin, spiramycin, azithromycin [CP-62,993], and A-56268) on Toxoplasma gondii. Antimicrob Agents Chemother 1988 Apr;32(4):524-9

Chang HR ; Pechere JC. In-vitro toxoplasmacidal activity of cationic electron carriers. J Antimicrob Chemother 1989;23(2): 229-35

Chang HR ; Rudareanu FC ; Pechere JC. Activity of A-56268 (TE-031), a new macrolide, against Toxoplasma gondii in mice. J Antimicrob Chemother 1988 Sep;22(3):359-61

Cho SW ; Yong TS ; Chung PR ; Lee KT. [Chemotherapeutic efficacy of trimethoprim-sulfamethoxazole (Bactrim trade mark) in experimental murine toxoplasmosis]. Korean J Parasitol 1987;25(2):199-206 [Kor]

Derouin F. [In vitro effect of polyamine biosynthesis inhibitors on Toxoplasma gondii]. Bull Soc Fr Parasitol 1988;6(1):33-9 [Fre]

Derouin F ; Chastang C. Enzyme immunoassay to assess effect of antimicrobial agents on Toxoplasma gondii in tissue culture. Antimicrob Agents Chemother 1988 Mar;32(3):303-7

Derouin F ; Nalpas J ; Chastang C. [In vitro measurement of the inhibitory effect of macrolides, lincosamides and synergestines on the growth of Toxoplasma gondii]. Pathol Biol (Paris) 1988 Dec;36(10):1204-10 [Fre]

Ferrante A ; Ljungstrom I ; Lederer E. Antitoxoplasmosis properties of sinefungin in mice. C R Acad Sci [III] 1988; 306(3):109-13

Harris C ; Salgo MP ; Tanowitz HB ; Wittner M. In vitro assessment of antimicrobial agents against Toxoplasma gondii. J Infect Dis 1988 Jan;157(1):14-22

Hofflin JM ; Remington JS. Clindamycin in a murine model of toxoplasmic encephalitis. Antimicrob Agents Chemother 1987 Apr;31(4):492-6

Hofflin JM ; Remington JS. In vivo synergism of roxithromycin (RU 965) and interferon against Toxoplasma gondii. Antimicrob Agents Chemother 1987 Feb;31(2):346-8

Israelski DM ; Araujo FG ; Conley FK ; Suzuki Y ; Sharma S ; Remington JS. Treatment with anti-L3T4 (CD4) monoclonal antibody reduces the inflammatory response in toxoplasmic encephalitis. J Immunol 1989 Feb 1;142(3):954-8

Israelski DM ; Tom C ; Remington JS. Zidovudine antagonizes the action of pyrimethamine in experimental infection with Toxoplasma gondii. Antimicrob Agents Chemother 1989;33(1): 30-4

Kim KY ; Choi WY. Study on inhibiting factors of cathepsin D activity in Toxoplasma gondii. J Cathol Med Coll 1987;40(3): 659-66

Kovacs JA ; Allegra CJ ; Chabner BA ; Swan JC ; Drake J ; Lunde M ; Parrillo JE ; Masur H. Potent effect of trimetrexate, a lipid-soluble antifolate, on Toxoplasma gondii. J Infect Dis 1987 May;155(5):1027-32

Kovacs JA ; Allegra CJ ; Swan JC ; Boarman D ; Parrillo JE ; Chabner BA ; Masur H. The use of tritiated p-benzoic amino acid to assess intracellular folate pools provides an objective method to measure viability and drug susceptibility of Pneumocystis and Toxoplasma [abstract]. Clin Res 1987; 35(3):615A

Kovacs JA ; Allegra CJ ; Swan JC ; Drake JC ; Parrillo JE ; Chabner BA ; Masur H. Potent antipneumocystis and antitoxoplasma activities of piritrexim, a lipid-soluble antifolate. Antimicrob Agents Chemother 1988 Apr;32(4):430-3

Luft BJ. In vivo and in vitro activity of roxithromycin against Toxoplasma gondii in mice. Eur J Clin Microbiol 1987 Aug; 6(4):479-81

Pfefferkorn ER ; Eckel ME ; McAdams E. Toxoplasma gondii: in vivo and in vitro studies of a mutant resistant to arprinocid-N-oxide. Exp Parasitol 1988 Apr;65(2):282-9

Saito A ; Sakurai H ; Saito T ; Taji S ; Miyagami T ; Suzuki N ; Seitz HM ; Osaki H. Correlation between release of reactive oxygen intermediates and inhibition of Toxoplasma multiplication in mouse peritoneal and alveolar macrophages and kidney cells after in vitro incubation with Obioactin, Ionomycin A, muramyl dipeptide, lipopolysaccharide or Toxoplasma lysate antigen. Zentralbl Bakteriol Mikrobiol Hyg [A] 1987 May;264(3-4):446-54

Siefert G ; Haase M. [Experimental therapy, parasitology]. Arb Paul Ehrlich Inst 1988;81:29-30 [Ger]

van Landuyt HW. Spectrum of clindamycin: in vitro effects and efficacy. Acta Ther 1987;13(6):541-552

TOXOPLASMOSIS IN MAN

General

Josephson SL. Toxoplasmosis. Clin Microbiol Newsl 1987;(21) 165-8

Kean BH. Medical protozoology: a brief, informal history. Bull NY Acad Med 1988;64(3):252-61

Knaus BU ; Bauermeister CD. [Biology, epidemiology and pathobiology of Toxoplasma gondii (Nicolle and Manceaux 1908)]. Kinderarztl Prax 1987 Nov;55(11):523-8 [Ger]

McCabe R ; Remington JS. Toxoplasmosis: the time has come [editorial]. N Engl J Med 1988 Feb 4;318(5):313-5

Nikiforov VN ; Moroz BV. [A workable approach to the problem of toxoplasmosis]. Med Parazitol (Mosk) 1987 Sep-Oct;(5): 88-90 [Rus]

Petri WA Jr ; Ravdin JI. Protozoal infections. Curr Opin Infect Dis 1988;1(2):229-37

Shimoni Z ; Flatau E ; Raz R. [Toxoplasmosis: modern diagnostic and therapeutic management (Part I)]. Harefuah 1988 Dec 1; 115(11):339-42 [Heb]

Sibalic D ; Durkovi:c-Dakovi:c O. Recent investigations of toxoplasmosis. I. Acquired toxoplasmosis and its role in pathology. Acta Med Iugosl 1988;42(4):321-33

Stehr-Green JK ; Schantz PM. The impact of zoonotic diseases transmitted by pets on human health and the economy. Vet Clin North Am [Small Anim Pract] 1987 Jan;17(1):1-15

Werner H. [Toxoplasma gondii - Toxoplasmosis]. Hyg Med 1988; 13(2):41-53 [Ger]

Epidemiology

Aboul-Magd LA ; Arafa MS ; el-Ridi AM. Toxoplasma infection in Zagazig, Egypt: an analytical study. J Egypt Soc Parasitol 1987 Dec;17(2):519-24

Adams WH ; Kindermann WR ; Walls KW ; Heotis PM. Toxoplasma antibodies and retinochoroiditis in the Marshall Islands and their association with exposure to radioactive fallout. Am J Trop Med Hyg 1987 Mar;36(2):315-20

Ahmed HJ ; Mohammed HH ; Yusuf MW ; Ahmed SF ; Huldt G. Human toxoplasmosis in Somalia. Prevalence of Toxoplasma antibodies in a village in the lower Scebelli region and in Mogadishu. Trans R Soc Trop Med Hyg 1988;82(2):330-2

Avdiukhina TI ; Lysenko AIa ; Fedorenko TN ; Kuprina NN ; Usova TI. [Seroepidemiology of toxocariasis and toxoplasmosis in mixed foci. 2. Pica and the rate of seropositivity in children]. Med Parazitol (Mosk) 1987 May-Jun;(3):39-41 [Rus]

Balbo SM ; Conti R ; Guglielmo S ; Iannotta V ; Scalia G ; Stivala A ; Tumino G ; Ursino F. [Preliminary researches on the diffusion of Toxoplasma gondii Nicolle and Manceaux, 1908 in the human and bovine population]. G Mal Infett Parassit 1987; 39(5):538-40 [Ita]

Bashiribod H ; Sixl W. A contribution to the occurrence of toxoplasmosis in Iran. J Hyg Epidemiol Microbiol Immunol 1987;31(4 Suppl):506-7

Bunnag T ; Klongkamnuankarn K ; Impand P ; Vorasanta P ; Nabnean K. Seroepidemiology of toxoplasmosis in rural villagers, Phayao province. J Med Assoc Thai 1988 Feb;71(2): 96-9

Capunzo M ; Carbone A ; Genna ML ; Liguori G. [Epidemiological investigation on the diffusion of toxoplasmosis]. Ig Mod 1987;87(4):396-412 [Ita]

Carrillo T ; Urdaneta H ; Ramrirez A ; Munoz F. Study of the presence of anti-toxoplasma antbodies in butchers in Trujillo, Venezuela [abstract]. Mem Inst Oswaldo Cruz 1987;82 Suppl 1: 23

Chelucci M ; Fagioli A ; Mammini P ; Valenti D. [Serologic study of toxoplasmosis in an ambulatory population in 1984-1986]. Quad Sclavo Diagn 1987 Sep;23(3):318-24 [Ita]

Cui JZ ; Liao JH. [The application of catalytic model on Toxoplasma infection in epidemiological survey]. Chung Hua Liu Hsing Ping Hsueh Tsa Chih 1988 Aug;9(4):233-4 [Chi]

Develoux M ; Candolfi E ; Hanga-Doumbo S ; Kien T. [Toxoplasmosis in Niger. A serological analysis of 400 subjects] Bull Soc Pathol Exot Filiales 1988;81(2):253-9 [Fre]

Diaz de Ramirez A ; Urdaneta H ; Munoz JF.
[Seroepidemiological study of toxoplasmosis in women of fertile age from 6 municipalities of the Trujillo District, Venezuela [abstract]]. Mem Inst Oswaldo Cruz 1987;82 Suppl 1:24 [Por]

Dzbenski TH ; Reizer A. [Toxoplasmosis 1986]. Przegl Epidemiol 1988;42(1):109-12 [Pol]

[Effect of certification of toxoplasmosis of certain patient groups, especially pregnant women (letter)]. Orv Hetil 1987 May 17; 128(20):1068-9 [Hun]

el-Hawy AM ; Azab MM ; Negm I ; Ahmed MM. Prevalence of toxoplasma antibodies among simple and late cases of bilharziasis. J Egypt Soc Parasitol 1988 Jun;18(1):149-57

[Epidemiological surveillance on Toxoplasma infection in Fujian Province 1985]. Chung Hua Liu Hsing Ping Hsueh Tsa Chih 1987 Oct;8(5):257-60 [Chi]

Excler JL ; Pretat E ; Pozzetto B ; Charpin B ; Garin JP. Sero-epidemiological survey for toxoplasmosis in Burundi. Trop Med Parasitol 1988 Jun;39(2):139-41

Fayomi B ; Duong TH ; Karagirwa A ; Marquet N ; Djivoh C ; Combescot C. [Serological study of toxoplasmosis and echinococcosis in cattle breeders and abattoir personnel in Benin]. Med Trop (Mars) 1987 Apr-Jun;47(2):149-51 [Fre]

Le Fichoux Y ; Marty P ; Gari TM. [Parasitic infections in the Alpes-Maritimes District, France]. Sem Hop Paris 1988;64(41): 2639-42 [Fre]

Fujian Sanitary and Anti-Epidemic Station et al. [Epidemiological surveillance of toxoplasma infection in Fujian Province]. Chin J Epidemiol 1987;8(5):257-60 [Chi]

Goddard J. A review of the disease agents harbored and transmitted by the lone star tick, Amblyomma americanum (L.). Southwest Entomol 1987;12(2):158-71

Hershey DW ; McGregor JA. Low prevalence of Toxoplasma infection in a Rocky Mountain prenatal population. Obstet Gynecol 1987 Dec;70(6):900-2

Hirai N ; Kobayashi A ; Watanabe N ; Makioka A ; Hamada A ; Kamio M. The prevalence of Toxoplasma antibodies among general outpatients and pregnant women in Tokyo area. Jpn J Parasitol 1988;37(4):261-2

Ilardi I ; Sebastiani A ; Leone F ; Madera A ; Bile MK ; Shiddo SC ; Mohamed HH ; Amiconi G. Epidemiological study of parasitic infections in Somali nomads. Trans R Soc Trop Med Hyg 1987;81(5):771-2

Jackowska A ; Dzbenski TH. [Toxoplasmosis 1985]. Przegl Epidemiol 1987;41(1):124-6 [Pol]

Jackson MH ; Hutchison WM ; Siim JC. A seroepidemiological survey of toxoplasmosis in Scotland and England. Ann Trop Med Parasitol 1987 Aug;81(4):359-65

Jeannel D ; Niel G ; Costagliola D ; Danis M ; Traore BM ; Gentilini M. Epidemiology of toxoplasmosis among pregnant women in the Paris area. Int J Epidemiol 1988 Sep;17(3): 595-602

Kirkwood JK. Animals at home--pets as pests: a review. J R Soc Med 1987 Feb;80(2):97-100

Konishi E ; Takahashi J. Some epidemiological aspects of Toxoplasma infections in a population of farmers in Japan. Int J Epidemiol 1987 Jun;16(2):277-81

Kostrsewski J ; Piatkowski J. [Communicable diseases in Poland in 1985]. Przegl Epidemiol 1987;41(1):1-7 [Pol]

Leikola J. Transfusion transmitted infectious agents, excluding hepatitis and human immunodeficiency viruses. Acta Anaesthesiol Scand Suppl 1988;32(89):20-5

Literat A ; Coroiu Z ; Agapi R. [Sero-epidemiological screening for Toxoplasma in people working in zootechnical disciplines, a population at risk]. In: Seminarul. Progrese in terapia si combaterea zoonozelor parazitare; 1987 Nov 6-7; Cluj-Napoca, Rumania. [S.l.:s.n.], 1987. p.75-81 [Rum]

Liu FH. [Serum survey of toxoplasmosis in ophthalmic patients]. Chung Hua Yen Ko Tsa Chih 1988 May;24(3):171-2 [Chi]

Lysenko AIa ; Avdiukhina TI ; Fedorenko TN ; Kuprina NN ; Ponomareva SI. [Seroepidemiology of toxocariasis and toxoplasmosis in mixed foci. 1. Immunologic structure of the population in urban and rural foci]. Med Parazitol (Mosk) 1987 May-Jun;(3):34-8 [Rus]

Maetz HM ; Kleinstein RN ; Federico D ; Wayne J. Estimated prevalence of ocular toxoplasmosis and toxocariasis in Alabama [letter]. J Infect Dis 1987 Aug;156(2):414

Mayer HF ; Marder G ; Peiretti HA ; Bottinelli OR ; Cardozo G ; Meza ZD ; Fernandez JC. [Prevalence of Toxoplasma antibodies in man and animals in Northeast Argentina]. Vet Argent 1987;4(40):889-93 [Spa]

Mellink JJ ; Claus P ; de Cler A ; Wilke JT. Has the incidence of human toxoplasmosis decreased in the Netherlands? [abstract]. Trop Geogr Med 1988;40(3):280-1

Miorini T ; Brosch R ; Buchrieser C ; Buchrieser V ; Sixl W. Further serological investigations in humans and domestic animals on the Cape Verde Islands (Q-fever, brucellosis, listeriosis, shigellosis, campylobacteriosis, yersiniosis, toxoplasmosis and chlamydia of PLT-group). Geogr Med 1988; Suppl 1:19-31

Mueller N ; Hinkula J ; Wahren B. Elevated antibody titers against cytomegalosvirus among patients with testicular cancer. Int J Cancer 1988;41(3):399-403

Nemec R ; Ne:cas S ; Holkov:a R ; Cat:ar G ; Porubenov:a A. [Toxoplasma antibody titers in workers with a potentially increased risk for toxoplasma infection]. Bratisl Lek Listy 1988 Oct;89(10):779-83 [Slo]

Olivares Lopez F ; Uribe Cortes JS ; Diaz Saldana J ; Cruz Carranza G ; Perez Rodriguez GE. [Infections transmitted by blood transfusions]. Rev Med Inst Mex Seguro Soc 1988;26(1): 41-7 [Spa]

Orlando R ; Tosone G ; Rocco M ; Guadagnino V. [Infection by Toxoplasma gondii: clinical and epidemiological remarks on some cases].G Mal Infett Parassit 1987;39(1):91-3 [Ita]

Ozcan K ; Ay S ; Akan E ; Yigit S ; Koksal F. [Prevalence of Toxoplasma antibodies among patients applying to the University of Cukurova Hospital, Turkey]. Mikrobiyol Bul 1988;22(1):45-50 [Tur]

Prokopcakova H ; Cislakova L ; Pospisil R. [Following selected zoonoses in agricultural workers and country population in the East-Slovak region]. Prac Lek 1988;40(10):446-50 [Slo]

Romia SA ; Makhlouf LM ; el-Malky SA ; Handoussa AE ; Abou-Zakham AA. Seroepidemiologic observations on human toxoplasmosis in Dakahlia Governorate. J Egypt Soc Parasitol 1988 Dec;18(2):493-501

Rudolph C. [Seroepidemiologic study of the incidence of Toxoplasma infections in black African females in Zambia]. Off Gesundheitswes 1987 Jan;49(1):41-3 [Ger]

Schenone H ; Contreras MC ; Salinas P ; Tello P ; Sandoval L ; Pena AM ; Villarroel F ; Rojas A. [Epidemiology of toxoplasmosis in Chile. III. Prevalence of the human infection, studied by means of indirect hemagglutination reaction, in the Metropolitan region of Santiago. 1982-1987]. Bol Chil Parasitol 1987 Jan-Jun;42(1-2):28-32 [Spa]

Shevkunova EA. [Sources and routes of infection with toxoplasmosis. Discussion on the the article by A. Ia. Lysenko, "Toxoplasmosis: facts and conjectures. 2. Routes of circulation of the agent" (Med. parazitol. 1984, No. 3)]. Med Parazitol (Mosk) 1987 May-Jun;(3):42-8 [Rus]

Silveira C ; Belfort R Jr ; Burnier M Jr ; Nussenblatt R. Acquired toxoplasmic infection as the cause of toxoplasmic retinochoroiditis in families. Am J Ophthalmol 1988 Sep 15; 106(3):362-4

Singh M. Parasitic infections in Singapore. Ann Acad Med Singapore 1987 Oct;16(4):689-95

Singh P ; Chugh TD ; Sooch N ; Singh A. Sero-epidemiology of toxoplasmosis in cancer patients. Indian J Med Sci 1987 Mar; 41(3):51-3

Sixl W ; Rosegger H ; Schneeweiss H ; Withalm H ; Schuhmann G. Serological investigations in Nigeria for anthropozoonoses in human sera: brucellosis, echinococcosis, toxoplasmosis, chlamydial diseases, listeriosis, rickettsiosis (Coxiella burneti and Rickettsia conori). J Hyg Epidemiol Microbiol Immunol 1987;31(4 Suppl):493-5

Sixl W ; Sixl Voigt B. Serological screenings of various infectious diseases on the Cape Verde Islands, West Africa. J Hyg Epidemiol Microbiol Immunol 1987;31(4 Suppl):469-71

Sousa OE ; Saenz RE ; Frenkel JK. Toxoplasmosis in Panama: a 10-year study. Am J Trop Med Hyg 1988 Mar;38(2):315-22

Souza WJ ; Coutinho SG ; Lopes CW ; Santos CS ; Neves NM ; Cruz AM. Epidemiological aspects of toxoplasmosis in schoolchildren residing in localities with urban or rural characteristics within the city of Rio de Janeiro, Brazil. Mem Inst Oswaldo Cruz 1987;82(4):475-82

Steriu D ; Stefanoiu V. [Incidence of anti-Toxoplasma gondii antibodies in different sectors of the population]. In: Seminarul. Progrese in terapia si combaterea zoonozelor parazitare; 1987 Nov 6-7; Cluj-Napoca, Rumania. [S.l.: s.n.], 1987. p.259 [Rum]

Sturchler D ; DiGiacomo RF ; Rausch, L. Parasitic infections in Yakima Indians. Ann Trop Med Parasitol 1987;81(3):291-9

Suzuki H ; Aso T ; Yamamoto Y ; Matsumoto K. Seroepidemiology of Toxoplasma infection in two islands of Nagasaki by ELISA. Trop Med 1988;30(2):129-39

Suzuki H ; Yamamoto Y ; Matsumoto K. A seroepidemiological study of Toxoplasma infection in Nagasaki by ELISA. Jpn J Parasitol 1987;36(3):118-24

Tanner CE ; Staudt M ; Adamowski R ; Lussier M ; Bertrand S ; Prichard RK. Seroepidemiological study for five different zoonotic parasites in northern Quebec. Can J Public Health 1987 Jul-Aug;78(4):262-6

Torrano MF. Epidemiology of toxoplasmosis in pregnant women in Tabasco, Mexico. J Trop Pediatr 1988 Aug;34(4):143-6

Urdaneta H ; Ramirez A ; Munoz F. A seroepidemiological study of toxoplasmosis in Trujillo, Venezuela [abstract]. Mem Inst Oswaldo Cruz 1987;82 Suppl 1:23

van Knapen F. Parasitic contamination cycles and mathematical epidemiology. Vet Q 1987 Oct;9(4).361-70

Zhang G et al. [Epidemiological study on Toxoplasma infection in human beings and animals in Shandong Province, China]. Chin J Epidemiol 1989;10(1):30-3 [Chi]

Zhang GN. [A survey of Toxoplasma gondii infection of miners in the Nantun coal mine]. Chung Hua Liu Hsing Ping Hsueh Tsa Chih 1988 Apr;9(2):96-8 [Chi]

Immunology

Ambroise-Thomas P ; Rougier D. New prospects in immunology of toxoplasmosis: skin-tests for control of immunity and immuno-assays and agglutination tests for the detection of specific IgM antibodies. Parassitologia 1986 Aug-Dec;28(2-3):85-93

Andrzejewska I. [Antibody levels in the sera of women and men with ocular toxoplasmosis]. Klin Oczna 1987 Nov-Dec;89 (11-12):486-8 [Pol]

Axmann A ; Varnai F ; Garam T. Toxoplasmosis of the central nervous system: clinical immunological and serological investigations. Ther Hung 1988;36(3):123-8

Barbet AF. Vaccines for parasitic infections. Adv Vet Sci Comp Med 1989;33:345-75

Barreto SM ; da Costa JC ; Gon:calves AL. [Research of syphilis and toxoplasmosis antibodies in newborn infants in a hospital of Ribeir:ao Preto, SP, Brazil]. Rev Saude Publica 1987 Feb; 21(1):55-63 [Por]

Calandra P ; Boncio L. Circulating immune complexes in cutaneous toxoplasmosis. Ann Ital Dermatol Clin Sper 1987; 41(2):117-24

Decoster A ; Darcy F ; Capron A. Recognition of Toxoplasma gondii excreted and secreted antigens by human sera from acquired and congenital toxoplasmosis: identification of markers of acute and chronic infection. Clin Exp Immunol 1988 Sep;73(3):376-82

Derouin F ; Sulcebe G ; Ballet JJ. Sequential determination of IgG subclasses and IgA specific antibodies in primary and reactivating toxoplasmosis. Biomed Pharmacother 1987;41(8): 429-33

Genovese-Caserta C ; Dantonio G ; Veneri MR ; Scognamiglio D ; Mungiguerra M ; Scala G. [Assessment of antibodies against Toxoplasma: their variability with the various stages of life]. Osp Ital Pediatr (Spec Chir) 1987;22(6):578-83 [Ita]

Heidrich HG. [Progress and problems in the development of vaccines against parasitic disease caused by protozoans - parasite evasion mechanisms]. Verh Dtsch Zool Ges 1987;88: 45-58 [Ger]

Hermentin K ; Asp:ock H. Efforts towards a vaccine against Toxoplasma gondii: a review. Zentralbl Bakteriol Mikrobiol Hyg [A] 1988 Nov;269(4):423-36

Huang SR ; Zhong HL ; Wang XP. [Uses of hybridoma-secreting monoclonal antibodies in parasitic diseases]. Chung Hua I Hsueh Tsa Chih 1987 Jan;67(1):52-5 [Chi]

Hughes HP. Immunological aspects of toxoplasmosis in humans. ISI Atlas Sci Immunol 1988;1(3-4):185-91

Inglot AD ; Piasecki E ; Szulc B ; Groehlich B ; Dobracki W ; Gladysz A ; Leszek J. Assessment of induced IFN production in patients with chronic nonviral diseases by whole blood or whole bone marrow techniques [abstract]. J Interferon Res 1987;7(6):802

Khadre MA ; el Nageh MM. Serological survey for toxoplasmosis in Tripoli, S.P.L.A.J. Libya. Trans R Soc Trop Med Hyg 1987; 81(5):761-3

Kvasz L ; Pavl:ina M ; Reh:a:cek J ; B:ohmer D ; Hal:asov:a A ; Petransk:a B. [Seropositivity in occupationally exposed persons to toxoplasmosis, Q-fever and chlamydiosis]. Bratisl Lek Listy 1987 Nov;88(5):580-3 [Slo]

Luft BJ ; Pedrotti PW ; Engleman EG ; Remington JS. Induction of antigen-specific suppressor T cells during acute infection with Toxoplasma gondii. J Infect Dis 1987 May;155(5):1033-7

Mitchell GH. Immunization against protozoan disease. Curr Opin Infect Dis 1988;1(6):883-9

Morein B. ISCOM an immunostimulating complex. Arzneim Forsch 1987;37(12):1418

Murray HW ; Scavuzzo D ; Jacobs JL ; Kaplan MH ; Libby DM ; Schindler J ; Roberts RB. In vitro and in vivo activation of human mononuclear phagocytes by interferon-gamma. Studies with normal and AIDS monocytes. J Immunol 1987 Apr 15; 138(8):2457-62

Panaitescu D ; Stefanoiu V ; Steriu D. [Development of anti-toxoplasma antibodies after treatment in people with lymphatic disease]. In: Seminarul. Progrese in terapia si combaterea zoonozelor parazitare; 1987 Nov 6-7; Cluj-Napoca, Rumania. [S.l.: s.n.], 1987. p.65-73 [Rum]

Sklenar I ; Jones TC ; Erb P. Monocytes induce T4 helper cell depletion in acute toxoplasmosis [abstract]. Int Arch Allergy Appl Immunol 1987;83 Suppl 1:11

Vos GH. Population studies showing cross-reactivity of Toxoplasma gondii antibodies with antibodies to malignant cervical tissue antigens. S Afr Med J 1987 Jan 24;71(2):78-82

Yano A ; Aosai F ; Yamashita K ; Sugane K ; Hayashi S. Immune response to Toxoplasma gondii--alteration of antigen specificity of peripheral blood leukocyte proliferative responses in acute toxoplasmosis. Microbiol Immunol 1987;31(4):345-55

Yano A ; Norose K ; Yamashita K ; Aosai F ; Sugane K ; Segawa K ; Hayashi S. Immune response to Toxoplasma gondii--analysis of suppressor T cells in a patient with symptomatic acute toxoplasmosis. J Parasitol 1987 Oct;73(5):954-61

Zaitseva NS ; Teplinskaia LE ; Riazantseva TA ; Kaliberdina AF ; Ermakova NA. [Circulating immune complexes in uveitis]. Vestn Oftalmol 1987 Jan-Feb;103(1):42-5 [Rus]

Pathology

Berman JR. Pathologic quiz case 1. Toxoplasmosis lymphadenitis. Arch Otolaryngol Head Neck Surg 1988 Sep;114(9):1042-5

Bernstein M. Stereotactic biopsy of brain lesions: indications and complications [abstract]. Can J Neurol Sci 1988;15(2):185

Cousar JB ; McGinn DL ; Glick AD et al. Report of an unusual lymphoma arising from parafollicular B- lymphocytes (PBLs) or so-called 'monocytoid' lymphocytes. Am J Clin Pathol 1987; 87(1):121-8

de Queiroz AC ; Nascimento CM ; Ramos EA. [Toxoplasmosis of the central nervous system. Clinicopathological correlation with 7 autopsy cases]. Rev Soc Bras Med Trop 1987 Jul-Sep; 20(3):175-9 [Por]

Frenkel JK. Pathophysiology of toxoplasmosis. Parasitol Today 1988;4(10):273-8

Huang TE ; Chou SM. Slowly propagating toxoplasma arteritis as the basic pathologic process involved in CNS toxoplasmosis. Neurology 1987;37(3 Suppl 1):287

Ito M ; Hara K ; Saga S ; Asai J ; Iijima S. Two cases of acquired toxoplasmic lymphadenitis. Light and electron microscopic and immunohistochemical studies. Acta Pathol Jpn 1988 Dec; 38(12):1565-73

Kijlstra A ; Rothova A ; Baarsma GS ; Zaal MJ ; Fortuin ME ; Schweitzer C ; Glasius E ; de Jong PT. Computer registration of uveitis patients. Doc Ophthalmol 1987;67(1-2):139-43

Klein GM ; Brownell AK ; Atkinson MH ; Penney CJ. Conjugal inflammatory muscle disease: coincidence or evidence of a common environmental factor? [abstract]. Can J Neurol Sci 1988;15(2):245

Maeda T ; Ashie T ; Ishiyama N ; Kikuiri K ; Mori Y ; Shimamoto K ; Hujisawa Y. [A case of necrotizing lymphadenitis associated with aseptic meningitis]. Nippon Naika Gakkai Zasshi 1987 Jul; 76(7):1073-7 [Jpn]

Orenstein JM ; Jannotta F. Human immunodeficiency virus and papovavirus infections in acquired immunodeficiency syndrome: an ultrastructural study of three cases. Hum Pathol 1988 Mar;19(3):350-61

Penev-Koteva L ; Penev G ; Svetozarevic A ; Penev L ; Kocic B. The morphological features of some organs in toxoplasmosis [abstract]. Pathol Res Pract 1987;182(4):541

Puddu P ; Lodi R ; Muraca A ; Molinotti C. [Hypoplasia of the optic nerve: report of an unusual case]. Ann Ottalmol Clin Ocul 1987;113(3):305-14 [Ita]

Ravisse P. [Histopathology of protozoal diseases]. Bull Soc Fr Parasitol 1987;5(1):59-63 [Fre]

Rousselet MC ; Saint-Andre JP ; Beaufils JM ; Diebold J. Benign vascular proliferation in a lymph node following acute toxoplasmosis. A differential diagnosis from Kaposi's sarcoma. Arch Pathol Lab Med 1988 Dec;112(12):1264-6

Schenck F ; Boke W. [Uveitis in internal diseases]. Internist (Berlin) 1987 Jun;28(6):381-7 [Ger]

Separoviec V ; Kobetic T ; Ostojic M ; Vidovic K. [Cytologic picture of the lymphoglandular form of acquired toxoplasmosis]. Lijec Vjesn 1987 Feb-Mar;109(2-3):83-6 [Scr]

Serratrice G. [Role of toxoplasma and viruses in polydermatomyositis]. Presse Med 1988 May 21;17(19):953-6 [Fre]

Siliaeva NF. [Pathomorphology of the organ of vision in the acute generalized form of congenital toxoplasmosis]. Oftalmol Zh 1988;(2):99-102 [Rus]

Smail A ; Ducroix JP ; Tondriaux A ; Sevestre H ; Yzet T ; Baillet J. [Role of infectious disease in the development of periarteritis nodosa]. Ann Med Interne 1988;139(5):324-30 [Fre]

Southall PJ ; Bridges LR ; Philip PA ; Begent RH ; Dave J. Toxoplasmic encephalitis masquerading as lymphoma [abstract]. J Pathol 1988;154(1):100A-101A

Suzuki Y ; Conley FK ; Remington JS. Differences in virulence and development of encephalitis during chronic infection vary with the strain of Toxoplasma gondii. J Infect Dis 1989 Apr; 159(4):790-4

Szegli G ; Herold A ; Mun:tiu V ; Mazilu E ; Steriu D ; Bucurenci N ; Chiril:a E ; Toporan M ; Berbescu C ; M:agureanu S ; et al. Possible relationship between the incidence of SSPE and some inflammatory syndromes triggered by parasites and bacteria. Arch Roum Pathol Exp Microbiol 1987 Jan-Mar;46(1):67-72

Diagnosis incl. Serodiagnosis

Aboul-Magd LA ; Arafa MS ; el-Ridi AM. Assessment of ELISA technique in the diagnosis of asymptomatic Toxoplasma infection. J Egypt Soc Parasitol 1987 Dec;17(2):457-61

Ambroise-Thomas P ; Rougier D. New prospects in immunology of toxoplasmosis: skin-tests for control of immunity and immuno-assays and agglutination tests for the detection of specific IgM antibodies. Parassitologia 1986 Aug-Dec;28(2-3):85-93

Axmann A ; Gabriel LI ; Juhasz P ; Varga M ; Varnai F. [Toxoplasmosis of the eye: diagnosis and complex therapy]. Orvoskepzes 1987;62(3):251-6 [Hun]

Balfour AH ; Prestage ES ; Noel I ; Wreghitt TG. False positive results in the Toxoreagent test for Toxoplasma gondii in immunocompetent patients [letter]. J Clin Pathol 1988 Oct; 41(10):1135-6

Belli AM ; Elliott C ; Heron CW. Case of the month. An opportunity not to be missed. Br J Radiol 1988 Feb;61(722): 171-2

Bornand JE. [Diagnosis of ocular toxoplasmosis]. Rev Med Suisse Romande 1987 Oct;107(10):841-7 [Fre]

Brooks RG ; McCabe RE ; Remington JS. Role of serology in the diagnosis of toxoplasmic lymphadenopathy [corrected and republished article originally printed in Rev Infect Dis 1987 Jul-Aug;9(4):775-82]. Rev Infect Dis 1987 Sep-Oct;9(5) 1055-62

[Change in the test for Toxoplasma gondii antibodies]. Ugeskr Laeger 1987;149(23):1572 [Dan]

Dahl RJ ; Woods WH ; Johnson AM. Recognition by the human immune system of candidate vaccine epitopes of Toxoplasma gondii measured by a competitive ELISA. Vaccine 1987 Sep; 5(3):187-91

Decoster A ; Darcy F ; Caron A ; Capron A. IgA antibodies against P30 as markers of congenital and acute toxoplasmosis. Lancet 1988 Nov 12;2(8620):1104-7

Decoster A ; Darcy F ; Capron A. Recognition of Toxoplasma gondii excreted and secreted antigens by human sera from acquired and congenital toxoplasmosis: identification of markers of acute and chronic infection. Clin Exp Immunol 1988 Sep;73(3):376-82

el-Fandii R ; Usta:oelebi S ; Cant:urk H ; Altinta:s K. [Comparison of Sabin-Feldman dye and ELISA IgG tests for Toxoplasma gondii serology]. Mikrobiyol Bul 1987 Jan;21(1):10-5 [Tur]

Le Fichoux Y ; Marty P ; Chan H. [Specific serum IgAs in the diagnosis of toxoplasmosis]. Ann Pediatr (Paris) 1987 May; 34(5):375-9 [Fre]

Fisa R ; Riera C ; Portus M. [EIA double antibody technique for detection of specific anti-toxoplasma IGM]. Rev Iber Parasitol 1987;(Spec Issue):75-8 [Spa]

Fleck DG. Annotation: Diagnosis of toxoplasmosis. J Clin Pathol 1989 Feb;42(2):191-3

Francis JM ; Payne RA ; Joynson DH ; Balfour AH. False positive results with heated sera in Toxoplasma ELISA for IgG antibody [letter]. J Clin Pathol 1987 Mar;40(3):356

Francis JM ; Payne RA ; Joynson DH. Rapid indirect enzyme linked immunosorbent assay (ELISA) for detecting antitoxoplasma IgG: comparison with dye test. J Clin Pathol 1988 Jul;41(7):802-5

Friedrich R ; Henne G ; Hartmann W ; Heydenreich A. [Our first experiences with use of the ELISA -technique for the objective diagnosis of toxoplasmosis of the eye]. Folia Ophthalmol (Leipz) 1988 13;257-62 [Ger]

Fuccillo DA ; Madden DL ; Tzan N ; Sever JL. Difficulties associated with serological diagnosis of Toxoplasma gondii infections. Diagn Clin Immunol 1987;5(1):8-13

Gracheva LI ; Moroz BV ; Gradkovskaia NV ; Triakina IP ; Mikheeva MN. [Modern methods in the serological diagnosis of toxoplasmosis]. Zh Mikrobiol Epidemiol Immunobiol 1987 May; (5):58-61 [Rus]

Hedman K ; Lappalainen M ; Seppala I ; Makela O. Recent primary toxoplasma infection indicated by a low avidity of specific IgG. J Infect Dis 1989 Apr;159(4):736-40

Herbrink P ; van Loon AM ; Rotmans JP ; van Knapen F ; van Dijk WC. Interlaboratory evaluation of indirect enzyme-linked immunosorbent assay, antibody capture enzyme-linked immunosorbent assay, and immunoblotting for detection of immunoglobulin M antibodies to Toxoplasma gondii. J Clin Microbiol 1987 Jan;25(1):100-5

Hermentin K ; Auer H ; Picher O ; Aspock H. [The problems of detecting IgM-antibodies in Toxoplasma infection and introduction of a new test: solid phase indirect haemadsorption assay (SPIHA)]. Mitt Osterr Ges Trop Med Parasitol 1987;5: 55-60 [Ger]

Holkova R ; Nemec R ; Catar G ; Pavlina M ; Porubenova A. [Comparison of seroreactions in the diagnosis of toxoplasmosis]. Bratisl Lek Listy 1988 Oct;89(10):770-4 [Slo]

Holliman RE ; Johnson J ; Duffy K ; New L. Discrepant toxoplasma latex agglutination test results. J Clin Pathol 1989 Feb;42(2):200-3

Janitschke K. [Some remarks on current problems in serological diagnosis of parasitic infections]. Arztl Lab 1988;34(7):221-4 [Ger]

Janitschke K ; Busch W. [New developments in the serodiagnosis of toxoplasmosis]. Arztl Lab 1988;34(11):328-9 [Ger]

Janitschke K ; Lichy S ; Hoffken G ; Ruf B ; Heise W. [Parasitological diagnosis of pneumonia]. Atemwegs Lungenkrankh 1988;14(2):65-6 [Ger]

Janitschke K ; Senk U. [Market survey and evaluation of commercial reagents for detection of antibodies to parasites]. Lab Med 1988;12(3):114-5 [Ger]

Jindrichova J ; Stepanek O. [Positivity of intradermal test for toxoplasmosis in agriculture workers]. Prac Lek 1987;39(10): 458-63 [Cze]

Johnson AM ; Gu QM ; Roberts H. Antibody patterns in the serological diagnosis of acute lymphadenopathic toxoplasmosis. Aust N Z J Med 1987 Aug;17(4):430-4

Joss AW ; Skinner LJ ; Chatterton JM ; Chisholm SM ; Williams HD ; Ho-Yen DO. Simultaneous serological screening for congenital cytomegalovirus and toxoplasma infection. Public Health 1988 Sep;102(5):409-17

Joss AW ; Skinner LJ ; Moir IL ; Chatterton JM ; Williams H ; Ho-Yen DO. Biotin-labelled antigen screening test for toxoplasma IgM antibody. J Clin Pathol 1989 Feb;42(2):206-9

Just M ; Higer HP ; Kramer G ; Golla G ; Betting O ; Holper H ; Pfannenstiel P. Magnetic resonance imaging in infections of the brain: findings in tuberculosis, listeriosis, toxoplasmosis, subacute sclerosing panencephalitis, and multiple sclerosis. Neurosurg Rev 1987;10(3):185-90

Leone F ; Ventriglia S ; Cerri B ; Ilardi I. [Comparison of two tests for antitoxoplasma antibodies detection; indirect immunofluorescence (I.F.A.) and latex agglutination assay (L.A.A.)]. G Mal Infett Parassit 1988;40(1):53-5 [Ita]

Loss AW ; Skinner LJ ; Moir IL ; Chatterton J M ; Williams H ; Ho-Yen DO. Biotin-labelled antigen screening test for toxoplasma IgM antibody. J Clin Pathol 1989;42(2):206-9

Machin Sanchez R ; Fachado Carvajales A ; Roldos M ; Suarez M ; Bravo JR ; Pividal Grana J. [Evaluation and introduction of the indirect immunofluorescence test (toxoplasmosis) in the diagnostic services of the Pedro Kouri Institute of Tropical Medicine and its relation to the complement fixation test]. Rev Cubana Med Trop 1988 Jan-Apr;40(1):46-53 [Spa]

Marth E ; Stunzner D ; Reinthaler F ; Mose JR. [Evaluation of a new ELISA for Toxoplasma gondii. Comparison of the ELISA with the Toxoplasma gondii-IIFT]. Hyg Med 1988;13(9):314-6 [Ger]

Maruashvili GM. [Further comment on the hyperdiagnosis of toxoplasmosis]. Med Parazitol (Mosk) 1988 Jan-Feb;(1):87-9 [Rus]

Mazumder P ; Chuang HY ; Wentz MW ; Wiedbrauk DL. Latex agglutination test for detection of antibodies to Toxoplasma gondii. J Clin Microbiol 1988 Nov;26(11):2444-6

Mengel H. [Bacterial diagnostic agents, blood groups]. Arb Paul Ehrlich Inst 1988;81:32-4 [Ger]

Metaksa GIu ; Tsynkalovski:i IB. [Diagnosis of toxoplasmosis lymphadenitis]. Vrach Delo 1988 Mar;(3):116-8 [Rus]

Moretti A ; Fioretti DP ; Papili R ; Baldelli F. [India ink immunoreaction for the diagnosis of human toxoplasmosis]. G Mal Infett Parassit 1987;39(1):89-90

Moroz BV ; Ponomareva SI ; Mikheeva MN ; Zhirova MV ; Triakina IP. [Comparative evaluation of the commercial Sevatest ELISA immunoenzyme set and other serological tests for detecting Toxoplasma gondii antibodies]. Zh Mikrobiol Epidemiol Immunobiol 1987 Feb;(2):60-3 [Rus]

Moroz BV ; Ponomareva SI. [Recording and interpretation of the results obtained by using the ELISA Sevatest commercial immunoenzyme kit for detecting Toxoplasma gondii antibodies]. Zh Mikrobiol Epidemiol Immunobiol 1988 Apr; (4):53-8 [Rus]

Moyer NP ; Hudson JD ; Hausler WJ Jr. Evaluation of MUREX SUDS Toxo test. J Clin Microbiol 1987 Nov;25(11):2049-53

Muhlenberg W. [Limits of the results of reverse and indirect test-systems for the detection of IgM-antibodies against Toxoplasma gondii]. Lab Med 1988;12(11):381-8 [Ger]

Muller F ; Kilian M. [Comparative evaluation of the diagnostic value of indirect and reverse ELISA for demonstrations of specific IgM antibodies in toxoplasmosis in man]. Immun Infekt 1987 Apr;15(2):66-71 [Ger]

Nemec R. [Study of the standard properties of control sera and microplates in an ELISA kit manufactured in Czechoslovakia for the determination of toxoplasma antibodies]. Bratisl Lek Listy 1987 Jun;87(6):738-45 [Slo]

Nemec R ; Cat:ar G. [Results of several years' study of IgG and IgM Toxoplasma antibodies in Slovakia using the ELISA method]. Bratisl Lek Listy 1988 Mar;89(3):194-8 [Slo]

Nemec R ; Catar G ; Holkova R ; Porubenova A ; Pavlina M. [Use of the microprecipitation reaction in the diagnosis and therapy of toxoplasmosis]. Bratisl Lek Listy 1987 Sep;88(3): 330-5 [Slo]

Nojimoto IT ; Hoshino-Shimizu S ; Nagasse-Sugahara TK ; Camargo ME. Lectins for the detection of IgM antibodies to T. gondii in the diagnosis of acute toxoplasmosis by immunofluorescence test. Rev Inst Med Trop Sao Paulo 1987 Nov-Dec;29(6):354-60

Ostertun B ; Dewes W ; S:uss H ; Steudel A ; Brassel H ; Harder T. [MR tomography of non-tumor diseases of the brain and cervical cord]. ROFO 1988 Apr;148(4):408-14 [Ger]

Paris Hamelin A. [Toxoplasmosis: proposed techniques - practical aspects, advantages, disadvantages]. Feuill Biol 1988;29(162): 33-8 [Fre]

Payeur G ; Bijon JC ; Pagano N ; Kien T ; Candolfi E ; Penner MF. [Diagnosis of ocular toxoplasmosis by the ELISA method applied to the determination of immunoglobulins of the aqueous humor]. J Fr Ophtalmol 1988;11(1):75-9 [Fre]

Payne RA ; Joynson DH ; Balfour AH ; Harford JP ; Fleck DG ; Mythen M ; Saunders RJ. Public Health Laboratory Service enzyme linked immunosorbent assay for detecting Toxoplasma specific IgM antibody. J Clin Pathol 1987 Mar;40(3):276-81

Recurt Carrere MP ; Bessieres MH ; Seguela JP. [Evaluation of different immunoenzymatic tests (E.L.I.S.A.) in human toxoplasmosis diagnosis]. Med Mal Infect 1987;17(10):561-7 [Fre]

Robertson PW ; Ferson MJ ; Johnson AM ; Roberts H. Antibody patterns in the serological diagnosis of toxoplasmosis. Aust N Z J Med 1988;18(6):811-2

Roques C ; Bessieres MH ; Seguela JP. [Diagnosis of neurotoxoplasmosis by isolation of toxoplasma on tissue culture from cerebral biopsies]. Bull Soc Fr Parasitol 1988;6(1):57-63 [Fre]

Rotmans J ; Duchenne W ; Linschooten C ; In't Veld N ; Polderman A. Comparative study of three immunoassays for detection of immunoglobulin M antibodies against Toxoplasma gondii. Eur J Clin Microbiol Infect Dis 1988 Aug;7(4):535-8

Rotterdam H. Tissue diagnosis of selected AIDS-related opportunistic infections. Am J Surg Pathol 1987;11 Suppl 1:3-15

Schroder JM. [Brain biopsy in infectious diseases]. Aktuel Neurol 1988;15(3):82-5 [Ger]

Schroth G ; Kretzschmar K ; Gawehn J ; Voigt K. Advantage of magnetic resonance imaging in the diagnosis of cerebral infections. Neuroradiology 1987;29(2):120-6

Sluiters JF ; Balk AH ; Essed CE ; Mochtar B ; Weimar W ; Simoons M L ; Ijzerman EP. Indirect enzyme-linked immunosorbent assay for immunoglobulin G and four immunoassays for immunoglobulin M to Toxoplasma gondii in a series of heart transplant recipients. J Clin Microbiol 1989 Mar;27(3):529-35

Smith SB ; Cochrane SA ; Repetti CF. Evaluation of a fluorescence immunoassay for Toxoplasma IgM antibodies [abstract]. Abstr Annu Meet Am Soc Microbiol 1987;87:417

Smith SB ; Repetti CF. Evaluation of a rapid screening immunoassay for antibodies to Toxoplasma gondii. J Clin Microbiol 1987 Nov;25(11):2207-8

Srivastava L ; Bhardwaj M ; Rana UV. Detection of antibodies to Toxoplasma gondii by ELISA test in high risk personnel. Indian J Pathol Microbiol 1988 Apr;31(2):54-9

Steens M ; Ponnet P ; Weber JJ ; Tomasi JP ; Englebienne P. Enzyme immunoassays for toxoplasmosis diagnosis. Meded Fac Landbouwwet Rijksuniv Gent 1987;52(4 Pt B):1915-8

Sutehall GM ; Wreghitt TG. False positive latex tests negative by ELISA for toxoplasma IgG. J Clin Pathol 1989 Feb;42(2):204-5

Tamashiro MM ; Au E ; Wong DY. An alternative quantitative determination of IgG antibody to Toxoplasma gondii: a comparison of the conventional IFA and a new simple ELISA microassay [abstract]. Abstr Annu Meet Am Soc Microbiol 1988;88:374

Taylor JM ; Payne WJ Jr ; Walls KW. Evaluation of MUREX SUDS TOXO, a rapid screen test for antibodies to Toxoplasma gondii [abstract]. Abstr Annu Meet Am Soc Microbiol 1987; 87:379

Thokar MA ; Malla N ; Wattal C. Serological study of patients clinically suspected to have toxoplasmosis in Kashmir. Indian J Med Res 1988 Jul;88:29-34

Ustacelebi S ; el Fandii R ; Cant:urk H ; Sellio:glu B. [A new test for Toxoplasma gondii serology: carbon immunoassay]. Mikrobiyol Bul 1987 Apr;21(2):138-44 [Tur]

Uzan M ; Rigault M. BIOTROL ELISA for IgG and IgM antibodies to Toxoplasma gondii [abstract]. Clin Chem 1988; 34(6):1159

Verhofstede C ; Sabbe L ; Van Renterghem L. Ability of enzyme-linked immunosorbent assays to detect early immunoglobulin G antibodies to Toxoplasma gondii. Eur J Clin Microbiol 1987 Apr;6(2):147-51

Verhofstede C ; Van Gelder P ; Rabaey M. The infection-stage-related IgG response to Toxoplasma gondii studied by immunoblotting. Parasitol Res 1988;74(6):516-20

Wielaard F. Use of an IgM-ELISA for diagnosis of acute toxoplasmosis. Wiad Parazytol 1988;34(3):255-8

Wilson M ; Ware DA ; Walls KW. Evaluation of commercial serodiagnostic kits for toxoplasmosis. J Clin Microbiol 1987 Dec;25(12):2262-5

Immunocompromised Hosts - AIDS

ABC of AIDS: treatment of infections and antiviral agents [letter]. Br Med J [Clin Res] 1987 Sep 12;295(6599):668-9

Al Harthi SS ; Ur Rahman N ; Bakir TF ; Al Nozha MM. Cerebral toxoplasmosis in the acquired immunodeficiency syndrome: case report and review of the literature. Ann Saudi Med 1988;8(4):292-6

Altieri PI ; Climent O ; Velez R ; Martinez JA ; Lasalle G. The spectrum of acquired immunodeficiency syndrome myocarditis [abstract]. Clin Res 1988;36(3):257A

Ambros RA ; Lee EY ; Sharer LR ; Khan MY ; Robboy SJ. The acquired immunodeficiency syndrome in intravenous drug abusers and patients with a sexual risk: clinical and postmortem comparisons. Hum Pathol 1987 Nov;18(11): 1109-14

Anderson D ; Devinates M ; Macher A ; Lasala G ; O'Leary T ; Virmani R. Myocarditis in patients with AIDS: an update [abstract]. Lab Invest 1988;58(1):4A

Antworth MV ; Beck RW. Third nerve palsy as a presenting sign of acquired immune deficiency syndrome. J Clin Neuro Ophthalmol 1987 Sep;7(3):125-8

Appleman ME ; Marshall DW ; Brey RL ; Houk RW ; Beatty DC ; Winn RE ; Melcher GP ; Wise MG ; Sumaya CV ; Boswell RN. Cerebrospinal fluid abnormalities in patients without AIDS who are seropositive for the human immunodeficiency virus. J Infect Dis 1988 Jul;158(1):193-9

Araujo FG ; Remington JS. Toxoplasmosis in immunocompromised patients [editorial]. Eur J Clin Microbiol 1987 Feb;6(1):1-2

Ares BR ; Muchinik G ; Scaglione C ; de la Barrera S ; Cahn P ; Perez H ; Sasiain MC ; de Bracco MM. [Immunologic changes in patients with AIDS and subjects from a group of high risk in Argentina]. Medicina (B Aires) 1987;47(2):113-9 [Spa]

Ariza Andraca CR ; Frati Munari AC ; De la Riva Pinal H ; Chavez Negrete A ; Banales Ham M ; Mendez Sanchez M. [Acquired immunodeficiency syndrome: report of 18 cases]. Rev Med Inst Mex Seguro Soc 1987;25(1):17-25 [Spa]

Armstrong D. Opportunistic infections in the acquired immune deficiency syndrome. Semin Oncol 1987;14(2 Suppl 3):40-7

Aronow HA ; Brew BJ ; Price RW. The management of the neurological complications of HIV infection and AIDS. AIDS 1988;2 Suppl 1:S151-9

Begin P ; Jeanneret A ; Dabrusin R ; Tremblay J ; Julien M. [Pulmonary complications of AIDS: retrospective study of 100 episodes]. Union Med Can 1988;117(2):188-92 [Fre]

Berger JR ; Moskowitz L ; Fischl M ; Kelley RE. Neurologic disease as the presenting manifestation of acquired immunodeficiency syndrome. South Med J 1987 Jun;80(6): 683-6

Berk SL ; Verghese A. Parasitic pneumonia. Semin Respir Infect 1988 Jun;3(2):172-8

Bertoli F ; Arosemena JR ; Gonzalez R ; Kennion G ; Pinzon N. [Multiple brain abscesses caused by Toxoplasma gondii in a patient with acquired immunodeficiency syndrome. First case described in Panama]. Rev Med Panama 1988 Jan;13(1):22-30 [Spa]

Biggemann B ; Voit T ; Neuen E ; Wechsler W ; Kramer H ; von Kries R ; Wahn V. Neurological manifestations in three German children with AIDS. Neuropediatrics 1987 May;18(2): 99-106

Blondel M ; Persuy P ; Ledoux G ; Arnott G. [Neurologic and neuropsychiatric aspects of AIDS]. Ann Med Psychol (Paris) 1988 Mar;146(3):244-7 [Fre]

Bonaventura I ; Romero F ; Ortega A ; Navarro C ; Juste C ; Codina Puiggr:os A. [Cerebral toxoplasmosis in the acquired immunodeficiency syndrome. Study of the clinical, radiological, and pathological findings in 10 cases]. Med Clin (Barc) 1988 May 28;91(1):1-6 [Spa]

Bonaventura Ibars I ; Matias-Guiu J ; Cervera C ; Codina Puiggros A. Cryptococcal meningitis and cerebral toxoplasmosis in AIDS: another case report [letter]. J Neurol Neurosurg Psychiatry 1987 Jan;50(1):116-7

Bredesen DE ; Levy RM ; Rosenblum ML. The neurology of human immunodeficiency virus infection. Q J Med 1988; 68(257):665-77

Bricaire F ; Marche C ; Zoubi D ; Perronne S ; Matheron S ; Rouveix E ; Vittecoq D. [Adrenal lesions in AIDS: an anatomopathological study]. Ann Med Interne 1988;138(8): 607-9 [Fre]

Cahn P ; Perez H ; Casiro A ; Scaglione C ; Muchinik G ; Besuschio S ; Schugurensky A ; Patito A. [Analysis of 33 Argentinian cases of AIDS]. Med Argent 1987;47(1):1-11 [Spa]

Carbone LG ; Bendixen B ; Appel GB. Sulfadiazine-associated obstructive nephropathy occurring in a patient with the acquired immunodeficiency syndrome. Am J Kidney Dis 1988 Jul;12(1):72-5

Carme B ; M'Pele P ; Mbitsi A ; Kissila AM ; Aya GM ; Mouanga-Yidika G ; Mboussa J ; Itoua-Ngaporo A. [Opportunistic parasitic diseases and mycoses in AIDS. Their frequencies in Brazzaville (Congo)]. Bull Soc Pathol Exot Filiales 1988;81(3):311-6 [Fre]

Carne CA. ABC of AIDS. Neurological manifestations. Br Med J [Clin Res] 1987 May 30;294(6584):1399-401

Carrazana E ; Rossitch E Jr ; Martinez J. Unilateral "akathisia in a patient with AIDS and a toxoplasmosis subthalamic abscess. Neurology 1989 Mar;39(3):449-50

Cartana J ; Forteza-Rey J ; Serra C ; Altes J ; Matamoros N ; Salva F. [Term pregnancy and acquired immunodeficiency syndrome. First Spanish case]. Med Clin (Barc) 1988 Jun 18; 91(4):145-7 [Spa]

Causse X. [Infectious complications of AIDS]. J Med Lyon 1988;69(1435):57-60 [Fre]

Cecchini A ; Pricca P ; Mariani P ; Orlandini A ; Tansini A ; Andreula CF ; Carella A ; Rosa M ; Toretori Donati P ; Canevari M. [Encephalic focal lesions of neuro-AIDS: multicentric CT study]. Riv Neuroradiol 1989;2(1):21-31 [Ita]

Chretien J ; Venet A. [Opportunistic pulmonary infections in patients with immunodeficiency]. Prax Clin Pneumol 1988;42(Spec Iss 1):197-200 [Fre]

Clara F. [Current tendencies in the treatment of AIDS, syphilis, listeriosis, mucoviscidosis and Gram-negative septicemia]. Med Hyg 1989;47(1776):21-6 [Fre]

Clumeck N ; Hermans P ; De Wit S. Current problems in the management of AIDS patients. Eur J Clin Microbiol Infect Dis 1988 Feb;7(1):2-10

Cohen-Addad NE ; Joshi VV ; Sharer LR ; Epstein LG ; Gubitosi TA ; Oleske JM. Congenital acquired immunodeficiency syndrome and congenital toxoplasmosis: pathologic support for a chronology of events. J Perinatol 1988 Fall;8(4):328-31

Cone LA ; Woodard DR ; Lynch RD ; Sneider RE. Diagnosis and treatment of pulmonary disorders of patients with the acquired immunodeficiency syndrome (AIDS). Z Erkr Atmungsorgane 1989;172(1):5-39

Conlon CP. Clinical aspects of HIV infection in developing countries. Br Med Bull 1988;44(1):101-14

Cook GC. Opportunistic parasitic infections associated with acquired immune deficiency syndrome (AIDS): parasitology, clinical presentation, diagnosis and management. Q J Med 1987;65(248):967-84

Costa B ; Tacconi P ; Cannas A ; Pinna L ; Fiaschi A. Cerebral toxoplasmosis in AIDS. Case report. Ital J Neurol Sci 1988 Apr;9(2):161-3

Coulaud JP. [HIV infection treatment strategy]. Med Hyg 1988;46(1770):3286-7 [Fre]

Crocchiolo P ; Lizioli A ; Cantalupi P ; Viviani MA ; Tortorano AM ; Ceramminiello A. [Case report: AIDS with cerebral toxoplasmosis and disseminated cryptococcosis]. G Mal Infett Parassit 1987;39(10):1055-62 [Ita]

Croce GF ; Chang G ; Capecchi A ; Armignacco O ; Zechini F. [Description of one case of encephalitis caused by Toxoplasma in a patient affected by AIDS]. G Mal Infett Parassit 1988; 40(2):127-9 [Ita]

Dannemann BR ; Israelski DM ; Remington JS. Treatment of toxoplasmic encephalitis with intravenous clindamycin. Arch Intern Med 1988 Nov;148(11):2477-82

Dannemann BR ; Remington JS. Toxoplasmic encephalitis in AIDS. Hosp Pract [Off] 1989 Mar 15;24(3):139-47, 151-4

DeMent SH ; Cox MC ; Gupta PK. Diagnosis of central nervous system Toxoplasma gondii from the cerebrospinal fluid in a patient with acquired immunodeficiency syndrome. Diagn Cytopathol 1987 Jun;3(2):148-51

Derouin F ; Sulcebe G ; Ballet JJ. Sequential determination of IgG subclasses and IgA specific antibodies in primary and reactivating toxoplasmosis. Biomed Pharmacother 1987;41(8): 429-33

Derouin F ; Vittecoq D ; Beauvais B ; Bussel A. Toxoplasma parasitaemia associated with serological reactivation of chronic toxoplasmosis in a patient with the acquired immunodeficiency syndrome [letter]. J Infect 1987 Mar;14(2):189-90

Desmonts G. Central nervous system toxoplasmosis [letter]. Pediatr Infect Dis J 1987 Sep;6(9):872-3

DeVita VT Jr ; Broder S ; Fauci AS ; Kovacs JA ; Chabner BA. Developmental therapeutics and the acquired immunodeficiency syndrome [clinical conference]. Ann Intern Med 1987 Apr;106(4):568-81

Dupon M ; Dupont A ; Ragnaud JM ; Echinard E ; Lebras M ; Lacut JY ; Vital C. [Fatal Toxoplasma encephalitis and cytomegalovirus encephalitis in AIDS patients. Two case reports]. Sem Hop Paris 1987;63(4):189-97 [Fre]

Eales LJ ; Moshtael O ; Pinching AJ. Microbicidal activity of monocyte derived macrophages in AIDS and related disorders. Clin Exp Immunol 1987 Feb;67(2):227-35

Edwards KR ; Pendlebury WW. Central nervous system lymphomas versus toxoplasmosis in a patient with AIDS [letter]. N Engl J Med 1987 Dec 10;317(24):1540

Eichenlaub D. [Cerebral toxoplasmosis in AIDS]. Z Allgemeinmed 1988;64(34):56-8

Elder GA ; Sever JL. Neurologic disorders associated with AIDS retroviral infection. Rev Infect Dis 1988 Mar-Apr;10(2): 286-302

Fischer PA ; Enzensberger W. Primary and secondary involvement of the CNS in HIV infection. J Neuroimmunol 1988 Dec; 20(2-3):127-31

Fleep M ; T:auber MG ; L:uthy R. [Clinical aspects of HIV-associated diseases]. Ther Umsch 1988 Sep;45(9):604-10 [Ger]

Focaccia R. [AIDS: its associated infections]. Rev Bras Med 1988;45(11):448-53 [Por]

Friedberg G ; Glatt AE. Management of AIDS-related infections with an accent on outpatient therapy and prophylaxis. J Palliat Care 1988 Dec;4(4):38-41

Gabuzda DH ; Levy SR ; Chiappa KH. Electroencephalography in AIDS and AIDS-related complex. Clin Electroencephalogr 1988;19(1):1-6

Garavelli PL ; Astori MR. [Ocular pathology in AIDS and related syndromes]. Minerva Med 1988 Apr;79(4):295-6 [Ita]

Gilbertson V ; Oates E. Gallium-67 imaging of unsuspected cerebral toxoplasmosis in AIDS. Clin Nucl Med 1988 Sep; 13(9):679-80

Gilman TM ; Boylen CT ; Sattler FR. Pyrimethamine-sulfadiazine for treating Pneumocystis carinii pneumonia and toxoplasmosis in AIDS. Clin Pharm 1989 Feb;8(2):84, 87

Gilquin J ; Magar Y ; Acar JF ; Blamoutier J. [Induction of tolerance to sulfadiazine in a patient with acquired immunodeficiency syndrome (letter)]. Presse Med 1988 Dec 3; 17(43):2306 [Fre]

Girard PM ; Marche C ; Maslo C ; Rene E ; Leport J ; Matheron S ; Michon C ; Coulaud JP ; Saimot AG. [Digestive manifestations of AIDS]. Ann Med Interne 1987;138(6):411-5 [Fre]

Glatt AE ; Chirgwin K ; Landesman SH. Current concepts: Treatment of infections associated with human immunodeficiency virus. N Engl J Med 1988;318(22):1439-48

Gold JW. Infectious complications in patients with HIV infection. AIDS 1988;2(5):327-34

Gotzsche PC ; Byberg IC ; Olesen B ; Moller LH ; Salim YS ; Faber V. Yield of diagnostic tests for opportunistic infections in AIDS: a survey of 33 patients. Scand J Infect Dis 1988;20(4): 395-402

Gray F ; Fenelon G ; Gherardi R ; Favolini M ; Goulon M ; Guillard A ; Poirier J. [Neuropathological study of 15 cases of AIDS with multinucleated giant cell encephalitis]. Ann Pathol 1988;8(4-5):281-9 [Fre]

Gray F ; Gherardi R ; Baudrimont M ; Gaulard P ; Meyrignac C ; Vedrenne C ; Poirier J. Leucoencephalopathy with multinucleated giant cells containing human immune deficiency virus-like particles and multiple opportunistic cerebral infections in one patient with AIDS. Acta Neuropathol (Berl) 1987;73(1):99-104

Gray F ; Gherardi R ; Keohane C ; Favolini M ; Sobel A ; Poirier J. Pathology of the central nervous system in 40 cases of acquired immune deficiency syndrome (AIDS). Neuropathol Appl Neurobiol 1988 Sep-Oct;14(5):365-80

Gray F ; Gherardi R ; Scaravilli F. The neuropathology of the acquired immune deficiency syndrome (AIDS): a review. Brain 1988;111(2):245-66

Greenberger PA ; Patterson R. Management of drug allergy in patients with acquired immunodeficiency syndrome. J Allergy Clin Immunol 1987;79(3):484-8

Gullotta F ; Kuchelmeister K ; Masini T ; Ghidoni P ; Cappricci E. [The morphology of HIV encephalopathy]. Zentralbl Allg Pathol 1989;135(1):5-13 [Ger]

Hamed LM ; Schatz NJ ; Galetta SL. Brainstem ocular motility defects and AIDS. Am J Ophthalmol 1988 Oct 15;106(4): 437-42

Hansen LL ; Wiecha I ; Witschel H. [Initial diagnosis of acquired immunologic deficiency syndrome (AIDS) by the ophthalmologist]. Klin Monatsbl Augenheilkd 1987 Aug;191(2): 133-6 [Ger]

Hassl A ; Aspock H ; Flamm H. Circulating antigen of Toxoplasma gondii in patients with AIDS: significance of detection and structural properties. Zentralbl Bakteriol Mikrobiol Hyg [A] 1988 Nov;270(1-2):302-9

Haverkos HW. Assessment of therapy for toxoplasma encephalitis. The TE Study Group. Am J Med 1987 May;82(5):907-14

Hering L. [Computerized tomography of cerebral toxoplasmosis in AIDS]. Rontgenblatter 1987 Jun;40(6):177-8 [Ger]

Hillyer GV ; Climent C. Acquired immunodeficiency syndrome (AIDS) and parasitic diseases in Puerto Rico. Bol Asoc Med P R 1988 Sep;80(9):312-9

Hinnant K ; Perchik A ; Koslow M ; Burstein DE. Cytologic findings in brain biopsy crush preparations from 16 patients with AIDS or AIDS risk factors [abstract]. Acta Cytol 1988;32(5):774

Hirschmann JV ; Chu AC. Skin lesions with disseminated toxoplasmosis in a patient with the acquired immunodeficiency syndrome [letter]. Arch Dermatol 1988 Sep;124(9):1446-7

Holland GN ; Engstrom RE Jr ; Glasgow BJ ; Berger BB ; Daniels SA ; Sidikaro Y ; Harmon JA ; Fischer DH ; Boyer DS ; Rao NA ; et al. Ocular toxoplasmosis in patients with the acquired immunodeficiency syndrome. Am J Ophthalmol 1988 Dec 15; 106(6):653-67

Hollander H. Cerebrospinal fluid normalities and abnormalities in individuals infected with human immunodeficiency virus. J Infect Dis 1988;158(4):855-8

Holliman RE. Toxoplasmosis and the acquired immune deficiency syndrome. J Infect 1988 Mar;16(2):121-8

Holliman RE ; Fleck DG. ABC of AIDS: neurological manifestations [letter]. Br Med J [Clin Res] 1987 Jul 11; 295(6590):118

Hormigo A ; Bravo-Marques JM ; Souza-Ramalho P ; Pimentel J ; Teixeira C ; Martins R. Uveomeningoencephalitis in a human immunodeficiency virus type 2 seropositive patient. Ann Neurol 1988;23(3):308-10

Huang TE ; Chou SM. Occlusive hypertrophic arteritis as the cause of discrete necrosis in CNS toxoplasmosis in the acquired immunodeficiency syndrome. Hum Pathol 1988 Oct; 19(10):1210-4

Ibars IB ; Matias-Guiu J ; Cervera C ; Puiggros AC. Cryptococcal meningitis and cerebral toxoplasmosis in AIDS - another case report. J Neurol Neurosurg Psychiatry 1987;50(1):116-7

Infectious disease rounds: deteriorating neurologic status in a young woman with schizophrenia [clinical conference]. Rev Infect Dis 1988 Jan-Feb;10(1):191-7

Israelski DM ; Remington JS. Toxoplasmic encephalitis in patients with AIDS. Infect Dis Clin North Am 1988 Jun;2(2):429-45

Israelski DM ; Skowron G ; Leventhal JP ; Long I ; Blankenship CF ; Barrio GW ; Prince JB ; Araujo FG ; Remington JS. Toxoplasma peritonitis in a patient with acquired immunodeficiency syndrome. Arch Intern Med 1988 Jul; 148(7):1655-7

Janitschke K ; Lichy S ; Hoffken G ; Ruf B ; Heise W. [Parasitological diagnosis of pneumonia]. Atemwegs Lungenkrankh 1988;14(2):65-6 [Ger]

Jarvik JG ; Hesselink JR ; Kennedy C ; Teschke R ; Wiley C ; Spector S ; Richman D ; McCutchan JA. Acquired immunodeficiency syndrome. Magnetic resonance patterns of brain involvement with pathologic correlation. Arch Neurol 1988 Jul;45(7):731-6

Johnson FB ; De Vinatea ML ; Macher AM ; Lasala G ; Torres JV ; Climent C ; Lopez E. AIDS: Case for diagnosis series, 1987. Milit Med 1987 Nov;152(11):M73-80

Johnson JM. Neuropsychiatric sequelae of HIV infection. J Am Osteopath Assoc 1988;88(4):494-8

Kato T ; Hirano A ; Llena JF ; Dembitzer HM. Neuropathology of acquired immune deficiency syndrome (AIDS) in 53 autopsy cases with particular emphasis on microglial nodules and multinucleated giant cells. Acta Neuropathol (Berl) 1987;73(3): 287-94

Katz RL ; Alappattu C ; Glass JP ; Bruner JM. Cerebrospinal fluid manifestations of the neurologic complications of human immunodeficiency virus infection. Acta Cytol 1989 Mar-Apr; 33(2):233-44

Kreiger AE ; Holland GN. Ocular involvement in AIDS. Eye 1988;2(5):496-505

Kroegel C ; Hess G ; Costabel U ; Wuetemberger G ; Ruehle KH ; Matthys H. [Treatment of pulmonary complications of AIDS]. Med Klin 1988;83(16):523-5 [Ger]

Kure K ; Harris C ; Morin LS ; Dickson DW. Solitary midbrain toxoplasmosis and olivary hypertrophy in a patient with acquired immunodeficiency syndrome. Clin Neuropathol 1989 Jan-Feb;8(1):35-40

Lafont A ; Marche C ; Wolff M ; Perronne C ; Witchitz S ; Regnier B ; Vachon F. Myocarditis in acquired immunodeficiency syndrome (AIDS): etiology and prognosis [abstract]. J Am Coll Cardiol 1988;11(2 Suppl A):196A

Laguna Cuesta F ; Diaz Mora F ; Puente Puente S ; Mateu Paris B. [Desensitization to sulfamide in a patient with AIDS and cerebral toxoplasmosis (letter)]. Rev Clin Esp 1988 Oct; 183(6):332-3 [Spa]

Lang W ; Miklossy J ; Deruaz JP ; Pizzolato GP ; Probst A ; Schaffner T ; Gessaga E ; Kleihue P. Neuropathology of the acquired immune deficiency syndrome (AIDS): a report of 135 consecutive autopsy cases from Switzerland. Acta Neuropathol 1989;77(4):379-90

Leffler J ; Orellana J ; Friedman AH ; Mines JA. Sexually transmitted ocular disorders associated with male homosexuality. Mt Sinai J Med (NY).1987;54(2):174-9

Leport C ; Raffi F ; Matheron S ; Katlama C ; Regnier B ; Saimot AG ; Marche C ; Vedrenne C ; Vilde JL. Treatment of central nervous system toxoplasmosis with pyrimethamine/sulfadiazine combination in 35 patients with the acquired immunodeficiency syndrome. Efficacy of long-term continuous therapy. Am J Med 1988 Jan;84(1):94-100

Leport C ; Raffi F ; Vilde JL. [Attack and maintenance cure of cerebral toxoplasmosis in AIDS patients]. Med Mal Infect 1988;18(Spec Iss 215):729-36 [Fre]

Leport C ; Vilde JL ; Katlama C ; Regnier B ; Matheron S ; Saimot AG. [Cerebral toxoplasmosis in immunosuppressed patients: diagnosis and treatment]. Ann Med Interne (Paris)1987;138(1): 30-3 [Fre]

Levy RM ; Bredesen DE. Central nervous system dysfunction in acquired immunodeficiency syndrome. J Acquir Immune Defic Syndr 1988;1(1):41-64

Levy RM ; Bredesen DE ; Rosenblum ML. Opportunistic central nervous system pathology in patients with AIDS. Ann Neurol 1988;23 Suppl:S7-12

Levy RM ; Janssen RS ; Bush TJ ; Rosenblum ML. Neuroepidemiology of acquired immunodeficiency syndrome. J Acquir Immune Defic Syndr 1988;1(1):31-40

Lin KT ; Huang SH ; Kao CL ; Huang KM ; Yu JC ; Hung TP ; Chou MY ; Lin WT ; Fang CT ; Kuo YT. An autopsy-proved case of AIDS in Taiwan. Asian Pac J Allergy Immunol 1987; 5(1):25-32

Lucht F ; Jaubert J ; Huppert J ; Tran Mahn Sung R ; Lepetit JC ; Rousset H. Cryptococcal meningitis and cerebral toxoplasmosis in a patient with acquired immunodeficiency syndrome [letter]. J Neurol Neurosurg Psychiatry 1987 Jan; 50(1):116

Luft BJ ; Remington JS. AIDS commentary. Toxoplasmic encephalitis. J Infect Dis 1988 Jan;157(1):1-6

Luthy R ; Colla R ; Schlapfer R ; Tauber M ; Siegenthaler W. [Diagnosis and therapy of HIV-associated diseases]. Internist 1988;29(2):82-91 [Ger]

Macher AM. The pathology of AIDS. Public Health Rep 1988 May-Jun;103(3):246-54

Mann JM ; Altus CS ; Webber CA ; Smith PR ; Muto R ; Heurich AE. Nonbronchoscopic lung lavage for diagnosis of opportunistic infection in AIDS. Chest 1987;91(3):319-22

Marquette CH ; Ramon P ; Voisin C. [Respiratory manifestations in HIV infection]. Lille Med 1987;27(9):428-35 [Fre]

Marty P ; Giordano P ; Gari Toussaint M ; le Fichoux Y. [Opportunistic parasitic diseases related with A.I.D.S. in Alpes Maritimes department (France)]. Bull Soc Fr Parasitol 1987; 5(1):57-63 [Fre]

McArthur J. Central nervous system complications of human immunodeficiency virus. Am J EEG Technol 1987;27(1):33-49

McArthur JC. Update on HIV infection. Neurological aspects. Md Med J 1987 Jan;36(1):32-4

McArthur JH ; Palenicek JG ; Bowersox LL. Human immunodeficiency virus and the nervous system. Nurs Clin North Am 1988;23(4):823-41

Mendelson MH ; Finkel LJ ; Meyers BR ; Lieberman JP ; Hirschman SZ. Pulmonary toxoplasmosis in AIDS. Scand J Infect Dis 1987;19(6):703-6

Monsuez JJ ; Vittecoq D ; Kitzis M ; Dagay MF ; Rozenbaum W ; Minozzi C. Cardiac manifestations of the acquired immunodeficiency syndrome and its related disorders [abstract]. Eur Heart J 1987;8 Abstr Suppl 2:79

Mostaza Prieto JM ; Barbado Fernandez FJ ; Vazquez Rodriguez JJ, et al. [Cerebral toxoplasmosis in patients with AIDS]. An Med Interna 1987;4(3):132-6 [Spa]

Mougeot G ; Grange JD ; Comte J ; Jagueux M ; Meyohas MC ; Frottier J. [In A.I.D.S. patient, first discovery of Toxoplasma gondii by colon biopsy]. Bull Soc Fr Parasitol 1987;5(2):193-5 [Fre]

Mullins RJ ; Bastian B ; Sutherland DC. AIDS and the heart. Aust N Z J Med 1988;18(6):809-11

Murray HW ; Scavuzzo D ; Jacobs JL ; Kaplan MH ; Libby DM ; Schindler J ; Roberts RB. In vitro and in vivo activation of human mononuclear phagocytes by interferon-gamma. Studies with normal and AIDS monocytes. J Immunol 1987 Apr 15; 138(8):2457-62

Nath A ; Jankovic J ; Pettigrew LC. Movement disorders and AIDS. Neurology 1987;37(1):37-41

Nolla-Salas J ; Ricart C ; D'Olhaberriague L ; Gali F ; Lamarca J. Hydrocephalus: an unusual CT presentation of cerebral toxoplasmosis in a patient with acquired immunodeficiency syndrome. Eur Neurol 1987;27(2):130-2

Olsen WL ; Longo FM ; Mills CM ; Norman, D. White matter disease in AIDS: Findings at MR imaging. Radiology 1988; 169(2):445-8

Ostertun B ; Dewes W ; Suss H ; Steudel A ; Brassel H ; Harder T. [MR tomography of non-tumor diseases of the brain and cervical cord]. ROFO 1988 Apr;148(4):408-14 [Ger]

Patella A ; di Cesile. [Aids and pregnancy]. Patol Clin Ostet Ginecol 1988;16(1):49-57 [Ita]

Patey O ; Breuil J ; Malkin JE ; Mayorga R ; Chaplain C ; Lafaix C. [Toxoplasmic primoinfections and reactivations in HIV+ patients: Which treatment? Which prevention?] Med Mal Infect 1988;18(Spec No 215):784-5 [Fre]

Pedersen C ; Nielsen JO ; Dickmeis E ; Jordal R. Early progression to AIDS following primary HIV infection. AIDS 1989;3(1):45-7

Persuy P ; Blondel M ; Arnott G. [Neurological manifestations of HIV virus infection]. Lille Med 1988;28(1):23-7 [Fre]

Pierard GE ; Pierard Franchimont C ; Christophe J ; Couvreur Y ; Bury J ; Damseaux M ; Dethier F ; Hermans JF ; Lapiere CM , et al. [Skin infections in secondary immunodeficiency]. Rev Med Liege 1987;42(6):235-45 [Fre]

Pinching AJ. Neurological aspects of the acquired immune deficiency syndrome. J R Coll Physicians Lond 1988 Jul;22(3): 136-9

Pinching AJ. Prophylactic and maintenance therapy for opportunist infections in AIDS. AIDS 1988;2(5):335-43

Podzamczer D ; Gudiol F. Clindamycin in cerebral toxoplasmosis [letter]. Am J Med 1988 Apr;84(4):800

Poser S ; Luer W ; Eichenlaub D ; Pohle HD ; Weber T ; Jurgens S ; Felgenhauer K. Chronic HIV encephalitis--II. Clinical aspects. Klin Wochenschr 1988 Jan 4;66(1):26-31

Potasman I ; Resnick L ; Luft BJ ; Remington JS. Intrathecal production of antibodies against Toxoplasma gondii in patients with toxoplasmic encephalitis and AIDS [abstract]. Clin Res 1987;35(1):191A

Potasman I ; Resnick L ; Luft BJ ; Remington JS. Intrathecal production of antibodies against Toxoplasma gondii in patients with toxoplasmic encephalitis and the acquired immunodeficiency syndrome (AIDS). Ann Intern Med 1988 Jan;108(1):49-51

Quinn TC ; Piot P ; McCormick JB, et al. Serologic and immunologic studies in patients with AIDS in North America and Africa. JAMA 1987;257(19):2617-21

Raffi F ; Milpied B ; Barrier JH ; Billaudel S. [Treatment and prevention of HIV infection: present situation and prospects]. Ouest Med 1988;41(3-4):85-8 [Fre]

Ramsey RG ; Geremia GK. CNS complications of AIDS: CT and MR findings. AJR 1988;151(3):449-54

Rehder JR ; Burnier MB Jr ; Pavesio CE ; Kim MK ; Rigueiro M ; Petrilli AM ; Belfort R Jr. Acute unilateral toxoplasmic iridocyclitis in an AIDS patient. Am J Ophthalmol 1988 Dec 15;106(6):740-1

Respiratory embarrassment and neurologic symptoms in a patient with AIDS [clinical conference]. Rev Infect Dis 1988 Mar-Apr; 10(2):439-45

Riecken EO. [Gastrointestinal opportunistic infections in AIDS]. Verh Dtsch Ges Inn Med 1988;94:517-24 [Ger]

Riera Palma ME ; Quiroz y Ferrari F ; Vazquez Lamadrid J. [Computerized axial tomography of the central nervous system in the acquired immunodeficiency syndrome]. Rev Invest Clin 1987;39 Suppl:117-21 [Spa]

Robinson G ; Wilson SE ; Williams RA. Surgery in patients with acquired immunodeficiency syndrome. Arch Surg 1987 Feb; 122(2):170-5

Rodesch G ; Parizel PM ; Farber CM ; Lalmand B ; Przedborski S ; D'Haens J ; van Calck M ; Vanderhofstadt A ; Taelman H ; Baleriaux D. Nervous system manifestations and neuroradiologic findings in acquired immunodeficiency syndrome (AIDS). Neuroradiology 1989;31(1):33-9

Roldan EO ; Moskowitz L ; Hensley GT. Pathology of the heart in acquired immunodeficiency syndrome. Arch Pathol Lab Med 1987 Oct;111(10):943-6

Rolston KV. Clindamycin in cerebral toxoplasmosis [letter]. Am J Med 1988 Aug;85(2):285

Rolston KV ; Hoy J. Role of clindamycin in the treatment of central nervous system toxoplasmosis. Am J Med 1987 Sep; 83(3):551-4

Roques C ; Bessieres MH ; Seguela JP. [Diagnosis of neurotoxoplasmosis by isolation of toxoplasma on tissue culture from cerebral biopsies]. Bull Soc Fr Parasitol 1988;6(1):57-63 [Fre]

Rosenheim M ; M'Pele P ; Itoua Ngaporo A ; Brucker G ; Duflo B ; Gentilini M. [Therapeutic index of opportunistic infections in AIDS]. Med Afr Noire 1987;34(12):1007,1019 [Fre]

Rotterdam H. Tissue diagnosis of selected AIDS-related opportunistic infections. Am J Surg Pathol 1987;11 Suppl 1:3-15

Rust M. [Pulmonary infections in patients with aids]. Prax Klin Pneumol 1988;42(9):689-92 [Ger]

Sahai J ; Heimberger T ; Collins K ; Kaplowitz L ; Polk R. Sulfadiazine-induced crystalluria in a patient with the acquired immunodeficiency syndrome: a reminder. Am J Med 1988 Apr; 84(4):791-2

Saimot AG ; Girard PM ; Brun-Vezinet F ; Bartczak S ; Rey MA ; Coulaud JP. [Clinical and virological study of a case of infection with the HIV-LAV 2 virus]. Ann Med Interne (Paris) 1987;138(6):419-21 [Fre]

Santana JL ; Ramirez-Ronda CH. [The pregnant woman infected with the human immunodeficiency virus: recommendations for her management]. Bol Asoc Med P R 1988 May;80(5):169-72 [Spa]

Schwenk J ; Ferszt R ; Gosztonyi G ; Lowes P ; Niedobitek G ; Fisher T ; Sommer D ; Cervos Navarro J. [Neuropathologic findings in 13 deceased persons with acquired immunodeficiency syndrome]. Zentralbl Allg Pathol 1987; 133(1):29-48 [Ger]

Segreti J ; Harris AA ; Kessler HA ; Busch K. Neuropsychiatic complications of human immunodeficiency virus infection. Compr Ther 1988;14(7):9-15

Selik RM ; Starcher ET ; Curran JW. Opportunistic diseases reported in AIDS patients: Frequencies, associations, and trends. AIDS 1987;1(3):175-82

Shanks GD ; Redfield RR ; Fischer GW. Toxoplasma encephalitis in an infant with acquired immunodeficiency syndrome. Pediatr Infect Dis J 1987 Jan;6(1):70-1

Smith RE. Toxoplasmic retinochoroiditis as an emerging problem in AIDS patients [editorial]. Am J Ophthalmol 1988 Dec 15; 106(6):738-9

Stille W ; Staszewski S. [Treatment of opportunistic infections in AIDS]. Verh Dtsch Ges Inn Med 1988;94:528-31 [Ger]

Sun T. Opportunistic parasitic infections in patients with acquired immunodeficiency syndrome. Pathol Annu 1988;23 Pt 2:1-32

Suzuki Y ; Israelski DM ; Dannemann BR ; Stepick-Biek P ; Thulliez P ; Remington JS. Diagnosis of toxoplasmic encephalitis in patients with acquired immunodeficiency syndrome by using a new serologic method. J Clin Microbiol 1988 Dec;26(12):2541-3

Sze G ; Brant Zawadzki MN ; Norman D ; Newton TH. The neuroradiology of AIDS. Semin Roentgenol 1987;22(1):42-53

Tassoni A ; Cavazza S ; Toderini G. [Retinographic and fluorescein-angiographic aspects of the acquired immune deficiency syndrome]. J Fr Ophthalmol 1988;11(6-7):501-10 [Fre]

Threlkeld MG ; Graves AH ; Cobbs CG. Cerebrospinal fluid staining for the diagnosis of toxoplasmosis in patients with the acquired immune deficiency syndrome [letter]. Am J Med 1987 Sep;83(3):599-600

Tognetti A ; Basolo F. [Opportunistic infections in a patient with acquired immunodeficiency syndrome]. Pathologica 1987; 79(1063):625-34 [Ita]

Tolezano JE ; Barleta C ; Kawarabayashi M ; Coelhom JR ; Raymundo ML ; Lirio VS ; Udea M ; Souza AM ; Ferrar L ; Pinto WP. [Indirect immunofluorescence reactions to toxoplasmosis in acquired immunodeficiency syndrome patients [abstract]. Mem Inst Oswaldo Cruz 1987;82 Suppl 1:24 [Por]

Torregrosa R ; Fraile MT ; Sanchis-Bayarri V ; Tuset C. [Prevalence of opportunistic infections in risk groups for AIDS (letter)]. Med Clin (Barc) 1987 Apr 18;88(15):608 [Spa]

Torroba Alvarez L ; Hermida Donate JM ; Ezpeleta Baquedano C ; Mu:noz Zato E. [Methemoglobinemia secondary to the treatment of opportunistic infections in patients with AIDS (letter)]. Rev Clin Esp 1988 Mar;182(5):289-90 [Spa]

Toxoplasma peritonitis in AIDS. Am Fam Physician 1989 Jan; 39(1):284

Tschirhart D ; Klatt EC. Disseminated toxoplasmosis in the acquired immunodeficiency syndrome. Arch Pathol Lab Med 1988 Dec;112(12):1237-41

Tuazon CU. Toxoplasmosis in AIDS patients. J Antimicrob Chemother 1989;23 Suppl A:77-82

Tuazon CU ; Labriola A M. Management of infectious and immunological complications of acquired immunodeficiency syndrome (AIDS). Current and future prospects. Drugs 1987; 33(1):66-84

Tucker T. Central nervous system AIDS. J Neurol Sci 1989;89 (2-3):119-33

Valsamis MP. Neuropathology of AIDS. N Y Med Q 1987;7(2): 61-3

Vollmer TL ; Waldor MK ; Steinman L ; Conley FK. Depletion of T-4+ lymphocytes with monoclonal antibody reactivates toxoplasmosis in the central nervous system: a model of superinfection in AIDS. J Immunol 1987 Jun 1;138(11):3737-41

Wanke C ; Tuazon CU ; Kovacs A ; Dina T ; Davis DO ; Barton N ; Katz D ; Lunde M ; Levy C ; Conley FK , et al. Toxoplasma encephalitis in patients with acquired immune deficiency syndrome: diagnosis and response to therapy. Am J Trop Med Hyg 1987 May;36(3):509-16

Weber R ; Bonetti A ; Jost J ; Luthy R. [Counseling and care of the HIV-positive patient. Secondary individual prophylaxis in patients with HIV infection]. Schweiz Med Wochenschr 1989; 119(8):251-8 [Ger]

Weisberg LA ; Garcia C ; Stazio A. Computerized tomographic diagnostic aspects of acquired immunodeficiency syndrome. Comput Med Imaging Graph 1988;12(4):225-36

Weisberg LA ; Greenberg J ; Stazio A. Computed tomographic findings in cerebral toxoplasmosis in adults. Comput Med Imaging Graph 1988 Nov-Dec;12(6):379-83

Weiss LM ; Harris C ; Berger M ; Tanowitz HB ; Wittner M. Pyrimethamine concentrations in serum and cerebrospinal fluid during treatment of acute Toxoplasma encephalitis in patients with AIDS. J Infect Dis 1988 Mar;157(3):580-3

Weiss LM ; Udem SA ; Tanowitz H ; Wittner M. Western blot analysis of the antibody response of patients with AIDS and toxoplasma encephalitis: antigenic diversity among Toxoplasma strains. J Infect Dis 1988 Jan;157(1):7-13

Westblom TU ; Belshe RB. Clindamycin therapy of cerebral toxoplasmosis in an AIDS patient. Scand J Infect Dis 1988; 20(5):561-3

Wordell C. Updata on the acquired immunodeficiency syndrome. Am Drug 1989;199(1):65-73

Zaiss AW ; Neumann H ; Friedburg HA ; Senn HJ ; R:uhle KH ; Matthys H. [The AIDS patient with miliary tuberculosis, toxoplasmosis and herpes infection]. Med Klin 1988 Aug 12; 83(16):528-31 [Ger]

Zhanel GG. AIDS - acquired immunodeficiency syndrome: a review. Can J Hosp Pharm 1988;41(2):49-54,61-4

Immunocompromised Hosts - Other Conditions

Araujo FG ; Remington JS. Toxoplasmosis in immunocompromised patients [editorial]. Eur J Clin Microbiol 1987 Feb; 6(1):1-2

Balk AH ; Sluiters JF ; Degener JE ; Rothbarth PH ; Metselaar HJ ; Mochtar B. [Infections following heart transplantation; experiences in 40 patients]. Ned Tijdschr Geneeskd 1988 Dec 3;132(49):2237-41 [Dut]

Beelen DW ; Mahmoud HK ; Mlynek ML ; Schmidt U ; Richter HJ ; Schaefer UW ; Reinhardt V ; Pauleikhoff D. Toxoplasmosis after bone marrow transplantation. Hamatol Bluttransfus 1987;30:574-8

Candolfi E ; Derouin F ; Kien T. Detection of circulating antigens in immunocompromised patients during reactivation of chronic toxoplasmosis. Eur J Clin Microbiol 1987 Feb;6(1):44-8

Candolfi E ; Mettaver F ; Levy F ; Bellocq JP ; Kien T. [Toxoplasmosis in heart transplants: immunological data and origin of contamination]. Bull Soc Fr Parasitol 1988;6(1):51-6 [Fre]

Concha M ; Montero A ; Valles F ; Arizon JM ; Suarez de Lezo JM ; Eguaras MG ; Granados J ; Lopez Rubio F ; Lluch M ; Alvarez F , et al [Orthotopic heart transplantation in Hospital Reina Sofia, Cordoba]. Rev Esp Cardiol 1987;40 Suppl 2:107-11 [Spa]

Derouin F ; Debure A ; Godeaut E ; Lariviere M ; Kreis H. Toxoplasma antibody titers in renal transplant recipients. Pretransplant evaluation and posttransplant follow-up of 73 patients. Transplantation 1987 Oct;44(4):515-8

Derouin F ; Gluckman E ; Beauvais B ; Devergie A ; Melo R ; Monny M ; Lariviere M. Toxoplasma infection after human allogeneic bone marrow transplantation: clinical and serological study of 80 patients. Bone Marrow Transplant 1986 May;1(1):67-73

Esposito R ; Orlando G ; Inzoli C ; Calello G ; Moroni M ; Rivolta E ; Alkabes M. Asymptomatic parasitic infections in renal transplant recipients and in haemodialysis patients. Boll Ist Sieroter Milan 1987;66(3):210-3

Farrag SA ; Morsy TA ; Makarem SS ; Sarwat MA. Study of some opportunistic parasitic infections in Egyptian diabetic patients. J Egypt Soc Parasitol 1988;18(1):197-206

Fisher MA ; Levy J ; Helfrich M ; August CS ; Starr SE ; Luft BJ. Detection of Toxoplasma gondii in the spinal fluid of a bone marrow transplant recipient. Pediatr Infect Dis J 1987 Jan; 6(1):81-3

Foerster A ; Simonsen S ; Froysaker T. Heart tranplantation in Norway: morphological monitoring of cardiac allograft rejection - a 3-year follow up. APMIS 1988;96(1):14-24

Gatell JM ; Torres A. [Pulmonary infiltrates in the immunocompromised patient I]. Med Clin (Barc) 1987;88(18): 726-31 [Spa]

Gratama JW ; Polderman AM ; Stijnen T ; Zwaan FE ; Vossen JM. Immunity to Toxoplasma gondii and acute graft-versus-host disease. Bone Marrow Transplant 1987;2 Suppl 1:166

Hall WA ; Martinez AJ ; Dummer JS ; Griffith BP ; Hardesty RL ; Bahnson HT ; Lunsford LD. Central nervous system infections in heart and heart-lung transplant recipients. Arch Neurol 1989;46(2):173-7

Kusne S ; Dummer JS ; Ho M ; Whiteside T ; Rabin BS ; Makowka L ; Esquivel CO ; Starzl TE. Self-limited Toxoplasma parasitemia after liver transplantation. Transplantation 1987 Sep; 44(3):457-8

Mason JC ; Ordelheide KS ; Grames GM ; Thrasher TV ; Harris RD ; Bui RH ; Mackett MC. Toxoplasmosis in two renal transplant recipients from a single donor. Transplantation 1987 Oct;44(4):588-91

McCabe RE. Diagnosis of pulmonary infections in immunocompromised patients. Med Clin North Am 1988;72(5): 1067-90

Minoli L ; Grossi P ; Marone P ; Concia E ; Rondanelli EG. [Control of infections in heart transplant patients: protocol for monitoring infections in heart transplant patients]. G Mal Infett Parassit 1987;39(10):1070-2 [Ita]

Pauleikhoff D ; Messmer E ; Beelen DW ; Foerster M ; Wessing A. Bone-marrow transplantation and toxoplasmic retinochoroiditis. Graefes Arch Clin Exp Ophthalmol 1987; 225(3):239-43

Serra P ; Venditti M. [Clinical aspects of infections in organ transplant recipients]. Ann Ist Super Sanita 1987;32(4):963-6 [Ita]

Sluiters JF ; Balk AH ; Essed CE ; Mochtar B ; Weimar W ; Simoons M L ; Ijzerman EP. Indirect enzyme-linked immunosorbent assay for immunoglobulin G and four immunoassays for immunoglobulin M to Toxoplasma gondii in a series of heart transplant recipients. J Clin Microbiol 1989; 27(3):529-35

Snyder MB ; Markowitz N ; Saravolatz LD ; Price J ; Cox D ; Keith F ; Magilligan DJ Jr. Infection surveillance in cardiac transplantation. Am J Infect Control 1988;16(2):54-9

Weiler A ; Schuetz A ; Reichert D ; Anthuber M ; Kemkes BM. Complications in cardiac transplantation: a 7 year review [abstract]. Eur Heart J 1988;9 Abstr Suppl 1:58

Wreghitt TG ; Hakim M ; Gray JJ ; Balfour AH ; Stovin PG ; Stewart S ; Scott J ; English TA ; Wallwork J. Toxoplasmosis in heart and heart and lung transplant recipients. J Clin Pathol 1989 Feb;42(2):194-9

Pregnancy and the Fetus

Ahlfors K ; Bjorjeson M ; Huldt G ; Ivarsson SA ; Harris S ; Svanberg L. Infectious diseases in the intrauterine period. Ups J Med Sci Suppl 1987;44:173-4

Anastasiu D ; Crisan I ; Teodorescu D ; Bunescu S ; Rucz I ; Frincu G ; Elias M. [Infectious and therapeutic aspects in chronic toxoplasmosis during pregnancy]. Rev Pediatr Obstet Ginecol [Obstet Ginecol] 1988;36(1):65-74 [Rum]

Berger R ; Just M. [Toxoplasmosis in pregnant women and neonates in Switzerland - seroprevalence, risk factors and preventive measures]. Schweiz Med Wochenschr 1987;117(5): 161-7 [Ger]

Berrebi A ; Reme JM ; Sarramon MF , et al. [Foetal blood sampling under ultrasonic monitoring]. Presse Med 1987;16(4): 171-2 [Fre]

Bessieres MH ; Roques C ; Berrebi A ; Llauro C ; Seguela JP. [Levels of immunoglobulins and isolation of the parasite by inoculation in mice and in a cell culture of foetal blood: comparative evaluation for the prenatal diagnosis of congenital toxoplasmosis]. Bull Soc Fr Parasitol 1987;5(1):27-32 [Fre]

Billiault X ; Collet M ; Dupont A ; Lefevre S. [Toxoplasmosis in pregnant women in Haut Ogoou:e Province (Gabon)]. Bull Soc Pathol Exot Filiales 1987;80(1):74-83 [Fre]

Brade V ; Engelhardt A ; Harms D. [Congenital toxoplasmosis with delayed immune response in children. Diagnostic problems]. Dtsch Med Wochenschr 1987 May 22;112(21):837-41 [Ger]

Brade V ; Harms D. [Congenital toxoplasmosis: value of modern IgM serodiagnosis in difficult clinical cases]. Immun Infekt 1988 Jun;16(3):104-8 [Ger]

Canessa A ; Pantarotto F ; Miletich F ; Russo A ; Gotta C ; Bozzuffi PM ; Ferrari G ; Fiorelli A ; Terragna A. Antibody prevalence to torch agents in pregnant women and relative risk of congenital infections in Italy (Liguria). Biol Res Pregnancy Perinatol 1987;8(2 2D Half):84-8

Cartana J ; Forteza-Rey J ; Serra C ; Altes J ; Matamoros N ; Salva F. [Term pregnancy and acquired immunodeficiency syndrome. First Spanish case]. Med Clin (Barc) 1988 Jun 18; 91(4):145-7 [Spa]

Cendrowski W. [CSF oligoclonal and polyclonal gamma globulin bands in subacute sclerosing panencephalitis, multiple sclerosis, and congenital infections of the CNS]. Postepy Hig Med Dosw 1987;41(6):663-72 [Pol]

Cerisoli M ; Campanile S ; Amore M ; Campanile A. [Pontine isolated calcification in a child as a sequela of unrecognized cogenital toxoplasmosis. A case report]. Riv Neurosci Pediatr 1988;4(2):126-8 [Ita]

Cheron G ; Saint-Raymond A ; Castot A. [Congenital toxoplasmosis, convulsions and overdose of pyrimethamine (letter)]. Arch Fr Pediatr 1987 Nov;44(9):824 [Fre]

Coffey V ; Hillary I ; McDonald D ; Dooley S ; Counihan C ; O'Connor N ; Kinane K. Congenital infections: a prospective study. Ir Med J 1987 Jun;80(6):169-72

Cohen-Addad NE ; Joshi VV ; Sharer LR ; Epstein LG ; Gubitosi TA ; Oleske JM. Congenital acquired immunodeficiency syndrome and congenital toxoplasmosis: pathologic support for a chronology of events. J Perinatol 1988 Fall;8(4):328-31

Coppola A ; Spera C ; Varcaccio Garofalo G ; Gargiulo A ; Nasti A. [Partial anterior hypopituitarism caused by toxoplasmosis congenita. Description of a clinical case]. Minerva Med 1987 Mar 31;78(6):403-10 [Ita]

Couvreur J. [Treatment of cogenital toxoplasmosis]. Pediatrie 1987;23(102):5-16 [Fre]

Couvreur J ; Desmonts G ; Thulliez P. Prophylaxis of congenital toxoplasmosis. Effects of spiramycin on placental infection. J Antimicrob Chemother 1988 Jul;22 Suppl B:193-200

Daffos F ; Forestier F ; Capella-Pavlovsky M ; Thulliez P ; Aufrant C ; Valenti D ; Cox WL. Prenatal management of 746 pregnancies at risk for congenital toxoplasmosis. N Engl J Med 1988 Feb 4;318(5):271-5

de Zegher F ; Sluiters JF ; Stuurman PM ; van der Voort E ; Bos AP ; Neijens HJ. Concomitant cytomegalovirus infection and congenital toxoplasmosis in a newborn. Eur J Pediatr 1988 May;147(4):424-5

Decoster A ; Darcy F ; Caron A ; Capron A. IgA antibodies against P30 as markers of congenital and acute toxoplasmosis. Lancet 1988 Nov 12;2(8620):1104-7

Deniau M ; Leke R ; Marty P ; Temole R ; Villevieille J. [Toxoplasmosis and pregnancy in Cameroon]. Med Afr Noire 1987;34(7):643-48 [Fre]

Derouin F ; Thulliez P ; Candolfi E ; Daffos F ; Forestier F. Early prenatal diagnosis of congenital toxoplasmosis using amniotic fluid samples and tissue culture. Eur J Clin Microbiol Infect Dis 1988 Jun;7(3):423-5

Duchinski W ; Ma:dyk J. [Generalized congenital toxoplasmosis as the cause of death of a newborn infant]. Wiad Lek 1988 Jul 1; 41(13):884-9 [Pol]

Dunn SA ; Schwartz D ; Brinkley J ; Wright KW. Congenital toxoplasmosis presenting as isolated acute chorioretinitis in the neonate. J Pediatr Ophthalmol Strabismus 1988 Jan-Feb;25(1): 30-2

Echevarr:ia C ; Echevarr:ia JM ; Anda P ; Rodr:iguez M ; P:erez Bre:na P ; de Carlos S ; de Ory F ; Le:on P ; N:ajera R. [Congenital and perinatal infections caused by viral agents, Toxop'asma gondii and Treponema pallidum. Study of 2000 cases and analysis of 488 positive cases]. Med Clin (Barc) 1987 Jan 31;88(4):129-34 [Spa]

[Effect of certification of toxoplasmosis of certain patient groups, especially pregnant women (letter)]. Orv Hetil 1987 May 17; 128(20):1068-9 [Hun]

Enders G ; Biber M ; Lindemann L. [Keeping pets--how dangerous is it?] Gynakologe 1987 Jun;20(2):99-105 [Ger]

Espeillac D ; Malavaud S ; Bessieres MH ; Grandjean H. [Seroepidemiologic study of the toxoplasmosis in pregnant women in Toulouse country]. Med Mal Infect 1989;19(2):80-2 [Fre]

Fadeeva MA ; Luk'ianova TA ; Tamarova LD ; Shevkunova EA. [Diagnosis of congenital toxoplasmosis]. Pediatriia 1987;(2): 76-81 [Rus]

Felber S , Sinatra F. Systemic disorders associated with neonatal cholestasis. Semin Liver Dis 1987 May;7(2):108-18

Fernandez-Torrano M. Epidemiology of Toxoplasmosis in pregnant women in Tabasco, Mexico. J Trop Pediatr 1988;34(4):143-6

Fernandez-Torrano M. [Serological survey of anti-Toxoplasma gondii antibodies in pregnant women]. Bol Med Hosp Infant Mex 1987 Feb;44(2):133-4 [Spa]

Fernell E ; Hagberg B ; Hagberg G ; von Wendt L. Epidemiology of infantile hydrocephalus in Sweden. II. Origin in infants born at term. Acta Paediatr Scand 1987 May;76(3):411-7

Forestier F ; Daflos F ; Rainaut M ; Desnottes JF ; Gaschard JC. [Fetomaternal therapeutic follow-up of spiramycin during pregnancy]. Arch Fr Pediatr 1987 Aug-Sep;44(7):539-44 [Fre]

Foulon W ; Naessens A ; Lauwers S ; De Meuter F ; Amy JJ. Impact of primary prevention on the incidence of toxoplasmosis during pregnancy. Obstet Gynecol 1988 Sep;72 (3 Pt 1):363-6

Fuith LC ; Reibnegger G ; H:onlinger M ; Wachter H. Screening for toxoplasmosis in pregnancy [letter]. Lancet 1988 Nov 19; 2(8621):1196

Furmaga-Jablonska W. [Clinical picture of congenital toxoplasmosis in children hospitalized at the Neonatal Department of the Institute of Pediatrics, Medical Academy, in Lublin]. Pediatr Pol 1987 Jun;62(6):398-403 [Pol]

Furmaga-Jablonska W. [IgG, IgM and IgA levels in the cerebrospinal fluid of children with congenital toxoplasmosis]. Pediatr Pol 1987 Jul;62(7):469-75 [Pol]

Gaebler JW ; Schreiner RL. Perinatal infections: frequently asked questions. Indiana Med 1987 Apr;80(4):323-5

Garin JP. [Toxoplasmosis: new aspects in the monitoring of pregnant women and newborns]. Feuill Biol 1988;29(162):21-30 [Fre]

Giles CL. Uveitis in childhood--Part III. Posterior. Ann Ophthalmol 1989 Jan;21(1):23-8

Gloning KP ; Murken J ; Brusis E. [Tests on fetal blood]. Dtsch Med Wochenschr 1988;113(43):1680-1 [Ger]

Gomez-Garcia AC ; Saenz MC ; Arce J ; Gonzalez-Celador A. Humoral immunity to rubella virus infection and toxoplasmosis: results of a survey on healthy pregnant women in Salamanca, Spain. Ig Mod 1987;87(3):268-74

Gracheva LI ; Muzykantova VS. [Case of congenital toxoplasmosis]. Pediatriia 1988;(9):88-9 [Rus]

Gsell O. [Toxoplasmosis still a danger for the unborn child]. Ars Med 1989;79(2):111,113 [Ger]

Guo ZZ. [Toxoplasmosis in pregnant women, newborn infants and deformed children]. Chung Hua Fu Chan Ko Tsa Chih 1987 Mar;22(2):91-3, 126 [Chi]

Hagberg B. Pre- and perinatal environmental origin in mild mental retardation. Ups J Med Sci Suppl 1987;44:178-82

Halpern J ; Hosford-Dunn H ; Malachowski N. Four factors that accurately predict hearing loss in "high risk" neonates. Ear Hear 1987 Feb;8(1):21-5

Heringa M ; Huisjes HJ. Prenatal screening: cuurrent policy in EC countries. Eur J Obstet Gynecol Reprod Biol 1988;28 Suppl:. 7-52

Hershey DW ; McGregor JA. Low prevalence of Toxoplasma infection in a Rocky Mountain prenatal population. Obstet Gynecol 1987 Dec;70(6):900-2

Hervas JA ; Fiol M ; Caimari M ; L:opez P ; Masip M. Central nervous system congenital toxoplasmosis mimicking brain abscesses. Pediatr Infect Dis J 1987 May;6(5):491-2

Ho-Yen DO ; Chatterton JM ; Joss AW. Screening for infections in pregnancy [letter]. Lancet 1988 Oct 29;2(8618):1031

Infectious disease rounds: toxoplasmosis in a premature infant [clinical conference]. Rev Infect Dis 1988 May-Jun;10(3):624-6

Intody Z ; Jank:o M ; Hajdu K ; L:aszl:o J. [Prenatal diagnosis of toxoplasmosis (letter)]. Orv Hetil 1987 Aug 23;128(34):1810 [Hun]

Janitschke K ; Busch W. [Suitability of enzyme-linked immunosorbent assays for IgG- and IgM-toxoplasma antibodies in pregnancy care]. Arzt Lab 1988;34(12):357-9 [Ger]

Janitschke K ; Busch W ; Kellershofen C. [Direct agglutination as a tool for toxoplasma control in pregnancy]. Immun Infekt 1988 Oct;16(5):189-91 [Ger]

Jeannel D ; Niel G ; Danis M ; Gentilini M. [Serodiagnosis of toxoplasmosis developing during pregnancy and of congenital toxoplasmosis]. Rev Fr Gynecol Obstet 1988 Mar;83(3):133-6, 139-44 [Fre]

Joynson DH ; Payne R. Screening for toxoplasma in pregnancy [letter]. Lancet 1988 Oct 1;2(8614):795-6

Kinney JS ; Kumar ML. Should we expand the TORCH complex? A description of clinical and diagnostic aspects of selected old and new agents. Clin Perinatol 1988 Dec;15(4):727-44

Knaus BU ; Halpick E. [Use of dried blood in the detection of primary Toxoplasma infection in pregnant patients]. Z Med Lab Diagn 1987;28(3):167-9 [Ger]

Konishi E. Change of immunoglobulin G antibody levels to Toxoplasma gondii during pregnancy in an obstetric population. Am J Obstet Gynecol 1989 Feb;160(2):356-7

Konishi E. A pregnant woman with a high level of naturally occurring immunoglobulin M antibodies to Toxoplasma gondii. Am J Obstet Gynecol 1987 Oct;157(4 Pt 1):832-3

Konishi E ; Takahashi J ; Soeripto N ; Kabir A ; Matsumura T. Prevalence of antibody to Toxoplasma gondii among pregnant women and umbilical cords in Hyogo Prefecture, Japan. Jpn J Parasitol 1987;36(3):198-200

Kuipers F. [Treatment of congenital Toxoplasma infections]. Ned Tijdschr Geneeskd 1988;132(50):2295 [Dut]

Lambert SR ; Taylor D ; Kriss A ; Holzel H ; Heard S. Ocular manifestations of the congenital varicella syndrome. Arch Ophthalmol 1989;107(1):52-6

Lappalainen M ; Koskiniemi M. [Congenital toxoplasmosis]. Duodecim 1988;104(4):239-46 [Fin]

Lee RV. Parasites and pregnancy: the problems of malaria and toxoplasmosis. Clin Perinatol 1988 Jun;15(2):351-63

Lemort JP ; Lopes P. [Toxoplasma serology in pregnant immigrants]. Med Afr Noire 1988;35(2):95-8 [Fre]

Lew DP. [Infection and pregnancy]. Ther Umsch 1987 Jan;44(1): 34-8 [Fre]

Lobovska A ; Kouba K ; Ha:skovcov:a J ; Cern:a O ; Obr O. [Congenital fatal toxoplasmosis sepsis]. Cesk Gynekol 1987 Jul; 52(6):454-8 [Cze]

Lysenko AIa ; Sud'bin AV ; Asatova MM. [Simulation of the incidence of congenital toxoplasmosis. 2. The development of a model for use in the USSR]. Med Parazitol (Mosk) 1988 Jan-Feb;(1):62-7 [Rus]

Makhlouf LM ; Deghaidy FS ; Makhlady FA. Serum-zinc levels in aborted cases with toxoplasmosis and some other diseases. J Egypt Soc Parasitol 1988 Dec;18(2):629-34

Martin X ; Roth AM. [Congenital toxoplasmosis and retraction syndrome]. Klin Monatsbl Augenheilkd 1987;190(4):363-5 [Ger]

Maszkiewicz W ; Koralewska J ; Bokrzycka-Krysiak K ; Kupiec G. [Clinical picture and the course of infection in hemolytic disease of the newborn]. Acta Haematol Pol 1988 Jan-Jun;19 (1-2):99-103 [Pol]

McCrossin DB ; Roberton NR. Congenital skin defects, twins and toxoplasmosis. J R Soc Med 1989 Feb;82(2):108-9

Mones ML ; Wiegel U ; Schuler A. [Prenatal toxoplasmosis: diagnosis and prevention]. Dtsch Med Wochenschr 1988 May 27;113(21):847-50 [Ger]

Muentefering H ; Dallenbach-Hellwig G ; Ratschek M. [Pathological anatomical findings in disturbed early pregnancy]. Gynakologe 1988;21(3):262-72 [Ger]

Naessens A ; Foulon W ; de Meuter F ; Lauwers S. Prevention of toxoplasmosis during pregnancy: the role of prophylactic hygienic measures [abstract]. Abstr Annu Meet Am Soc Microbiol 1987;87:379

Nicolaides KH. Cordocentesis. Clin Obstet Gynecol 1988;31(1): 123-36

Ohi I. [Eye diseases of newborns due to vertical infection]. Clin Gynecol Obstet (Tokyo) 1987;41(10):663-5 [Jpn]

Padelt H ; Ocklitz HW. [Congenital toxoplasmosis and Toxoplasma infection. Detection--therapy--prevention]. Kinderarztl Prax 1987 Nov;55(11):529-36 [Ger]

Pajor A ; Hintalan A ; Lintner F. [Pancytopenia induced by pyrimethamine in pregnancy]. Magy Noorv Lapja 1988;51(3): 147-8 [Hun]

Philippe F ; Lepetit D ; Grancher MF ; Morel A ; Henocq A. [Why monitor infants born to mothers who had a seroconversion for toxoplasmosis during pregnancy? Reality and risk of subclinical congenital toxoplasmosis in children. Review of 30,768 births]. Ann Pediatr (Paris) 1988 Jan;35(1):5-10 [Fre]

Piccione E. [Problems of antiparasitic therapy in pregnancy]. Clin Ter 1988;125(4):313-5 [Ita]

Pinon JM ; Poirriez J ; Leroux B ; Dupouy D ; Quereux C ; Garin JP. [Early diagnosis and surveillance of congenital toxoplasmosis. The comparative immunological profiles method]. Presse Med 1987 Mar 21;16(10):471-4 [Fre]

Plantaz D ; Goullier A ; Jouk PS ; Bost M. [Value of the immunosorbent agglutination assay (ISAGA) in the early diagnosis of congenital toxoplasmosis]. Pediatrie 1987;42(5): 387-91 [Fre]

Plantaz D ; Joannard A ; Pasquier B ; Bost M ; Beaudoing A. [Hydranencephaly and congenital toxoplasmosis. Apropos of 4 cases]. Pediatrie 1987;42(3):161-5 [Fre]

Podgornik F. [Positive serological tests for toxoplasmosis and abortions]. Pol Tyg Lek 1987 Jun 1;42(22):677-9 [Pol]

Poirriez J ; Puygauthier-Toubas D ; Marx-Chemla D ; Pouletty P ; Bonhomme A , Pluot M ; Pinon JM. [Comparison of ELIFA and IGM-immunocapture technics in the diagnosis of 50 cases of congenital toxoplasmosis]. Ann Biol Clin (Paris) 1988;46(10): 811-4 [Fre]

Popa DP ; Nu:t:a M ; G:avan G. [Positive diagnosis and treatment of ocular toxoplasmosis]. Rev Chir [Oftalmol] 1988 Jul-Sep; 32(3):161-6 [Rum]

Potasman I ; Araujo FG ; Thulliez P ; Desmonts G ; Remington JS. Toxoplasma gondii antigens recognized by sequential samples of serum obtained from congenitally infected infants. J Clin Microbiol 1987 Oct;25(10):1926-31

Prenatal management and congenital toxoplasmosis [letter]. N Engl J Med 1988 Aug 11;319(6):372-4

Puddu P ; Lodi R ; Muraca A ; Molinotti C. [Hypoplasia of the optic nerve: report of an unusual case]. Ann Ottalmol Clin Ocul 1987;113(3):305-14 [Ita]

Ranno O ; Valentini P ; Pizzigallo A ; Leonardi FF ; Giordano P ; Castorina M ; Masini L ; Bellati U. [Congenital toxoplasmosis: different clinical pictures]. G Mal Infett Parassit 1988;40(3): 185-90 [Ita]

Renier D ; Sainte Rose C ; Pierre Kann A ; Hirsch JF. [Prognosis of prenatal onset hydrocephalus]. Presse Med 1989;18(4): 168-72 [Fre]

Richard-Lenoble D ; Kombila M ; Niel G ; Fribourg-Blanc A ; Boumerfeg M ; Gendrel D. [Transplacental passage of toxoplasma antibodies. The difference between African and European mothers]. Bull Soc Pathol Exot Filiales 1988;81(3): 365-8 [Fre]

Rosenberg HS. Cardiovascular effects of congenital infections. Am J Cardiovasc Pathol 1987;1(2):147-56

Rosenfeld JA. Maternal and congenital toxoplasmosis. Is prevention possible? Postgrad Med 1988 Dec;84(8):187-90

Roussel B ; Pinon JM ; Birembaut P ; Rullier J ; Pennaforte F. [Congenital nephrotic syndrome associated with congenital toxoplasmosis]. Arch Fr Pediatr 1987 Nov;44(9):795-7 [Fre]

Rudd P ; Peckham C. Infection of the fetus and the newborn: prevention, treatment and related handicap. Baillieres Clin Obstet Gynaecol 1988 Mar;2(1):55-71

Saidov MS ; Omarov SM ; Shevkunova EA. [The role of toxoplasmosis in obstetrical-gynecological pathology]. Med Parazitol (Mosk) 1988 May-Jun;(3):93 4 [Rus]

Salmon RL. Screening for toxoplasma in pregnancy [letter]. Lancet 1988 Nov 5;2(8619):1085-6

Samson LF. Perinatal viral infections and neonates. J Perinat Neonatal Nurs 1988 Apr;1(4):56-65

Santanelli P ; Bureau M ; Magaudda A ; Gobbi G ; Roger J. Benign partial epilepsy with centrotemporal (or rolandic) spikes and brain lesion. Epilepsia 1989 Mar-Apr;30(2):182-8

Scemama M ; Relier JP. [Viral and parasitic infections in the neonate]. Rev Prat 1989;39(10):895-8 [Fre]

Scheibe J ; Schulz KR ; Kupferschmidt HG. [Clinical aspects of Toxoplasma primary infection in pregnancy]. Angew Parasitol 1988 Jun;29(2):81-4 [Ger]

Schwalbe J. [Sonographic demonstration of intracranial changes in congenital toxoplasmosis]. Padiatr Grenzgeb 1988;27(4):239-44 [Ger]

Sever JL ; Ellenberg JH ; Ley AC ; Madden DL ; Fuccillo DA ; Tzan NR ; Edmonds DM. Toxoplasmosis: maternal and pediatric findings in 23,000 pregnancies. Pediatrics 1988 Aug; 82(2):181-92

Shevkunova EA. [Congenital toxoplasmosis and its prevention]. Med Parazitol (Mosk) 1988 Jul-Aug;(4):40-6 [Rus]

Sikorski R ; Kape:c E ; Stroczy:nska-Sikorska M. [Serum levels of transport proteins and immunoproteins in pregnant women with toxoplasmosis and those without infection]. Ginekol Pol 1987 Jul;58(7):450-8 [Pol]

Siliaeva NF. [Pathomorphology of the organ of vision in the acute generalized form of congenital toxoplasmosis]. Oftalmol Zh 1988;(2):99-102 [Rus]

Silveira C ; Belfort R Jr ; Burnier M Jr. [Ocular toxoplasmosis: Identification of T. gondii cysts in the retina of the non-twin siblings with recurrent ocular toxoplasmosis]. Arq Bras Oftalmol 1987;50(6):215-8 [Por]

Skinner LJ ; Chatterton JM ; Joss AW ; Moir IL ; Ho-Yen DO. The use of an IgM immunosorbent agglutination assay to diagnose congenital toxoplasmosis. J Med Microbiol 1989 Feb; 28(2):125-8

Sturchler D ; Berger R ; Just M. [Congenital toxoplasmosis in Switzerland. Seroprevalence, risk factors and recommendations for prevention]. Schweiz Med Wochenschr 1987 Jan 31;117(5):161-7 [Ger]

Sudbin AV ; Lysenko AIa. [Modelling of the incidence of congenital toxoplasmosis. 1. A comparative evaluation of the proposed models]. Med Parazitol (Mosk) 1987 Nov-Dec;(6): 27-31 [Rus]

Tan KL. Intra-uterine infections. Ann Acad Med Singapore 1987 Oct;16(4):707-12

Thorp JM Jr ; Seeds JW ; Herbert WN ; Bowes W A Jr ; Maslow AS ; Cefalo RC ; Chescheir N ; Katz VL. Prenatal management and congenital toxoplasmosis. N Engl J Med 1988;319(6):372-3

Thuilier P ; Desmonts G. [Toxoplasmosis and pregnancy]. Concours Med 1988;110(37):3320-6 [Fre]

Tourte Schaefer C ; Dupouy Camet J ; Lapierre J. [Contribution to the study of toxoplasmosis in pregnant women at the Centre Hospitalier Universitaire (C.H.U.) in Lome (Togo)]. Med Afr Noire 1987;34(7):639-41 [Fre]

Tsao LY ; Chuang SS. Congenital toxoplasmosis: a case report. Acta Paediatr Sin 1987;27(6):562-5

Tsubata K , et al. [TORCH complex]. Nichida Igaku Zasshi 1987;46(8):833-8 [Jpn]

Vanhaesebrouck P ; De Wit M ; Smets K ; De Praeter C ; Leroy JG. Congenital toxoplasmosis presenting as massive neonatal ascites. Helv Paediatr Acta 1988 Aug;43(1-2):97-101

Verbrugge HP. [Prevention of congenital toxoplasmosis]. Ned Tijdschr Geneeskd 1988 Jul 9;132(28):1303 [Dut]

Wong HB. The problems of congenital toxoplasmosis in Singapore. J Singapore Paediatr Soc 1987;29(1):1-6

Zarca D ; Sedbon E. [Parasitic infections and pregnancy]. Soins Gynecol Obstet Pueric Pediatr 1987 Mar;(70):19-22 [Fre]

Zornes SL ; Anderson PG ; Lott RL. Congenital toxoplasmosis in an infant with hydrops fetalis. South Med J 1988 Mar;81(3): 391-3

Clinical Aspects

Abdel-Ghani SM ; el-Din MA ; Hassan RR ; Mostafa AM ; Gaafar SA ; Awadalla F el-Z. Intrathoracic manifestations in patients suffering from parasitic infection. J Egypt Soc Parasitol 1988 Dec;18(2):529-37

Adams WH ; Kindermann WR ; Walls KW ; Heotis PM. Toxoplasma antibodies and retinochoroiditis in the Marshall Islands and their association with exposure to radioactive fallout. Am J Trop Med Hyg 1987 Mar;36(2):315-20

Axmann A ; Varnai F ; Garam T. Toxoplasmosis of the central nervous system: clinical immunological and serological investigations. Ther Hung 1988;36(3):123-8

Bahemuka M ; Babiker MA ; Wright SG ; Al Orainey I ; Obeid T. The pattern of infection of the nervous system in Riyadh: a review of 121 cases. Q J Med 1988;68(255):515-24

Bergin M ; Menser MA ; Procopis PG ; Roy LP ; Shaw PJ ; Stevens MM. Central nervous system toxoplasmosis and hemolytic-uremic syndrome [letter]. N Engl J Med 1987 Dec 10;317(24):1540-1

Berk SL ; Verghese A. Parasitic pneumonia. Semin Respir Infect 1988 Jun;3(2):172-8

Bertrand Y ; Fegueux N ; Rodiere M ; Jean R. [Fatal cerebral toxoplasmosis in a leukemia child in remission]. Arch Fr Pediatr 1988 May;45(5):347-8 [Fre]

Catani A ; Bussi F ; Mancuso T ; Deufemia P. [Localized lymphadenopathies: a challenge for pediatricians]. Aggiorn Pediatr 1989;39(3):221-31 [Ita]

Changes and progress in uveitis. Lancet, 1987;1(8523):19-21

Chbialeva KI ; Vasilevich AI. [2 cases of acquired corneal toxoplasmosis]. Oftalmol Zh 1987;(4):252-3 [Rus]

Chung YM ; Yeh TS ; Liu JH. Endogenous uveitis in Chinese: an analysis of 240 cases in a uveitis clinic. Jpn J Ophthalmol 1988; 32(1):64-9

Crider SR ; Horstman WG ; Massey GS. Toxoplasma orchitis: report of a case and a review of the literature. Am J Med 1988 Sep;85(3):421-4

Daras M ; Marc J ; Jindal S ; Tuchman AJ ; Kaplan LR ; Koppel B. CT evolution of CNS toxoplasmosis [abstract]. Neurology 1988;38(3 Suppl 1):191

Dudley NJ ; Balfour AH. Non-Hodgkin's lymphoma presenting as "chronic active toxoplasmosis." Postgrad Med J 1988;64(757): 883-5

Friberg TR. Serpiginous choroiditis with branch vein occlusion and bilateral periphlebitis. Arch Ophthalmol 1988;106(5):585-6

Giles CL. Uveitis in childhood--Part III. Posterior. Ann Ophthalmol 1989 Jan;21(1):23-8

Goldberg GA ; Baranova MN. [A case of long-term observation of a patient with toxoplasmic myocarditis and endocarditis]. Klin Med (Mosk) 1988 Jan;66(1):130-2 [Rus]

Grant SC ; Klein C. Toxoplasma gondii encephalitis in an immunocompetent adult. A case report. S Afr Med J 1987 May 2;71(9):585-7

Guignard E ; Picon L ; Bacq Y ; Choutet P ; Thanh Hai Duong. [Toxoplasmic pleuro-pericarditis associated with Hodgkin's disease]. Rev Med Interne 1988 Nov-Dec;9(5):473-6 [Fre]

Henderly DE ; Genstler AJ ; Smith RE ; Rao NA. Changing patterns of uveitis. Am J Ophthalmol 1987 Feb 15;103(2):131-6

Hochberg MC. Epidemiology of polymyositis/dermatomyositis. Mt Sinai J Med 1988;55(6):447-52

Knobber D ; Schatzle W. [Lymphadenitis toxoplasmotica--a zoonosis]. Laryngol Rhinol Otol (Stuttg) 1987 Feb;66(2):70-2 [Ger]

Kobayashi A. Diseases communicable from cats. Asian Med J 1988;31(1):42-8

Kornas-Dubejko A ; Siezieniewska Z ; Modzelewska I. [Actinomycosis of the lymph nodes coexistent with toxoplasmosis in an 11-year-old boy]. Wiad Lek 1988 Feb 15; 41(4):256-8 [Pol]

Krivoy A ; Casale E ; Valdivia RD. Parasitosis and mycosis of the central nervous system: 20 years of experience. Childs Nerv Syst 1988;4(2):76-8

Laurent-Puig P ; Uzzan B ; Chapman A. [Toxoplasmosis and mediastinal adenopathies. A reality? (letter)]. Presse Med 1987 May 9;16(17):828 [Fre]

Lim BT ; Carbaat PA ; van Knapen F. [A young man with acute toxoplasmosis encephalitis]. Ned Tijdschr Geneeskd 1987 Nov 14;131(46):2086-7 [Dut]

Linne T ; Huldt G ; Finkel Y ; Jonsson-Styburski U. [Acquired toxoplasmosis is often mild but the symptoms can be difficult to interpret]. Lakartidningen 1988 Mar 16;85(11):948-9 [Swe]

Matthews JD ; Weiter JJ. Outer retinal toxoplasmosis. Ophthalmology 1988 Jul;95(7):941-6

McCabe RE ; Brooks RG ; Dorfman RF ; Remington JS. Clinical spectrum in 107 cases of toxoplasmic lymphadenopathy. Rev Infect Dis 1987 Jul-Aug;9(4):754-74

Mehren M ; Burns PJ ; Mamani F ; Levy CS ; Laureno R. Toxoplasmic myelitis mimicking intramedullary spinal cord tumor. Neurology 1988 Oct;38(10):1648-50

Melamed J. [Peculiarities of ocular toxoplasmose in Rio Grande do Sul, Brazil]. Arq Bras Oftalmol 1988;51(5):197-200 [Spa]

Meredith JT. Toxoplasmosis of the central nervous system. Am Fam Physician 1987 May;35(5):113-6

Mollering M. [Perazine-induced agranulocytosis--case report]. Z Kinder Jugenpsychiatr 1988 Mar;16(1):27-30 [Ger]

Morgan CM ; Gragoudas ES. Branch retinal artery occlusion associated with recurrent toxoplasmic retinochoroiditis. Arch Ophthalmol 1987 Jan;105(1):130-1

Moroz BV ; Triakina IP. [Acquired toxoplasmosis]. Sov Med 1987; (3):117-9 [Rus]

Mouillac-Gambarelli N ; Denoyel-Noel G ; Vila JP. [Is it still necessary to research uveitis?]. Bull Soc Ophtalmol Fr 1987 Jan;87(1):47-50 [Fre]

Mousa MA ; Soliman HE ; el Shafie MS ; Abdel-Baky MS ; Aly MM. Toxoplasma seropositivity in patients with rheumatoid arthritis. J Egypt Soc Parasitol 1988 Jun;18(1):345-51

Murgoci G. [Difficulty in diagnosing chronic cervical adenopathy in the child]. Rev IG [Pneumoftiziol] 1987;36(4):361-70 [Rum]

Navarro MD ; Leal M ; Pineda JA ; Diaz Torres MA ; Wichman I ; Jiminez JM ; Lissen E. [Opportunistic infections and Kaposi's sarcoma in hemophiliacs: analysis of a series of patients controlled in a hospital and evaluation of medical assessment]. Rev Clin Esp 1987;180(4):188-93 [Spa]

Ngu JL ; Youmbissi TJ. Special features, pathogenesis and aetiology of glomerular diseases in the tropics. Clin Sci 1987; 72(5):519-24

Noe C ; Lagrange B ; Sayag J. [The association of dermatomyositis and toxoplasmosis]. Ann Dermatol Venereol 1988;115(9): 927-31 [Fre]

Noor Sunba MS ; al-Awqati M ; Sheriff SM. Etiologic role of infectious agents in uveitis. APMIS Suppl 1988;3:71-3

Orlando R ; Tosone G ; Rocco M ; Guadagnino V. [Infection by Toxoplasma gondii: clinical and epidemiological remarks on some cases]. G Mal Infett Parassit 1987;39(1):91-3 [Ita]

Ortega Ortiz J ; Cadevall Di:eguez J ; Mir:on Ortega E. [Neuroleptic malignant syndrome coinciding with acute toxoplasmosis (letter)]. Med Clin (Barc) 1987 Mar 7;88(9): 388-9 [Spa]

Oseroff A. Toxoplasmosis associated with nephrotic syndrome in an adult. South Med J 1988 Jan;81(1):95-6

Palmer DG. Systemic lupus erythematosus with cerebral complications [letter]. N Z Med J 1988 Feb 24;101(840):91

Patelli M ; Poletti V ; Gritti F ; Spiga L. Pulmonary toxoplasmosis diagnosed by transbronchial lung biopsy: a case report [abstract]. Eur Respir J 1988;1(Suppl 2):321S

Pizzo PA. After empiric therapy: what to do until the granulocyte comes back. Rev Infect Dis 1987;9(1):214-9

Raju GC. Lymphoreticular disease in Trinidad. Trop Geogr Med 1987 Oct;39(4):376-9

Roger N ; Jouhaud F ; Segal A ; Ducasse A. [Etiology of uveitis. Results]. Bull Soc Ophtalmol Fr 1987 Jan;87(1):155-7 [Fre]

Rongioletti F ; Rivara G ; Rebora A. Pityriasis lichenoides et varioliformis acuta and acquired toxoplasmosis. Dermatologica 1987;175(1):41-4

Rosenheim M ; M'Pele P ; Itoua Ngaporo A ; Brucker G ; Duflo B ; Gentilini M. [Proposals for a strategy of diagnosis and treatment of HIV infection in Africa]. Med Afr Noire 1987; 34(12):1021,1030 [Fre]

Santiago MB ; Maeda LC ; Goncalves CR ; Baltazar PA ; Carvalho C ; Tagagaki T. [Myositis and toxoplasmosis]. Rev Hosp Clin Fac Med Univ Sao Paulo 1988;43(2):121-3 [Por]

Schenck FU ; Gross WL. [Uveitis as first manifestation of internistic affections]. Med Welt 1988;39(22):685-90 [Ger]

Schneiderman H ; De Legge M ; Grunnet M ; Patel S. Deteriorating neurologic status in a young woman with schizophrenia [clinical conference]. Conn Med 1988 Jul;52(7): 409-14

Schroter HM ; Sarnat HB ; Matheson DS ; Seland TP. Juvenile dermatomyositis induced by toxoplasmosis. J Child Neurol 1987 Apr;2(2):101-4

Schuman JS ; Weinberg RS ; Ferry AP ; Guerry RK. Toxoplasmic scleritis. Ophthalmology 1988 Oct;95(10):1399-403

Shimoni Z ; Reichman N ; Raz R ; Flatau E. Pulmonary infiltrate in acute toxoplasmosis. Isr J Med Sci 1989 Jan;25(1):46-7

Silveira C ; Belfort R Jr ; Burnier N Jr ; Nussenblatt R. Familial or ocular toxoplasmosis in 30 siblings: identification of retinal toxoplasmic cysts in non-twin siblings and pseudo-unilateral retinitis pigmentosa secondary to ocular toxoplasmosis [abstract]. Invest Ophthalmol Vis Sci 1987;28 Suppl 3:104

Silveira CM. [Presumed toxoplasmic retinochoroiditis in siblings]. Arq Bras Oftalmol 1987;50(2):88-91 [Por]

Smith GM ; Leyland MJ ; Crocker J ; Geddes AM. Cerebral toxoplasmosis in a patient with Hodgkin's disease. J Infect 1987 May;14(3):243-5

Sniegocka E ; Czekanowska M. [Lymph node form of acquired toxoplasmosis in a 12-year-old girl]. Wiad Lek 1987 May 15; 40(10):699-701 [Pol]

Sumaya CV ; Ench Y. Childhood infectious mononucleosis not associated with Epstein-Barr virus [abstract]. Pediatr Res 1987;21(4 Pt 2):336A

Sumi Y ; Kaneda T ; Nagasaka T. Toxoplasmosis of the preauricular and cervical lymph nodes: report of a case. J Oral Maxillofac Surg 1987 Nov;45(11):978-9

Tada K ; Takeuchi T ; Tanaka T ; Iwata H ; Kanematsu M ; Kuriyama M ; Ban Y ; Kawada Y. Retrovesical squamous cell carcinoma associated with toxoplasmosis: diagnostic images, serum detection of SCC-antigen, and successful treatment by M-VAC regimen. J Surg Oncol 1989 Jan;40(1):61-4

Thimossat P. [Clinical and diagnostic aspects of neurotoxoplasmosis in Africans treated in hospital in Paris]. Med Afr Noire 1987;34(2):127-36 [Fre]

Titone L ; Correnti P ; Sodano C ; Alabastro B ; Mondello P. [Mononucleosis like syndromes]. G Mal Infett Parassit 1987; 39(7):660-2 [Ita]

Torres Peris V ; Alonso Molina A. [Cutaneous manifestations of toxoplasmosis]. Rev Leprol Fontilles 1988;16(5):591-605 [Spa]

Vallat M ; Mathon C ; Fritsch D ; Van Coppenolle F ; Detre J. [Iatrogenic neovascularization. Value of a treatment by laser photocoagulation on foci of toxoplasmic choroiditis?] Bull Soc Ophtalmol Fr 1987 Feb;87(2):303-5 [Fre]

Verucchi G ; Gelati G ; Fasulo G ; Beltrandi E ; Casadei Maldini M ; Chiodo F. [Observations on a case of acute toxoplasmosis associated with CMV infection]. G Mal Infett Parassit 1988; 40(5):443-6 [Ita]

Von Arx DP. Cervicofacial toxoplasmosis. Br J Oral Maxillofac Surg 1988 Feb;26(1):70-7

Wang CG. [Toxoplasma study of uveitis patients]. Chung Hua Yen Ko Tsa Chih 1988 Mar;24(2):101-2 [Chi]

Wensing G ; Singer MV ; Kirch W ; Donhuijsen K. [Clinicopathological conference: 48 years old patient with recurrent arthralgia and weight loss]. Med Klin 1988;83(1):22-7 [Ger]

Wheeler JG ; Coakham HB ; Russell T ; Smith PA. Pre-operative radionuclide localization of intracerebral lesions: A five-year experience. Nucl Med Commun 1987;8(6):407-15

Wilfert H ; Tappeiner G. [Toxoplasma infection in dermatomyositis]. Hautarzt 1988 Oct;39(10):671-4 [Ger]

Therapy

ABC of AIDS: treatment of infections and antiviral agents [letter]. Br Med J [Clin Res] 1987 Sep 12;295(6599):668-9

Apt W. Indications for treatment. Int J Parasitol 1987 Feb;17(1): 141-9

Avello Sanchez JL ; Pila Perez R. [Megaloblastic anemia secondary to pyrimethamine treatment (letter)]. Rev Clin Esp 1987 Jun;181(1):55 [Spa]

Axmann A ; Gabriel LI ; Juhasz P ; Varga M ; Varnai F. [Toxoplasmosis of the eye: diagnosis and complex therapy]. Orvoskepzes 1987;62(3):251-6 [Hun]

Azithromycin. Drugs Future 1988;13(1):9-12

Brooks RG ; Remington JS ; Luft BJ. Drugs used in the treatment of toxoplasmosis. Antimicrob Agents Annu 1987;2:297-306

Chang HR ; Pechere JC. Activity of spiramycin against Toxoplasma gondii in vitro, in experimental infections and in human infection. J Antimicrob Chemother 1988 Jul;22 Suppl B: 87-92

Couvreur J. [Treatment of congenital toxoplasmosis]. Pediatrie 1987;23(102):5-16 [Fre]

Dannemann BR ; Israelski DM ; Remington JS. Treatment of toxoplasmic encephalitis with intravenous clindamycin. Arch Intern Med 1988 Nov;148(11):2477-82

Gutteridge WW. New anti-protozoal agents. Int J Parasitol 1987; 17(1):121-30

Haverkos HW. Assessment of therapy for toxoplasma encephalitis. The TE Study Group. Am J Med 1987 May;82(5):907-14

Hernandez MA ; Valencia ME ; Castillo R ; Anciones B. [Sodium valproate in the treatment of choreoathetosis (letter)]. Med Clin (Barc) 1988 Mar 26;90(12):516 [Spa]

Lin JT ; Bertino JR. Trimetrexate: a second generation folate antagonist in clinical trial. J Clin Oncol 1987;5(12):2032-40

Lowenberg A. [Antimicrobial drugs in bronchopulmonary infections]. Ned Tijdschr Geneeskd 1988;132(10):428-32 [Dut]

Lukasik-Czerkowa A. [Treatment of ocular toxoplasmosis]. Klin Oczna 1988 Mar;90(3):96-7 [Pol]

Marchou B ; Auvergnat JC. [Meningitis]. Rev Prat 1988;38(18): 1227-34 [Fre]

Modai J. The clinical use of macrolides. J Antimicrob Chemother 1988;22(Suppl B):145-53

Mollering M. [Perazin induced agranulocytoses] Z Kinder Jugend Psychiatr 1988;16(1):27-30 [Ger]

Musey KL ; Chidiac C ; Beaucaire G ; Houriez S ; Fourrier A. Effectiveness of roxithromycin for treating Isospora belli infection. J Infect Dis 1988;158(3):646

Pajor A ; Hintalan A ; Lintner F. [Pancytopenia induced by pyrimethamine in pregnancy]. Magy Noorv Lapja 1988;51(3): 147-8 [Hun]

Peyman GA ; Charles HC ; Liu KR ; Khoobehi B ; Niesman M. Intravitreal liposome-encapsulated drugs: A preliminary human report. Int Ophthalmol 1988;12(3):175-82

Reyes P ; Paucar J ; Navarro J ; Ore L. [Hematologic toxicity by pirimetamine]. Rev Sanid Feurzas Policiales 1987;48(1):79-82 [Spa]

Skavronskaia EV. [Experience with the diagnosis and treatment of ocular toxoplasmosis]. Vestn Oftalmol 1987 Nov-Dec;103(6): 42-4 [Rus]

Steahly LP. Endolaser photocoagulation of toxoplasmosis. Ann Ophthalmol 1988 Dec;20(12):463-5

Steahly LP. Laser treatment of toxoplasmosis. Ann Ophthalmol 1989 Jan;21(1):36-8

Stephan C. [Therapy with tindurin ex juvantibus. A contribution to ocular toxoplasmosis]. Folia Ophthalmol 1988;13(5):283-7 [Ger]

ter Minassian D ; Reygagne P ; Lecompte T ; Decazes JM ; Modai J. [Thrombopenia during sulfadiazine-pyrimethamine treatment despite efficient folate supplementation]. Med Mal Infect 1988; 18(4):250 [Fre]

Timsit JC ; Bloch-Michel E. [Efficacy of specific chemotherapy in the prevention of recurrences of toxoplasmic chorioretinitis during the 4 years following the treatment]. J Fr Ophtalmol 1987;10(1):15-23 [Fre]

Todt H ; Gmyrek D. [A seizure associated with overdosage of pyrimethamine]. Z Arztl Fortbild 1988;82(21):1089-90 [Ger]

Turrens JF. New approaches in the development of antiprotozoal agents. Drugs Today 1989;25(3):187-93

van Landuyt HW. Spectrum of clindamycin: in vitro effects and efficacy. Acta Ther 1987;13(6):541-552

Weller IV. Treatment of infections and antiviral agents. Br Med J 1987;295(6591):200-3

Ziobrowski S ; Zygulska-Mach H. [Remarks with regard to the treatment of toxoplasmosis]. Wiad Lek 1987 Mar 15;40(6):393-6 [Pol]

TOXOPLASMOSIS IN ANIMALS

General

August JR ; Chase TM. Toxoplasmosis. Vet Clin North Am [Small Anim Pract] 1987 Jan;17(1):55-71

Buxton D. Toxoplasmosis in sheep and other farm animals. In Pract 1989;11(1):9,11-2

Dubey JP. Toxoplasmosis. Vet Clin North Am [Small Anim Pract] 1987 Nov;17(6):1389-404

Dubey JP. Toxoplasmosis in goats. Agri-Pract 1987 Mar;8(3): 43-4,46-7,49-52

Dwyer PJ. Toxoplasmosis: a zoonosis. Ir Vet News 1988;10(5):35-8

Prestwood AK. Coccidiosis in swine. Vet Hum Toxicol 1987;29 Suppl 1:65-7

Rommel M. Control of non-vector-borne protozoa. Int J Parasitol 1987 Feb;17(2):639-47

Svoboda M ; Jago:s P ; Konr:ad J. [Toxoplasmosis in relation to other infectious diseases of dogs]. Schweiz Arch Tierheilkd 1987 Nov;129(11):595-604 [Ger]

Svoboda M ; Konr:ad J ; Svobodov:a V. [Diagnosis and prevention of feline toxoplasmosis]. Tierarztl Prax 1988;16(1):69-74 [Ger]

Epidemiology

Abbas B ; el Zubeir AE ; Yassin TT. Survey for certain zoonotic diseases in camels in Sudan. Rev Elev Med Vet Pays Trop 1987;40(3):231-3

Aboul-Magd LA ; Tawfik MS ; Arafa MS ; el-Ridi AM. Toxoplasma infection of cats in Cairo area as revealed by IFAT. J Egypt Soc Parasitol 1988 Dec;18(2):403-9

Akuzawa M ; Mochizuki M ; Yasuda N. Hematological and parasitological study of the Iriomote cat (Prionailurus iriomotensis). Can J Zool 1987;65(4):946-9

Balbo SM ; Conti R ; Guglielmo S ; Iannotta V ; Scalia G ; Stivala A ; Tumino G ; Ursino F. [Preliminary researches on the diffusion of Toxoplasma gondii Nicolle and Manceaux, 1908 in the human and bovine population]. G Mal Infett Parassit 1987; 39(5):538-40 [Ita]

Berdyev AS ; Shevkunova EA. [The incidence of toxoplasmosis among wild vertebrates of Turkmenia (based on serologic data)]. Parazitologiia 1988 Sep-Oct;22(5):378-83 [Rus]

Bhau LN ; Kulshrestha TK ; Bhandari SK ; Sokhey J. Sero-epidemiology of toxoplasmosis in rhesus monkeys in India. Indian Vet J 1987;64(7):557-9

Blewett DA ; Trees AJ. The epidemiology of ovine toxoplasmosis with especial respect to control. Br Vet J 1987 Mar-Apr;143(2): 128-35

Bornstein S ; Musa BE. Prevalence of antibodies to some viral pathogens, Brucella abortus and Toxoplasma gondii in serum from camels (Camelus dromedarius) in Sudan. Zentralbl Veterinarmed [B] 1987 Jul;34(5):364-70

Cox FE. Protozoan parasites of British small rodents. Mammal Rev 1987;17(2-3):59-66

de Chiari C ; Lima JD ; de Antunes CM. [Seroepidemiology of caprine toxoplasmosis in Minas Gerais, Brazil]. Arq Bras Med Vet Zootec 1987;39(4):587-610 [Por]

de Diego JA ; Moral C ; Gamallo C ; Mayer O ; del Ray Calero J. [Parasitological and serological prevalence of toxoplasmosis in a wild rodent population]. Rev Iber Parasitol 1987;47(2):121-4 [Spa]

Fayer R ; Dubey JP. Comparative epidemiology of coccidia: Clues to the etiology of equine protozoal myeloencephalitis. Int J Parasitol 1987;17(2):615-20

Fujian Sanitary and Anti-Epidemic Station, et al. [Epidemiological surveillance of toxoplasma infection in Fujian Province]. Chin J Epidemiol 1987;8(5):257-60 [Chi]

Gethings PM ; Stephens GL ; Wills JM ; Howard P ; Balfour AH ; Wright AI ; Morgan KL. Prevalence of chlamydia, toxoplasma, toxocara and ringworm in farm cats in south-west England. Vet Rec 1987 Sep 5;121(10):213-6

Goddard J. A review of the disease agents harbored and transmitted by the lone star tick, Amblyomma americanum (L.). Southwest Entomol 1987;12(2):158-71

Gustafsson K ; Uggla A ; Svensson T ; Sj:oland L. Detection of Toxoplasma gondii in liver tissue sections from brown hares (Lepus europaeus P.) and mountain hares (Lepus timidus L.) using the peroxidase anti-peroxidase (PAP) technique as a complement to conventional histopathology. Zentralbl Veterinarmed [B] 1988 Jul;35(6):402-7

Heidt GA ; Rucker RA ; Kennedy ML ; Baeyens ME. Hematology, intestinal parasites, and selected disease antibodies from a population of bobcats (Felis rufus) in central Arkansas. J Wildl Dis 1988 Jan;24(1):180-3

Higashihara T ; Tajima M ; Ishiguro T ; Tamura H ; Maejima K. [Serological survey of feline leukemia virus infection and the outcome of antibody-positive cats]. Jikken Dobutsu 1988 Apr; 37(2):201-3 [Jpn]

Holkova R ; Catar G ; Pavlina M ; Porubenova A. [Investigations on Toxoplasma infection of micromammals]. Biologia (Bratisl) 1987;42(10):937-40 [Slo]

Hussein MF ; Bakkar MN ; Basmaeil SM ; Gar el Nabi AR. Prevalence of toxoplasmosis in Saudi Arabian camels (Camelus dromedarius). Vet Parasitol 1988 Apr;28(1-2):175-8

Jackson MH ; Hutchison WM ; Siim JC. Prevalence of Toxoplasma gondii in meat animals, cats and dogs in central Scotland. Br Vet J 1987 Mar-Apr;143(2):159-65

Johnson AM ; Roberts H ; Munday BL. Prevalence of Toxoplasma gondii antibody in wild macropods. Aust Vet J 1988 Jul;65(7): 199-201

Kietzman GE Jr ; Kietzman EA. Parasites associated with thirteen-lined ground squirrels (Spermophilus tridecemlineatus Mittchill) from Ames, Iowa. Proc Iowa Acad Sci 1987;94(1): 22-3

Kinjo T ; Minamoto N ; Suzuki J. Serologic studies on five selected zoonoses in wild Japanese serows (Capricornis crispus). Jpn J Vet Sci 1987;49(6):1027-33

Kirkwood JK. Animals at home--pets as pests: a review. J R Soc Med 1987 Feb;80(2):97-100

Kritsepi KM. A serological survey for Toxoplasma antibodies in cattle in Serres [abstract]. Hellenic Veterinarian Congress 4th; 1987; Athens. [S.l. ; s.n.], 1988. p. 140-1

Liu CH ; Jeng CR. [A survey of the diseases of the central nervous system in swine: observations of a three-year study]. J Chin Soc Vet Sci 1988;13(4):301-10 [Chi]

Machado TM ; Lima JD. [Frequency of Toxoplasma gondii antibodies in goats reared under different management systems in the state of Minas Gerais, Brazil]. Arq Bras Med Vet Zootec 1987;39(2):255-64 [Por]

Mayer HF ; Marder G ; Peiretti HA ; Bottinelli OR ; Cardozo G ; Meza Z D ; Fernandez JC. [Prevalence of Toxoplasma antibodies in man and animals in Northeast Argentina]. Vet Argent 1987;4(40):889-93 [Spa]

McCue PM ; O'Farrell TP. Serological survey for selected diseases in the endangered San Joaquin kit fox (Vulpes macrotis mutica). J Wildl Dis 1988 Apr;24(2):274-81

Miorini T ; Brosch R ; Buchrieser C ; Buchrieser V ; Sixl W. Further serological investigations in humans and domestic animals on the Cape Verde Islands (Q-fever, brucellosis, listeriosis, shigellosis, campylobacteriosis, yersiniosis, toxoplasmosis and chlamydia of PLT-group). Geogr Med 1988; Suppl 1:19-31

Moreno T ; Martinez Gomez F ; Hernandez Rodriguez S. Toxoplasmosis in goats in Cordoba, Spain: a seroepidemiological study. Ann Trop Med Parasitol 1987;81(1): 71-2

Morsy TA ; Shoukry A ; Abu Hashish TA ; el Kady GA. Toxoplasma antibodies in commensal rodents in El Arish City, Egypt [letter]. J Egypt Soc Parasitol 1987 Dec;17(2):799-800

Murata K. [Antibodies against Toxoplasma gondii in wounded or diseased wild animals caught in the Kobe area]. J Jpn Vet Med Assoc 1987;40(12):846-9 [Jpn]

O'Donoghue PJ ; Riley MJ ; Clarke JF. Serological survey for Toxoplasma infections in sheep. Aust Vet J 1987 Feb;64(2): 40-5

Pizzi H ; Benvissuto G ; Carballada H. [Serological survey of toxoplasmosis in pigs in Santa Fe province]. Vet Argent 1987; 4(32):138-9 [Spa]

Rosa JA ; Buainain A ; Belda Neto FM. Toxoplasma gondii in the cats of Araraquara, Brazil: serological and feces survey [abstract]. Mem Inst Oswaldo Cruz Rio J 1987;82(Suppl 1):22

Schenone H ; Contreras MC ; Castro M ; Villarroel F ; Rojas A. [Epidemiology of toxoplasmosis in Chile. IV. Prevalence of infection in domestic animals from rural-periurban localities of the first 7 regions of Chile, 1982-1985]. Bol Chil Parasitol 1987 Jul-Dec;42(3-4):76-9 [Spa]

Spellman PG. Toxoplasmosis in cats [letter]. Vet Rec 1988 Mar 26; 122(13):311

Svoboda M. [Incidence of antibodies to Toxoplasma gondii in cats from Brno and the surrounding area]. Vet Med (Praha) 1988 Jan;33(1):45-54 [Cze]

Svoboda M. Incidence of Toxoplasma gondii antibodies in dogs from Brno and its environs. Acta Vet Brno 1987;56(4):475-86

Svoboda M ; Svobodova V. Effects of breed, sex, age, management and nutrition on the incidence of Toxoplasma gondii antibodies in dogs and cats. Acta Vet Brno 1987;56(3):315-30

Van Cutsem J ; Fransen J. Fungal infections in birds in captivity--six case reports. Mykosen 1987 Apr;30(4):166-71

van Knapen F. Parasitic contamination cycles and mathematical epidemiology. Vet Quart 1987;9(4):361-70

von den Driesch H. [Studies of the frequency of Toxoplasma gondii, and other parasites transmissible to cats, in wild rodents and in horse meat] [doctoral dissertation]. Hanover, Federal Republic of Germany: Hanover Veterinary College, 1987. 98p. [Ger]

Zhang G, et al. [Epidemiological study on Toxoplasma infection in human beings and animals in Shandong Province, China]. Chin J Epidemiol 1989;10(1):30-3 [Chi]

Zhang QH ; Xu WP ; Wang XQ ; Chen YM ; Liu W ; Ma JW ; Li GD ; Du ZB ; Wang Z. [Sero-epidemiological study on toxoplasmosis of domestic animals and fowls in Ningxia autonomous region, China]. Chin J Vet Sci Technol 1987;(6): 22-4 [Chi]

Immunology

Barbet AF. Vaccines for parasitic infections. Adv Vet Sci Comp Med 1989;33:345-75

Caruso JP ; Jeska EL ; Stankiewicz MS. Pulmonary alveolar macrophage responses of genetically selected obese and lean swine during acute Toxoplasma gondii infections [abstract]. Vet Parasitol 1988;29(2-3):294

Chang GN. [Study on the development of Toxoplasma gondii toxoid in swine]. J Chin Soc Vet Sci 1988;14(1):41-56 [Chi]

Cheng TC. Some cellular mechanisms governing self and nonself recognition and pathogenicity in vertebrates and invertebrates relative to protistan parasites. Aquaculture 1987;67(1-2):1-14

Dubey JP ; Desmonts G. Serological responses of equids fed Toxoplasma gondii oocysts. Equine Vet J 1987 Jul;19(4):337-9

Gamble HR. Monoclonal antibody technology in the development of vaccines for livestock parasites. J Anim Sci 1987;64(1): 328-36

Hermentin K ; Aspock H. Efforts towards a vaccine against Toxoplasma gondii: a review. Zentralbl Bakteriol Mikrobiol Hyg [A] 1988 Nov;269(4):423-36

Jeffrey M ; O'Toole D ; Smith T ; Bridges AW. Immunocytochemistry of ovine sporozoan encephalitis and encephalomyelitis. J Comp Pathol 1988 Feb;98(2):213-24

Jonas W. Toxoplasma vaccine trials. Surveill, N Z 1987;14(1):15-6

Lovgren K ; Uggla A ; Morein B. A new approach to the preparation of Toxoplasma gondii membrane antigen for use in ELISA. J Vet Med [Ser B] 1987;34(4):274-82

McColgan C. Immunity to Toxoplasma gondii: studies with sheep and mice. Diss Abstr Int 1988;49(3-B):659

McColgan C ; Buxton D ; Miller HR. Studies on ovine efferent lymph following infection with Toxoplasma gondii. J Comp Pathol 1987 Nov;97(6):695-703

Wilkins MF ; O'Connell E ; te Punga WA. Toxoplasmosis in sheep. I. Effect of a killed vaccine on lambing losses caused by experimental challenge with Toxoplasma gondii. N Z Vet J 1987;35(3):31-4

Yoshiki K ; Hoshino T ; Iwamoto I ; Sasaki N. [Protective effects of inactivated toxoplasma antigen in pigs]. J Jpn Vet Med Assoc 1987;40(6):437-41 [Jpn]

Pathology

Altmann D ; Schuppel KF. [Treatment and pathology of toxoplasmosis in Bennett's wallabies]. In: Erkrankungen der Zootiere. Verhandlungsbericht des 30. Internationalen Symposiums uber die Erkrankungen der Zoo- und Wildtiere. Sofia: [D.M.], 1988. p.407-11 [Ger]

Bjerkas I ; Presthus J. Immuno-histochemical and ultrastructural characteristics of a cyst-forming sporozoon associated with encephalomyelitis and myositis in dogs. Acta Pathol Microbiol Immunol Scand 1988;96(5):445-54

Cummings JF ; de Lahunta A ; Suiter MM ; Jacobson RH. Canine protozoan polyradiculoneuritis. Acta Neuropathol 1988;76(1): 46-54

Dubey JP ; Carpenter JL ; Speer CA ; Topper MJ ; Uggla A. Newly recognized fatal protozoan disease of dogs. J Am Vet Med Assoc 1988 May 1;192(9):1269-85

Dubey JP ; Gendron-Fitzpatrick AP ; Lenhard AL ; Bowman D. Fatal toxoplasmosis and enteroepithelial stages of Toxoplasma gondii in a Pallas cat (Felis manul). J Protozool 1988 Nov;35(4): 528-30

Dubey JP ; Quinn WJ ; Weinandy D. Fatal neonatal toxoplasmosis in a bobcat (Lynx rufus). J Wildl Dis 1987 Apr;23(2):324-7

Fransen J ; Degryse AD ; Vercruysse J ; Ooms L. [Clinical and histopathological study of acute canine toxoplasmosis]. Ann Med Vet 1987;131(2):99-104 [Fre]

Jeffrey M ; O'Toole D ; Smith T ; Bridges AW. Immunocytochemistry of ovine sporozoan encephalitis and encephalomyelitis. J Comp Pathol 1988 Feb;98(2):213-24

Jeng CR ; Liu CH ; Chu RM ; Weng CN. [Diseases of caged wild animals in Taiwan: a pathological study of 86 cases]. J Chin Soc Vet Sci 1988;14(2):159-66 [Chi]

Johnston WS. An investigation into toxoplasmosis as a cause of barrenness in ewes. Vet Rec 1988 Mar 19;122(12):283-4

Stiglmair-Herb MT. [Microparasitosis (toxoplasmosis) in mountain gazelles (Gazella g. cuvieri)]. Berl Munch Tierarztl Wochenschr 1987 Aug 1;100(8):273-7 [Ger]

Vitor RW ; Chiari CA ; Lima JD ; Fernandes MA. Experimental infection of goats with Toxoplasma gondii [abstract]. Mem Inst Oswaldo Cruz 1987;82 Suppl 1:21

Diagnosis incl. Serodiagnosis

Arthur MJ ; Blewett DA. IFAT detection of IgG specific to toxoplasma in thoracic fluids from aborted lambs: evaluation on routine diagnostic submissions. Vet Rec 1988 Jan 9;122(2): 29-31

Bozdech V ; Chvalova M ; Adolfova V ; Zastera M ; Pokorny J ; Hubner J. [The importance of the microprecipitation reaction in agar in the diagnosis of toxoplasmosis]. Cesk Epidemiol Mikrobiol Imunol 1989 Jan;38(1):35-9 [Cze]

Chen YM ; Li GD ; Liu W ; Guo ZG ; Ma JW ; Du CB. [Application of the avidin-biotin system for detecting Toxoplasma antibody]. Chin J Vet Sci Technol 1987;(3):9-12 [Chi]

Choi WY ; Yoo JE ; Nam HW ; Oh CY ; Kim SW ; Katakura K ; Kobayashi A. Toxoplasma antibodies by indirect latex agglutination tests in zoo animals. Korean J Parasitol 1987; 25(1):13-23

de Chiari C ; Lima JD ; de Antunes CM. [Use of eluate from blood dried on filter paper for the serological diagnosis of toxoplasmosis in goats]. Arq Bras Med Vet Zootec 1987;39(3): 471-83 [Por]

Dubey JP ; Emond JP ; Desmonts G ; Anderson WR. Serodiagnosis of postnatally and prenatally induced toxoplasmosis in sheep. Am J Vet Res 1987 Aug;48(8):1239-43

Fu CE ; Chen CH ; Jiang BM ; Yang JS ; Fan XL. [The application of monoclonal antibodies in ELISA for diagnosis of swine toxoplasmosis]. Chin J Vet Med 1987;13(8):10-2 [Chi]

Guo ZG. [Determination of IgG antibody to Toxoplasma in experimentally infected pigs by an ABC-ELISA]. Chin J Vet Sci Technol 1987;(11):9-13 [Chi]

Gustafsson K ; Sjoland L ; Svensson T ; Book M ; Uggla A. [Immunohistochemical enzyme techniques-diagnostic tools]. Sven Veterinartidn 1987;39(3):109-14 [Swe]

Gustafsson K ; Uggla A ; Svensson T ; Sjoland L. Detection of Toxoplasma gondii in liver tissue sections from brown hares (Lepus europaeus P.) and mountain hares (Lepus timidus L.) using the peroxidase anti-peroxidase (PAP) technique as a complement to conventional histopathology. Zentralbl Veterinarmed [B] 1988 Jul;35(6):402-7

Lund A. [Diagnosis from laboratories]. Nor Veterinaertidsskr 1988;100(5):367 [Nor]

Moon MH. Serological cross-reactivity between Sarcocystis and Toxoplasma in pigs. Korean J Parasitol 1987;25(2):188-94

Mpizaki A ; Yantzis N. The immunoenzyme ELISA method for detecting toxoplasmosis in sheep and goats. In: Hellenic Veterinary Congress; 4th; 1987; Athens. [S.l.: s.n.], 1988. p.185-6

Payne RA ; Joynson DH ; Wilsmore AJ. Enzyme-linked immunosorbent assays for the measurement of specific antibodies in experimentally induced ovine toxoplasmosis. Epidemiol Infect 1988 Apr;100(2):205-12

Svoboda M ; Hejlicek K ; Neuhybel P ; Jelinek O ; Beranek L. Postmortal diagnosis of toxoplasmosis in cats and dogs. Acta Vet Brno 1988;57(1-2):31-8

Trees AJ ; al-Atiya SA ; Balfour AH. Diagnosis of ovine toxoplasmosis [letter]. Vet Rec 1988 Nov 19;123(21):554

Trees AJ ; Crozier SJ ; Buxton D ; Blewett DA. Serodiagnosis of ovine toxoplasmosis: an assessment of the latex agglutination test and the value of IgM specific titres after experimental oocyst-induced infections. Res Vet Sci 1989 Jan;46(1):67-72

Uggla A ; Nilsson LA. Evaluation of a solid-phase immunoassay (DIG-ELISA) for the serodiagnosis of ovine toxoplasmosis. Vet Immunol Immunopathol 1987 Apr;14(4):309-18

Immunocompromised Hosts

Holland GN ; O'Connor GR ; Diaz RF ; Minasi P ; Wara WM. Ocular toxoplasmosis in immunosuppressed nonhuman primates. Invest Ophthalmol Vis Sci 1988 Jun;29(6):835-42

Witt CJ ; Moench TR ; Gittelsohn AM ; Bishop BD ; Childs JE. Epidemiologic observations on feline immunodeficiency virus and Toxoplasma gondii coinfection in cats in Baltimore, Md. J Am Vet Med Assoc 1989 Jan 15;194(2):229-33

Gestation and the Fetus

Arda M ; Bisping W ; Aydin N ; Istanbulluoglu E ; Akay O ; Izgur M ; Karaer Z ; Diker S ; Kirpal G. [Etiologic studies of abortion in sheep with special reference to detection of Brucella, Campylobacter, Salmonella, Listeria, Leptospira and Chlamydia]. Berl Munch Tierarztl Wochenschr 1987 Dec 1;. (12):405-8 [Ger]

Dubey JP. Lesions in transplacentally induced toxoplasmosis in goats. Am J Vet Res 1988 Jun;49(6):905-9

Dubey JP. Toxoplasma gondii cysts in placentas of experimentally infected sheep. Am J Vet Res 1987 Mar;48(3):352-3

Dubey JP ; Emond JP ; Desmonts G ; Anderson WR. Serodiagnosis of postnatally and prenatally induced toxoplasmosis in sheep. Am J Vet Res 1987 Aug;48(8):1239-43

Dubey JP ; Hughes HP ; Lillehoj HS ; Gamble HR ; Murday BL. Placental transfer of specific antibodies during ovine congenital toxoplasmosis. Am J Vet Res 1987 Mar;48(3):474-6

Dubey JP ; Welcome FL. Toxoplasma gondii-induced abortion in sheep. J Am Vet Med Assoc 1988 Sep 15;193(6):697-700

Gumbrell R C. Sheep abortion. Surveill N Z 1987;14(2):13-4

Haritani M ; Shimura K ; Iwabuchi I ; Kobayashi M ; Narita M. Demonstration of Toxoplasma gondii antigen in stillborn piglets using immunoperoxidase technique. Nippon Juigaku Zasshi 1988 Aug;50(4):954-6

Harwood DG. Abortion in the goat: an investigative approach. Goat Vet Soc J 1987;8(1):25-8

Igimanov UI. [Morphological manifestation of acute congenital toxoplasmosis in fox cubs]. Vestn S-kh Nauki Kazakhstana 1987;(12):91-3 [Rus]

McColgan C ; Buxton D ; Blewett DA. Titration of Toxoplasma gondii oocysts in non-pregnant sheep and the effects of subsequent challenge during pregnancy. Vet Rec 1988 Oct 29; 123(18):467-70

Merrall M. The aborting goat. In: Proceedings of a course in goat husbandry and medicine; 1985 Nov; Massey University. [S.l. : s.n.] 1987. p.181-8

Molenda J ; Sobiech E ; Wiernicka-Czopek E ; Strojna S. [The effect of serological studies on the increased detection of bacterial causative agents of bovine abortion]. Med Weter 1987;43(7):435-8 [Pol]

Munday BL ; Dubey JP. Prevention of Toxoplasma gondii abortion in goats by vaccination with oocysts of Hammondia hammondi. Aust Vet J 1988 May;65(5):150-3

Munday BL ; Obendorf DL ; Handlinger JH ; Mason RW. Diagnosis of congenital toxoplasmosis in ovine foetuses. Aust Vet J 1987 Sep;64(9):292

Neikov P. [Serological and pathomorphological studies of Toxoplasma abortion in sheep]. Vet Med Nauki 1987;24(3): 38-46 [Bul]

Neikov P ; Genchev GG ; Arnaudov D. [Differential pathomorphological diagnosis of Q fever and Chlamydia and Toxoplasma abortions in sheep]. Vet Med Nauki 1987;24(8): 34-40 [Bul]

Orr M. Causes of goat abortion: an Otago-Southland study. Surveill N Z 1988;15(1):19-20

Orr M ; Montgomery H ; Gill J ; Smith R. Abortion in goats: a field study. Surveill N Z 1987;14(3):5-6

OToole D ; Jeffrey M. Congenital sporozoan encephalomyelitis in a calf. Vet Rec 1987;121(24):563-6

Parish SM ; Maag-Miller L ; Besser TE ; Weidner J ; McElwain T ; Knowles DP ; Leathers CW. Myelitis associated with protozoal infections in newborn calves. J Am Vet Med Assoc 1987; 191(12):1599-1600

Uggla A ; Sj:oland L ; Dubey JP. Immunohistochemical diagnosis of toxoplasmosis in fetuses and fetal membranes of sheep. Am J Vet Res 1987 Mar;48(3):348-51

Verma SP ; Bhardwaj RM ; Gautam OP. Seroprevalence of Toxoplasma antibodies in aborted ewes. Indian J Vet Med 1988;8(2):132-3

Vidotto O ; Costa AJ ; Balarin MR ; Rocha MA. [Experimental toxoplasmosis in pregnant sows. I. Clinical and hematological observations]. Arq Bras Med Vet Zootec 1987;39(4):623-40 [Por]

Vidotto O ; Costa AJ. [Experimental toxoplasmosis in pregnant sows. II. Parasitemia and humoral immune response]. Arq Bras Med Vet Zootec 1987;39(5):783-94 [Por]

Vidotto O ; Costa AJ ; Reis AC ; Viotti NM. [Experimental toxoplasmosis in pregnant sows. III. Morphological alterations and worm recovery]. Arq Bras Med Vet Zootec 1987;39(5): 795-814 [Por]

Clinical Aspects

Braund KG ; Blagburn BL ; Toivio Kinnucan M ; Amling KA ; Pidgeon GL. Toxoplasma polymyositis/polyneuropathy: a new clinical variant in two mature dogs. J Am Anim Hosp Assoc 1988;24(1):93-7

Carton B. [Hygienic framework for sheep farming]. Revue de l'Agriculture 1987;40(3):743-58 [Fre]

Dubey JP ; Ott Joslin J ; Torgerson RW ; Topper MJ ; Sundberg JP. Toxoplasmosis in black-faced kangaroos (Macropus fuliginosus melanops). Vet Parasitol 1988;30(2):97-105

Fransen J ; Degryse AD ; Vercruysse J ; Ooms L. [Clinical and histopathological study of acute canine toxoplasmosis]. Ann Med Vet 1987;131(2):99-104 [Fre]

Rotaru O ; Babu AI ; Spinu O. [Morphoclinical and experimental studies of acute toxoplasmosis in dogs]. In: Seminarul. Progrese in terapia si combaterea zoonozelor parasitare; 1987 Nov 6-7; Cluj-Napoca, Rumania. [S.l.: s.n.], 1987. p.304-8 [Rum]

Svoboda M ; Konrad J ; Svobodova V. [Relationship between antibodies against Toxoplasma gondii and clinical findings in dogs]. Wien Tierarztl Monatsschr 1987;74(11):379,389 [Ger]

Svoboda M ; Svobodov:a V ; Konr:ad J. [Relation between the occurrence of antibodies against Toxoplasma gondii and clinical findings in cats]. Vet Med (Praha) 1988 Feb;33(2): 119-26 [Cze]

Therapy

Altmann D ; Schuppel KF. [Treatment and pathology of toxoplasmosis in Bennett's wallabies]. In: Erkrankungen der Zootiere. Verhandlungsbericht des 30. Internationalen Symposiums uber die Erkrankungen der Zoo-und Wildtiere. Sofia: [s.n.], 1988. p.407-11 [Ger]

Buxton D ; Blewett DA ; Trees AJ ; McColgan C ; Finlayson J. Further studies in the use of monensin in the control of experimental ovine toxoplasmosis. J Comp Pathol 1988 Feb; 98(2):225-36

Buxton D ; Donald KM ; Finlayson J. Monensin and the control of experimental ovine toxoplasmosis: a systemic effect. Vet Rec 1987 Jun 27;120(26):618-9

Endoh YS ; Yamaoka R ; Sasaki N. Liquid chromatographic determination of sulfamoyldapsone in swine tissues. J Assoc Off Anal Chem 1987;70(6):1031-2

Lawrence K. Use of monensin sodium against Toxoplasma [letter]. Vet Rec 1988 Sep 17;123(12):323

Rommel M ; Schnieder T ; Krause HD ; Westerhoff J. Trials to suppress the formation of oocysts and cysts of Toxoplasma gondi in cats by medication of the feed with toltrazuril. Vet Med Rev 1987;(2):141-53

Public Health incl. Meat Hygiene

Bartolini A ; Aquilini D ; Cacciuttolo R ; Giorgini S ; Paradisi F. [Normal procedures of meat cooking and Toxoplasma gondii destruction]. G Mal Infett Parassit 1987;39(1):97-8 [Ita]

Dubey JP. Long-term persistence of Toxoplasma gondii in tissues of pigs inoculated with T gondii oocysts and effect of freezing on viability of tissue cysts in pork. Am J Vet Res 1988 Jun; 49(6):910-3

Dubey JP ; Fayer R. Toxoplasmosis in pigs and public health. Vet Arkh 1987;57(3):151-7

Endoh YS ; Yamaoka R ; Sasaki N. Liquid chromatographic determination of sulfamoyldapsone in swine tissues. J Assoc Off Anal Chem 1987;70(6):1031-2

Farkas J. Decontamination including parasite control of dried, chilled, and frozen foods by irradiation. Acta Aliment 1987; 16(4):351-84

Grimes JE. Zoonoses acquired from pet birds. Vet Clin North Am [Small Anim Pract] 1987;17(1):209-18

Hossain A ; Bolbol AS ; Bakir TM ; Bashandi AM. A serological survey of the prevalence of Toxoplasma gondii in slaughtered animals in Saudi Arabia. Ann Trop Med Parasitol 1987;81(1): 68-70

Hunter BT. Foodborne disease, a needless epidemic. Clin Ecol 1987;5(1):23-31

Kasprzak W. Meat-borne parasitic infections in Poland and possible ways of prevention. Acta Aliment 1988;17(2):147-58

Kirkwood JK. Animals at home--pets as pests: a review. J R Soc Med 1987 Feb;80(2):97-100

Knobber D ; Sch:atzle W. [Lymphadenitis toxoplasmotica--a zoonosis]. Laryngol Rhinol Otol (Stuttg) 1987 Feb;66(2):70-2 [Ger]

Kobayashi A. Diseases communicable from cats. Asian Med J 1988;31(1):42-8

Konishi E ; Sato R ; Takao T ; Anada S. Prevalence of antibodies to Toxoplasma gondii among meat animals slaughtered at an abattoir in Hyogo Prefecture, Japan. Jpn J Parasitol 1987 Oct; 36(5):347-51

Menning EL. Danger lurks in your supermarket meat cases. J Am Vet Med Assoc 1988;192(4):494-7

Pejsova V ; Pejse, M. [Inactivation of Toxoplasma gondii cysts in the muscles of slaughter animals by freezing]. Veterinarstvi 1988;38(3):127-8 [Cze]

Schenone H. [Human parasitic diseases which may be caused or transmitted by domestic pets in Chile]. Bol Chil Parasitol 1987 Jan-Jun;42(1-2):16-23 [Spa]

Yamaguchi T. Parasitic diseases originating from pets and food (2). Asian Med J 1988;31(9):537-40

GRATEFUL MED® ORDER FORM

ORDERING OPTIONS

Mail entire form to National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161. Phone orders call (703) 487-4650. TELEX orders use 89-9405.

Please send me _____ copies of GRATEFUL MED® (PB86-158482) at $29.95 per copy, plus $3 per order for shipping. Check or money order payable to NTIS. **TOTAL $** _____

PURCHASER:

Name _____

Organization _____

Occupation _____

Address _____

City, State, ZIP _____

Telephone _____

METHOD OF PAYMENT:

☐ Check enclosed for $ _____
☐ Charge my NTIS Deposit Account No. _____
☐ Purchase order attached

Charge to my ☐ American Express ☐ VISA
☐ MasterCard

Account number _____
Card expires _____

Signature _____
(Required to validate order)

The National Library of Medicine
Announces
Two New Subscription Titles





☐ ***AIDS Bibliography*** *
$43 per year (12 Monthly issues)
Individual issues $4 per copy
List ID: **AID89**

Previously published quarterly. Each issue consists of about 60 pages of recent references to journal articles, books, and audiovisuals on AIDS.

☐ ***Current Bibliographies in Medicine*** *
$47 per year (Approx. 20 Titles/yr.)
Individual issues $2.50 per copy
List ID: **CBM89**

A continuation of the Library's Literature Search Series, which ended in 1987. Topics will continue to be chosen for their current popular interest in distinct subject areas of biomedicine (excluding AIDS).

*Subscribers receive all issues for a given calendar year without regard to the date of order.

Superintendent of Documents Subscriptions Order Form

Please enter my subscription for the item(s) checked above.

Charge your order. It's easy! MasterCard VISA

1. The total cost of my order is $ _____ . Price includes regular domestic postage and handling and is subject to change. International customers please add 25%.

Please Type or Print

2. _____
(Company or personal name)

_____
(Additional address attention line)

_____
(Street address)

_____
(City, State, ZIP Code)

(_____) _____
(Daytime phone including area code)

3. **Please choose method of payment:**
☐ Check payable to the Superintendent of Documents
☐ GPO Deposit Account ☐☐☐☐☐☐☐☐-☐
☐ VISA or MasterCard Account
☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

_____
(Credit card expiration date)

Thank you for your order!

_____
(Signature)

4. **Ordering Options:** Mail entire order form to Superintendent of Documents, U.S.G.P.O., Washington, D.C. 20402-9371. Phone orders call (202) 783-3238. FAX orders call (202) 275-0019 or FTS 8-275-0019.

©U.S. Government Printing Office : 1989 - 617-022/06052